

Diwygiedig 2018-2033
Cynllun Datblygu Lleol

Revised 2018-2033
Local Development Plan

Aseidiadau Dyrannu Safle / **Site Allocation Assessments**

Clwstwr 1 / Cluster 1



Zil Gynllun Adneuo / 2nd Deposit Plan
Chwefror / February 2023

Clwster 1 / Cluster 1

PrC1 Caerfyrddin / Carmarthen	3
SeC1 Pontiets, Y Meinciau, Ponthenri / Pontyates, Meinciau, Ponthenri	138
SeC2 Glanyfferi / Ferryside	180
SuV1 Cynwyl Elfed	193
SuV3 Llansteffan	205
SuV4 Bronwydd	212
SuV5 Cwmffrwd	219
SuV8 Llangain	223
SuV10 Peniel	230
SuV11 Alltwalis	242
SuV12 Llanpumsaint	249
SuV14 Rhydargaeau	261
SuV15 Llanarthne	267
SuV16 Capel Dewi	274
SuV17 Nantgaredig	280
SuV18 Pontargothi	287
SuV19 Llanddarog	294
SuV20 Porthyrhyd	308

PrC1

Caerfyrddin /

Carmarthen

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h2
Cyfeiriad y Safle / Site Address:	Heol Maesyffynnon / Springfield Road	Ardal Safle / Site Area:	1.602
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/35903 - Outline permission approved 13/5/19

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei ddyrannu ar gyfer defnydd preswyl yn y CDLI mabwysiedig presennol, ers cael ei ddyrannu, mae caniatâd cynllunio amlinellol wedi'i ennill ac mae'r safle ar hyn o bryd ar werth/dan gynnig./
The site is allocated for residential development in the current adopted LDP, since being allocated, outline planning permission has been gained and the site is currently for sale/under offer.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Er mai tir glas yw'r safle, nid yw'n ymddangos ei fod yn cael ei ddefnyddio at ddefnydd amaethyddol, mae hefyd wedi'i amgylchynu gan eiddo preswyl./
Whilst the site is greenfield, it does not appear to be used for agricultural use, it is also surrounded by residential properties.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae llwybr teithio llesol yn mynd trwy'r safle - "Llwybr troed yn cysylltu Springfield Road â Chapel Evan Rd". / There is an active travel route going through the site - "Footway linking Springfield Road to Capel Evan Rd".

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle fantais o ganiatâd cynllunio amlinellol ac ar hyn o bryd mae ar werth / o dan gynnig. Er nad yw'r tirfeddiannwr wedi darparu unrhyw dystiolaeth hyd yma oherwydd bod y tir yn cael ei werthu, mae'n bosib y bydd mwy o wybodaeth yn cael ei ofyn gan y perchennog/datblygwr yn y misoedd nesaf./

The site has the benefit of outline planning permission and is currently for sale / under offer. Whilst the landowner hasn't provided any evidence to date due to the land being sold, further information may be sought from the owner/developer in the coming months.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h2
Cyfeiriad y Safle / Site Address:	Heol Maesyffynnon / Springfield Road	Arwynebedd y Safle / Site Area:	1.602
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h3
Cyfeiriad y Safle / Site Address:	113 Heol y Prior / 113 Priory Street	Ardal Safle / Site Area:	0.28
Defnydd Presennol / Existing Use:	Former Garage	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/34929

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments
Cwblhawyd y gwaith o ddatblygu 27 o fflatiau a 10 annedd yn 2019-20. / The development of 27 apartments and 10 dwellings was completed in 2019-20.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h3
Cyfeiriad y Safle / Site Address:	113 Heol y Prior / 113 Priory Street	Arwynebedd y Safle / Site Area:	0.28
Defnydd Presennol / Existing Use:	Former Garage	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0597 SR/021/029	Cyfeirnod y Safle / Site Reference:	PrC1/h4
Cyfeiriad y Safle / Site Address:	Tir oddi ar Barc y Delyn / Land off Parc y Delyn	Ardal Safle / Site Area:	1.46
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural Use	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	none

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment			
--	--	--	--

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae TPOs ar rai o'r coed sy'n amgylchynu'r safle a bydd angen eu cadw ynghyd â'u hardaloedd gwarchod y gwreiddiau. Mae cwrs dŵr cyffredin yn croesi safle..

There are TPOs on some of the trees that surround the site which will require retention along with their root protection areas. An ordinary watercourse crosses site.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Er nad oes unrhyw faterion prifffyrdd sylweddol wedi'u nodi, mae yna faterion y byddai angen mynd i'r afael â nhw fel rhan o fanylion cais cynllunio./

Whilst there are no identified significant highway issues, there are matters that would need addressing as part of the detail of a planning application.

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. Nid yw'r safle wedi ei leoli o fewn AQMA, ond mae o fewn 600m & efallai y bydd angen cyflwyno Asesiad Ansawdd Aer fel rhan o gais cynllunio./

The SFCA identifies no significant flood risk considerations. The site is not located within an AQMA, however it is within 600m & an Air Quality Assessment may need to be submitted as part of a planning application.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
<p>Mae'r safle wedi'i amgáu ar bob ochr gan ffin ddiffiniedig, a byddai ei faint a'i raddfa yn gyfle datblygu rhesymol yng Nghaerfyrddin i adeiladwyr tai ar raddfa fach a chanolog. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu dystiolaeth sy'n dangos bod modd cyflawni'r datblygiad. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.</p> <p>The site is enclosed on all sides by a defined boundary, and its size and scale would be a reasonable development opportunity within Carmarthen for small to medium scale housebuilders. The site was submitted as a candidate site and the agent has provided satisfactory evidence showing the deliverability of the site. Additional information will be sought as necessary as the LDP goes towards examination.</p>			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0597 SR/021/029	Cyfeirnod y Safle / Site Reference:	PrC1/h4
Cyfeiriad y Safle / Site Address:	Tir oddi ar Barc y Delyn / Land off Parc y Delyn	Arwynebedd y Safle / Site Area:	1.46
Defnydd Presennol / Existing Use:	Tir amaethyddol / Agricultural Use	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0647 SR/021/036	Cyfeirnod y Safle / Site Reference:	PrC1/h5
Cyfeiriad y Safle / Site Address:	I'r dwyrain o Lôn Devereaux East of Devereaux Drive	Ardal Safle / Site Area:	0.294
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural Use	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	None

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	X		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
---	---	-------	-------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle ymgeisio a gyflwynwyd yn cynnwys cae mwy o faint sydd ar lethr. Nid ystyrir bod y safle cyfan a gyflwynwyd yn addas i'w ddatblygu; fodd bynnag, ystyrir bod rhan isaf y cae yn addas gan ei fod yn gorwedd gyferbyn â thai presennol a byddai'n cynnig cyfle datblygu rhesymol yng Nghaerfyrddin i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfywedd y safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The submitted candidate site consists of a sloping, larger field. The whole submitted site is not considered suitable for development, however the lower part of the field is considered suitable as it lies opposite existing housing and would provide a reasonable development opportunity within Carmarthen for small to medium scale housebuilders. The site was submitted as a candidate site and the agent has provided satisfactory evidence showing the deliverability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0647 SR/021/036	Cyfeirnod y Safle / Site Reference:	PrC1/h5
Cyfeiriad y Safle / Site Address:	I'r dwyrain o Lôn Devereaux East of Devereaux Drive	Arwynebedd y Safle / Site Area:	0.294
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural Use	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried liniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried liniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h7
Cyfeiriad y Safle / Site Address:	Fferm Penybont, Heol Llysonnen / Penybont Farm, Llysonnen Road	Ardal Safle / Site Area:	0.52
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/15157; PL/03321

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae cwmni Haywood Homes wedi dechrau ar ei waith ar y safle. / Haywood Homes have commenced work on the site.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Er bod cyfran fawr o'r safle wedi ei leoli ar dir amaethyddol Gradd 3a, mae'r safle mewn lleoliad trefol ac mae ganddo'r fantais o ganiatâd cynllunio. Categori Aseiad Strategol o Ganlyniadau Llifogydd - Gwyrdd (risg isel). Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. /

Although a large proportion of the site is located on Grade 3a agricultural land, the site is in an urban setting and has the benefit of planning permission. SFCA category - Green (low risk). Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle ganiatâd cynllunio presennol o gais cynllunio W/15157 ar gyfer cartref gofal, 7 byngalo a 9 tŷ preifat. Mae'r cartref gofal a 7 byngalo wedi'u cwblhau, Mae'r gwaith wedi dechrau yn ddiweddar ar weddill y safle

The site has extant planning permission from planning application W/15157 for a carehome, 7 bungalows and 9 private houses. The carehome and 7 bungalows have been completed, work has recently commenced on the remainder of the site.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h7
Cyfeiriad y Safle / Site Address:	Fferm Penybont, Heol Llysonnen / Penybont Farm, Llysonnen Road	Arwynebedd y Safle / Site Area:	0.52
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h8
Cyfeiriad y Safle / Site Address:	Heol Llansteffan / Llansteffan Road	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Tir Gwag / Tir Hamdden Anffurfiol Vacant / Informal Recreation Land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn agos at ACA Afon Tywi, ond ni ddylai datblygu'r safle effeithio arno oherwydd ei fod yn uwch na'r tir o'i amgylch, ac wedi'i wahanu gan goed. /

The site is located close to the River Towy SAC, but development of the site should not have an affect on it due to its elevated position, and its separation by trees.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Arferai'r safle fod yn lleoliad hen Ysgol Gyfun y Frenhines Elisabeth Maridunum, ac mae'r ysgol wedi'i dymchwel bellach a'r tir wedi'i adfer. Am y rheswm hwn, ni ellir dosbarthu'r tir fel tir a ddatblygwyd o'r blaen. /

The site used to be the location of the former Queen Elizabeth Maridunum Comprehensive School, the school has since been demolished and the land restored. For this reason, the land cannot be classed as previously developed.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae rhan o'r safle wedi ei leoli ar dir gradd 3a, a rhan ohono ar dir amaethyddol gradd 4. Mae dyddodion tywod a graean arwynebol yn gorchuddio tua 10% yn unig o'r safle ac felly nid yw'r adnodd cyfyngedig yn ddigonol o ran maint i gefnogi gweithrediad echdynnu. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Part of the site is located on grade 3a, and part on grade 4 agricultural land. Superficial sand and gravel deposits cover approximately only 10% of the site and so the limited resource is not sufficient in size to support an extraction operation. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli wrth ymyl y Ganolfan Hamdden ac ar hyn o bryd mae'n laswelltir gwag nad yw'n cael ei ddefnyddio at ddibenion hamdden. Nid oes unrhyw bryderon am golli gofod hamdden gan fod gofod hamdden helaeth yng nghyffiniau'r safle. Mae gan ddatblygwr posibl ddiddordeb yn y safle, a gofynnir am unrhyw wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site is located adjacent to the Leisure Centre and is currently vacant grassland that is not in active use for recreational purposes. There are no concerns about a loss of recreational space as there is a high provision of recreational space within the vicinity of the site. A potential developer is interested in the site, and additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h8
Cyfeiriad y Safle / Site Address:	Heol Llansteffan / Llansteffan Road	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Tir Gwag / Tir Hamdden Anffurfiol Vacant / Inf	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h9
Cyfeiriad y Safle / Site Address:	Mounthill	Ardal Safle / Site Area:	0.186
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/33984

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae'r datblygiad yn cael ei adeiladu ar hyn o bryd (5 annedd). Dyrannu ar gyfer defnydd preswyl yn y CDLI Diwygiedig.
The development is currently under construction (5 dwellings). Allocate for residential use in the Revised LDP.

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h9
Cyfeiriad y Safle / Site Address:	Mounthill	Arwynebedd y Safle / Site Area:	0.186
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0636 SR/021/034	Cyfeirnod y Safle / Site Reference:	PrC1/h10
Cyfeiriad y Safle / Site Address:	Brynhyfryd	Ardal Safle / Site Area:	1.379
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
---	---	-------	-------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae cynnwys y safle yn estyniad rhesymegol i'r anheddiad yn y lleoliad hwn a dylai ddarparu ar gyfer anghenion Llangynnwr am gyfnod y CDLI. Mae'r safle ymgeisio a gyflwynwyd yn cynnwys y cae cyfan; fodd bynnag, ystyrir mai dim ond rhan a ystyrir yn briodol oherwydd maint a thopograffi'r safle. Ystyrir hefyd y bydd y safle yn darparu cyfle datblygu rhesymol yn yr ardal i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfywedd y safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad. /

The inclusion of the site represents a logical extension to the settlement in this location and should provide for the needs of Llangunnor for the LDP period. The submitted candidate site consists of the whole field, however, it is considered that only part is considered appropriate due to the size and topography of the site. It is also considered that the site will provide a reasonable development opportunity within the area for small to medium scale housebuilders. The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0636 SR/021/034	Cyfeirnod y Safle / Site Reference:	PrC1/h10
Cyfeiriad y Safle / Site Address:	Brynhyfryd	Arwynebedd y Safle / Site Area:	1.379
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried liniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried liniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h11
Cyfeiriad y Safle / Site Address:	Estyniad Rhiw Babel / Rhiw Babel Extension	Ardal Safle / Site Area:	0.538
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/37327

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae'r datblygiad o 12 byngalo wedi cael ei gwblhau yn ystod y cyfnod 2020-22.
The development of 12 bungalows has been completed during the period 2020-22.

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h11
Cyfeiriad y Safle / Site Address:	Estyniad Rhiw Babel / Rhiw Babel Extension	Arwynebedd y Safle / Site Area:	0.538
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
Mae'r datblygiad o 12 byngalo wedi cael ei gwblhau yn ystod y cyfnod 2020-22. The development of 12 bungalows has been	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0888 SR/021/048	Cyfeirnod y Safle / Site Reference:	PrC1/h12
Cyfeiriad y Safle / Site Address:	Heol Castell Pigyn / Castell Pigyn Road, Abergwili	Ardal Safle / Site Area:	1.616
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i leoli y tu allan i'r parthau llifogydd presennol C1 & C2, ond mae'r SFCA wedi tynnu sylw at y safle fel un sydd â phryderon mawr am y dyraniad gan fod "mwyafrif y safle o fewn Parth Llifogydd 2 am risg o lifogydd afonol." Mae cyfle wedi cael ei roi i adolygu'r mapiau newydd yma gan Lywodraeth Cymru cyn iddyn nhw ddod i bodoli./

The site is located outside of current flood zones C1 & C2, but the SFCA has flagged the site up as having major concerns for the allocation as the "majority of the site is within Flood Zone 2 for risk of fluvial flooding." An opportunity has been given to review these new maps by the Welsh Government before they come into force.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5	-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. O ran yr ASGLI, gweler sylwadau ychwanegol yn ymwneud ag adran 2a/

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. In terms of the SFCA, please see additional comments relating to section 2a

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae cynnwys y safle yn estyniad rhesymegol i'r anheddiad yn y lleoliad hwn a dylai ddarparu ar gyfer anghenion Abergwili am gyfnod y CDLI. Ystyrir y bydd y safle yn darparu cyfle datblygu rhesymol yn yr ardal i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfywedd y safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

The inclusion of the site represents a logical extension to the settlement in this location and should provide for the needs of Abergwili for the LDP period. It is considered that the site will provide a reasonable development opportunity within the area for small to medium scale housebuilders. The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0888 SR/021/048	Cyfeirnod y Safle / Site Reference:	PrC1/h12
Cyfeiriad y Safle / Site Address:	Heol Castell Pigyn / Castell Pigyn Road, Abergwili	Arwynebedd y Safle / Site Area:	1.616
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	--
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Risg llifogydd wedi'i nodi. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.</p> <p>Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>Flood risk identified. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.</p> <p>The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
--	---

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h14
Cyfeiriad y Safle / Site Address:	Heol Bronwydd (De) / Bronwydd Road (South)	Ardal Safle / Site Area:	1.103
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/22686, W/37472

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae datblygiad y safle wedi hen ddechrau. /
Development of the site is well underway.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h14
Cyfeiriad y Safle / Site Address:	Heol Bronwydd (De) / Bronwydd Road (South)	Arwynebedd y Safle / Site Area:	1.103
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h15
Cyfeiriad y Safle / Site Address:	Cyfagos i Tyle Teg / Adjacent Tyle Teg	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Tir gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/36311

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r gwaith datblygu wedi dechrau ar y safle gyda 5 o'r 7 annedd wedi eu cwblhau. /
Development has commenced on the site with 5 of the 7 dwellings completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h15
Cyfeiriad y Safle / Site Address:	Cyfagos i Tyle Teg / Adjacent Tyle Teg	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Tir gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h16
Cyfeiriad y Safle / Site Address:	Rhiw Babell	Ardal Safle / Site Area:	0.7 ha
Defnydd Presennol / Existing Use:	Tir gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00876, PL/03177

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Yn ddiweddar rhoddwyd caniatâd cynllunio ar gyfer 9 o anheddau ar y safle, sy'n estyniad ar gyfer y datblygiad a gwblhawyd yn ddiweddar i orllewin y safle. /

Planning permission has recently been granted for 9 dwellings on the site, which is an extension for the recently completed development to the west of the site.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn ddyraniad yn y CDLI presennol ac wedi cael caniatâd cynllunio yn ddiweddar. Lleolir y safle yn yr ardal adeiledig ac mae'n addas cynnig cyfle am dai ar raddfa fach o fewn Caerfyrddin./

The site is an allocation in the current LDP and has recently gained planning permission. The site is located within the built up area and is suitable to provide an opportunity for small scale housing within Carmarthen.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h16
Cyfeiriad y Safle / Site Address:	Rhiw Babel	Arwynebedd y Safle / Site Area:	0.7 ha
Defnydd Presennol / Existing Use:	Tir gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h17
Cyfeiriad y Safle / Site Address:	4-5 Heol y Cei / 4-5 Quay Street	Ardal Safle / Site Area:	n/a
Defnydd Presennol / Existing Use:	Offices	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, nodwch / If other, specify:	Swyddfeydd / Offices

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/40752

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae caniatâd cynllunio wedi cael ei roi ar gyfer troi'r adeilad, sy'n cael ei ddefnyddio ar hyn o bryd fel swyddfeydd i 5 fflat./
Planning permission has been granted for the conversion of the building, currently used as offices to 5 flats.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	✓	ACI3 ISA3	-
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	X		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	X		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	----------	----------------	----------

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae Hysbysiad Cychwynnol Rheoleiddio Adeiladu wedi'i gyflwyno, sy'n dangos bod y gwaith i fod i ddechrau yn fuan./

A Building Regulation Initial Notice has been submitted, indicating that work is due to commence soon.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h17
Cyfeiriad y Safle / Site Address:	4-5 Heol y Cei / 4-5 Quay Street	Arwynebedd y Safle / Site Area:	n/a
Defnydd Presennol / Existing Use:	Offices	Defnydd Arfaethedig / Proposed Use:	Arall (Ysgrifennwch isod) / Other (Please write below)
		Os arall, na, Nodwch / If other, specify:	Swyddfeydd / Offices

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	--
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'r safle wedi'i leoli o fewn neu'n gyfagos i Ardal Rheoli Ansawdd Aer, a chynghorir bod asesiad ansawdd aer yn cael ei gynnal fel rhan o'r caniatâd cynllunio er mwyn nodi a lleihau effeithiau negyddol. Cyfeirir at PSD12: Llygredd Golau ac Aer. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. The site is within or adjacent to an AQMA, and it is advised that an air quality assessment is undertaken as part of the planning permission to identify and mitigate negative effects. Reference is made to PSD12: Light and Air Pollution. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h18
Cyfeiriad y Safle / Site Address:	Castell Howell	Ardal Safle / Site Area:	0.5 ha
Defnydd Presennol / Existing Use:	Unedau diwylliedig / Industrial units	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/37156

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae caniatâd cynllunio amlinellol wedi'i roi ar gyfer adeiladu 7 annedd ar y safle./
Outline planning permission has been granted for the construction of 7 dwellings on the site.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+

(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓			+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		
Sylwadau Ychwanegol / Additional Comments			
<p>Mae'r safle wedi cael caniatâd cynllunio yn ddiweddar ac mae'n addas i roi cyfle am dai ar raddfa fach yng Nghaerfyrddin. Gofynnir am wybodaeth ychwanegol gan y datblygwr, yn ôl yr angen wrth i'r CDLI fynd tuag at arholiad./</p> <p>The site has recently gained planning permission and is suitable to provide an opportunity for small scale housing within Carmarthen. Additional information will be sought from the developer, as necessary as the LDP goes towards examination.</p>			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h18
Cyfeiriad y Safle / Site Address:	Castell Howell	Arwynebedd y Safle / Site Area:	0.5 ha
Defnydd Presennol / Existing Use:	Unedau diwylliedig / Industrial units	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei ailddefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h19
Cyfeiriad y Safle / Site Address:	Tir gerllaw Ty Gwynfa / Land adjacent Ty Gwynfa	Ardal Safle / Site Area:	n/a
Defnydd Presennol / Existing Use:	Gardd / Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/38292

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Cwblhawyd y gwaith o ddatblygu 10 annedd yn 2021. /
The development of 10 dwellings was completed in 2021.

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h19
Cyfeiriad y Safle / Site Address:	Tir gerllaw Ty Gwynfa / Land adjacent Ty Gwynfa	Arwynebedd y Safle / Site Area:	n/a
Defnydd Presennol / Existing Use:	Gardd / Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h20
Cyfeiriad y Safle / Site Address:	8 Heol Spilman / 8 Spilman Street	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:		Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/03743

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	X	ACI1 ISA1	--

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Mae caniatâd cynllunio wedi'i roi ar gyfer trosi swyddfydd i 12 uned breswyl. Mae'r gwaith adeiladu wedi dechrau /

Planning permission has been granted for the conversion of offices to 12 residential units. Construction work has begun on the conversion

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h20
Cyfeiriad y Safle / Site Address:	8 Heol Spilman / 8 Spilman Street	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	0	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h21
Cyfeiriad y Safle / Site Address:	Clos Tawelan	Ardal Safle / Site Area:	0.4 ha
Defnydd Presennol / Existing Use:	Catref gofal / Care home	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/39755

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Cwblhawyd y gwaith o ddatblygu 18 annedd yn 2022. /
The development of 18 dwellings was completed in 2022.

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC1/h21
Cyfeiriad y Safle / Site Address:	Clos Tawelan	Arwynebedd y Safle / Site Area:	0.4 ha
Defnydd Presennol / Existing Use:	Catref gofal / Care home	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0717 / SR/021/040 (part)	Cyfeirnod y Safle / Site Reference:	PrC1/MU1
Cyfeiriad y Safle / Site Address:	Gorllewin Caerfyrddin / West Carmarthen	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/32287, W/27776, PL/04627; PL/01626, PL/02576

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn safle strategol hirdymor, ar ôl cael ei ddyrannu yn y CDLI mabwysiedig./
The site is a long-term strategic site, having been allocated in the adopted LDP.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
---	---	-------	-------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7		-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5		-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Dioglegu mwynau: Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Tir Amaethyddol: Mae rhan o'r safle'n disgyn ar tir amaethyddol gradd 3a, ond mae'r tir yn rhan o safle strategol hir dymor ar gyfer Caerfyrddin ac yn gorwedd gerllaw'r ffurf adeiledig. Nid yw'n glir a ellid defnyddio'r tir hwn ar gyfer tyfu cnydau sy'n ffafriol i 3a tir amaethyddol. Ar ben hynny, mae rhan 3a tir wedi'i adeiladu ar neu mae ganddo ganiatâd cynllunio dilys.

ASGLI: Archwiliodd y ASGLI y safle Brif Cynllunio a Datblygu cyfan sy'n cynnwys cymysgedd o ddefnyddiau, gan gynnwys rhai ardaloedd o dir agored / hamdden. O fewn yr ardaloedd hyn, ar hyd Nant Tawelan, y mae'r ASGLI wedi codi pryder. Bydd yr holl dir tai y tu allan i'r ardaloedd lle mae perygl llifogydd. /

Mineral Safeguarding: Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Agricultural Land: Part of the site falls on 3a agricultural land, however the land forms part of a long-term strategic site for Carmarthen and lies adjacent the built form. It is not clear whether this land could be utilised for the growing of crops conducive to 3a agricultural land. Furthermore, part 3a land has been built on, or has a valid planning permission.

SFCA: The SFCA examined the whole Planning and Development Brief site which includes a mixture of uses, including some areas of open / recreation land. It is within these areas, along the Tawelan Brook, that the SFCA has raised a concern. All housing land will be located outside the flood risk areas.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Mae o'r farn y bydd y safle yn cael ei ddatblygu fesul dipyn ac na fydd yn effeithio ar y Gymraeg mewn ffordd negyddol./

It is considered that the site will be developed in a phased manner and will not impact upon the Welsh language in a negative way.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Wedi'i nodi fel safle strategol yn y CDLI mabwysiedig, mae safle Gorllewin Caerfyrddin yn parhau i gael ei nodi fel safle defnydd cymysg ar gyfer amrywiaeth o ddefnyddiau gan gynnwys cyfleusterau preswyl, addysg, amwynder/hamdden, cyflogaeth a chymunedol. Mabwysiadwyd Briff Datblygu ar y safle er mwyn sicrhau bod datblygiad cynhwysfawr ac integredig yn cael ei wneud ar y safle. Ers mabwysiadu'r Briff yn 2010, mae'r ffordd gyswllt wedi'i chwblhau ac mae tai wedi'u cwblhau ar ochr ddeheuol y safle. Mae'r Cyngor ynghyd â phartneriaid, tirfeddianwyr ac adeiladwyr tai wedi buddsoddi amser ac adnoddau i gyflawni'r safle hwn dros y blynyddoedd diwethaf. Mae'r gwaith datblygu wedi dechrau ar y safle ac mae ceisiadau cynllunio yn cael eu cyflwyno ar gyfer y safle ac ystyrir bod y safle yn dal i fod yn briodol a bod modd ei gyflawni ar gyfer y defnyddiau cymysg a ddisgrifir yn y Briff Cynllunio a Datblygu.

Identified as a strategic site in the adopted LDP, the West Carmarthen site continues to be identified as a mixed use site for a variety of uses including residential, education, amenity/recreation, employment and community facilities. A Development Brief has been adopted on the site in order to ensure a comprehensive and integrated development is undertaken on the site. Since the adoption of the Brief in 2010, the link road has been completed and houses have been completed on the southern side of the site. The Council along with partners, landowners and housebuilders have invested time and resources into delivering this site over recent years. Development has begun on the site and further planning applications are coming forward for the site, and it is considered that the site remains to be appropriate and deliverable for the mixed uses described within the Planning and Development Brief.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0717 / SR/021/040 (part)	Cyfeirnod y Safle / Site Reference:	PrC1/MU1
Cyfeiriad y Safle / Site Address:	Gorllewin Caerfyrddin / West Carmarthen	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	-
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Risg llifogydd wedi'i nodi. Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Flood risk identified. This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/021/020 (CA0451)	Cyfeirnod y Safle / Site Reference:	PrC1/MU1
Cyfeiriad y Safle / Site Address:	Gorllewin Caerfyrddin / West Carmarthen	Ardal Safle / Site Area:	4.53ha cyflogaeth bosib / potential employment
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use (elfen) cyflogaeth) / (employment element)
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5	-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Dioglelu mwynau: Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterilieiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Tir Amaethyddol: Mae rhan o'r safle'n disgyn ar tir amaethyddol gradd 3a, ond mae'r tir yn rhan o safle strategol hir dymor ar gyfer Caerfyrddin ac yn gorwedd gerllaw'r ffurf adeiledig. Nid yw'n glir a ellid defnyddio'r tir hwn ar gyfer tyfu cynydu sy'n ffafriol i 3a tir amaethyddol. Ar ben hynny, mae rhan 3a tir wedi'i adeiladu ar neu mae ganddo ganiatâd cynllunio dilys.

ASGLI: Archwiliodd y ASGLI y safle Brif Cynllunio a Datblygu cyfan sy'n cynnwys cymysgedd o ddefnyddiau, gan gynnwys rhai ardaloedd o dir agored / hamdden. O fewn yr ardaloedd hyn, ar hyd Nant Tawelan, y mae'r ASGLI wedi codi pryder. Mae'r tir cyflogaeth arfaethedig wedi'i leoli y tu allan i'r ardaloedd lle mae perygl llifogydd.

Mineral Safeguarding: Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Agricultural Land: Part of the site falls on 3a agricultural land, however the land forms part of a long-term strategic site for Carmarthen and lies adjacent the built form. It is not clear whether this land could be utilised for the growing of crops conducive to 3a agricultural land. Furthermore, part 3a land has been built on or has a valid planning permission.

SFCA: The SFCA examined the whole Planning and Development Brief site which includes a mixture of uses, including some areas of open / recreation land. It is within these areas, along the Tawelan Brook, that the SFCA has raised a concern. The proposed employment land is located outside the flood risk areas.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Wedi'i nodi fel safle strategol yn y CDLI, mae safle Gorllewin Caerfyrddin yn parhau i gael ei nodi fel safle defnydd cymysg ar gyfer amrywiaeth o ddefnyddiau gan gynnwys cyfleusterau preswyl, addysg, amwynder/hamdden, cyflogaeth a chymunedol. Mabwysiadwyd Briff Datblygu ar y safle er mwyn sicrhau bod datblygiad cynhwysfawr ac integredig yn cael ei wneud ar y safle.. Ers mabwysiadu'r Briff yn 2010, mae'r ffordd gyswllt wedi'i chwblhau ac mae tai wedi'u cwblhau ar ochr ddeheuol y safle. Mae'r Cyngor ynghyd â phartneriaid, tiffeddianwyr ac adeiladwyr tai wedi buddsoddi amser ac adnoddau i gyflawni'r safle hwn dros y blynyddoedd diwethaf. Er nad yw'n benodol i elfen cyflogaeth y safle, mae'r datblygiad wedi dechrau ar rannau eraill o'r safle ac mae ceisiadau cynllunio pellach yn dod ymlaen. Ystyrir bod y safle yn dal i fod yn briodol a bod modd ei gyflawni ar gyfer y defnyddiau cymysg a ddisgrifir yn y Briff Cynllunio a Datblygu.

Identified as a strategic site in the LDP, the West Carmarthen site continues to be identified as a mixed use site for a variety of uses including residential, education, amenity/recreation, employment and community facilities. A Development Brief has been adopted on the site in order to ensure a comprehensive and integrated development is undertaken on the site. Since the adoption of the Brief in 2010, the link road has been completed and houses have been completed on the southern side of the site. The Council along with partners, landowners and housebuilders have invested time and resources into delivering this site over recent years. Whilst not specific to the employment element of the site, development has begun on other parts of the site and further planning applications are coming forward. It is considered that the site remains to be appropriate and deliverable for the mixed uses described within the Planning and Development Brief.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/021/020 (CA0451)	Cyfeirnod y Safle / Site Reference:	PrC1/MU1
Cyfeiriad y Safle / Site Address:	Gorllewin Caerfyrddin / West Carmarthen	Arwynebedd y Safle / Site Area:	4.53ha
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	-
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.

This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0342 / SR/021/010	Cyfeirnod y Safle / Site Reference:	PrC1/MU2
Cyfeiriad y Safle / Site Address:	Pibwrlwyd	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli o fewn ardal lle ceir cyfleusterau cyflogaeth, adwerthu ac addysgol yn bennaf. Mae mewn lleoliad strategol yn agos at yr A48. Mae'r safle maes glas hwn yn wastad ar y cyfan, ac ar ychydig o lethr mewn mannau. Dyrennir y safle yn y CDLI presennol, wedi iddo gael ei nodi'n safle briffio cynllunio a datblygu, ond nid yw wedi'i ddatblygu eto. Y defnydd arfaethedig ar gyfer y safle yw cymysgedd o ddefnyddiau posibl, gan gynnwys defnyddiau preswyl, addysg a masnachol sy'n cynnwys swyddfeydd a diwydiant ysgafn. Ystyrir bod rhan o'r safle yn addas ar gyfer datblygiad preswyl er mwyn cefnogi'r defnyddiau eraill, ac i sicrhau hyfywedd y safle. Ceir hyfywedd pellach a thystiolaeth seilwaith gan y tiffeddiannwr maes o law.

The site is located within an area dominated by employment, retail and educational facilities. Situated at a strategic location in close proximity to the A48, this largely flat, slightly sloping in places, greenfield site. The site is allocated in the current LDP, having been identified as a planning and development brief site, but has not yet been developed. The proposed use for the site is for a mix of potential uses, including residential, education and commercial uses consisting of offices and light industrial. It is considered that part of the site is appropriate for residential development in order to support the other uses, and to ensure the site's viability. Further viability and infrastructure evidence will be obtained from the landowner in due course.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0342 / SR/021/010	Cyfeirnod y Safle / Site Reference:	PrC1/MU2
Cyfeiriad y Safle / Site Address:	Pibwrlwyd	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0342 / SR/021/010	Cyfeirnod y Safle / Site Reference:	PrC1/MU2
Cyfeiriad y Safle / Site Address:	Pibwrlwyd	Ardal Safle / Site Area:	8.95ha (cyflogaeth bosib / potential employment)
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use (elfen) cyflogaeth) / (employment element)
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

<p>Mae'r safle wedi ei leoli o fewn ardal lle ceir cyfleusterau cyflogaeth, adwerthu ac addysgol yn bennaf. Mae mewn lleoliad strategol yn agos at yr A48. Mae'r safle maes glas hwn yn wastad ar y cyfan, ac ar ychydig o lethr mewn mannau. Dyrennir y safle yn y CDLI presennol, wedi iddo gael ei nodi'n safle briffio cynllunio a datblygu, ond nid yw wedi'i ddatblygu eto. Y defnydd arfaethedig ar gyfer y safle yw cymysgedd o ddefnyddiau posibl, gan gynnwys defnyddiau preswyl, addysg a masnachol sy'n cynnwys swyddfeydd a diwydiant ysgafn. Ceir hyfywedd pellach a thystiolaeth seilwaith gan y tîrfeddiannwr maes o law.</p> <p>The site is located within an area dominated by employment, retail and educational facilities. Situated at a strategic location in close proximity to the A48, this largely flat, slightly sloping in places, greenfield site. The site is allocated in the current LDP, having been identified as a planning and development brief site, but has not yet been developed. The proposed use for the site is for a mix of potential uses, including residential, education and commercial uses consisting of offices and light industrial. Further viability and infrastructure evidence will be obtained from the landowner in due course.</p>			
--	--	--	--

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0342 / SR/021/010	Cyfeirnod y Safle / Site Reference:	PrC1/MU2
Cyfeiriad y Safle / Site Address:	Pibwrlwyd	Arwynebedd y Safle / Site Area:	8.95ha (cyflogaeth bosib / potential employment)
Defnydd Presennol / Existing Use:	Tir amaethyddol / agricultural land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.</p>	<p>This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
--	---

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	PrC1/MU3
Cyfeiriad y Safle / Site Address:	Safle Adfywio a Defnydd Cymysg Nant-Y-Caws / Nant-Y-Caws Regeneration and Mixed-Use Site	Ardal Safle / Site Area:	86.96 ha
Defnydd Presennol / Existing Use:	Rhan weithredol, rhan dir gwag / Part operational, part vacant land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	Nifer yn ymwneud â rheoli gwastraff / Numerous relating to waste management

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Defnyddiwyd rhannau o'r safle gynt ar gyfer tirlenwi gwastraff

Parts of the site were formerly used for the landfilling of waste

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Er bod y safle ar hyn o bryd yn gweithredu gyda mynediad yn uniongyrchol i'r A48, bydd materion mynediad priffyrdd yn cael eu harchwilio ymhellach o ran ehangu gweithrediadau ar y safle yn y dyfodol.

Whilst the site currently operates with access directly onto the A48, highway access issues will be further explored in the relation to the future expansion of operations at the site.

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	✓	ACI7 ISA7	-
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae mawn yn croesi cyfran fechan iawn o ffin y dyraniad. Mae gweithrediadau'n annhebygol o effeithio ar ei bwysigrwydd cadwraeth, er bod angen ystyriaeth.

Peat intersects a very small portion of the allocation boundary. Operations are unlikely to impact upon its conservation importance, although consideration is needed.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw? / Has the applicant provided sufficient evidence to show the development is deliverable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae hyn yn safle sydd eisoes yn cael ei ddefnyddio ar gyfer rheoli gwastraff yn gynaliadwy. Mae'n cynnig cyfle i'r dyfodol harneisio ynni ar raddfa fach o wastraff, a gweithgareddau cysylltiedig sy'n seiliedig ar gyflogaeth. Cyflwynodd gweithredwyr y safle sylwadau i'r CDLI Diwygiedig Adneuo Cyntaf lle roedden nhw'n dweud y bydd datblygiad Uwchgyllun ar gyfer y safle yn ddogfen gydweithredol mewn ymgynghoriad â'r Awdurdod Lleol.

This site is already utilised for the sustainable management of waste. It offers the future opportunity to potentially harness small-scale energy from waste, and related employment-based activities. The site operators submitted a representation to the First Deposit Revised LDP in which they stated that the development of a Masterplan for the site will be a collaborative document in consultation with the Local Authority.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	PrC1/MU3
Cyfeiriad y Safle / Site Address:	Safle Adfywio a Defnydd Cymysg Nant-Y-Caws / Nant-Y-Caws Regeneration and Mixed-Use Site	Arwynebedd y Safle / Site Area:	86.96 ha
Defnydd Presennol / Existing Use:	Rhan weithredol, rhan dir gwag / Part operational, part vacant land	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	+/-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae mawn yn croesi cyfran fechan iawn o ffin y dyraniad. Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Peat intersects a very small portion of the allocation boundary. This site performs well against the ISA Framework. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	PrC1/SS1
Cyfeiriad y Safle / Site Address:	Yr Egin	Ardal Safle / Site Area:	1.04
Defnydd Presennol / Existing Use:	Rhan wedi'i chwblhau, rhan safle glas / Part complete, part green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/34228

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

<p>Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.</p> <p>Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.</p>			
--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn rhan o safle strategol mwy, sy'n cynnwys defnyddiau addysg yn ogystal â chyflogaeth. Mae'r elfen gyflogaeth yn cynnwys 1.04 ha ac mae rhan ohoni eisoes wedi'i datblygu ar gyfer swyddfeydd. Mae Egin Cam 1 eisoes wedi ei gwblhau. Mae prosiect arall (Egin Cam 2) yn y cyfnod datblygu ar hyn o bryd.

The site forms part of a larger strategic site, which includes education uses as well as employment. The employment element comprises 1.04 ha, part of which has already been developed for offices.

Egin Phase 1 has already been completed. A further project (Egin Phase 2) is currently in the development stage.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	PrC1/SS1
Cyfeiriad y Safle / Site Address:	Yr Egin	Arwynebedd y Safle / Site Area:	1.04
Defnydd Presennol / Existing Use:	Rhan wedi'i chwblhau, rhan safle glas / Part complete, part green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyion cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/021/031 (CA0607)	Cyfeirnod y Safle / Site Reference:	PrC1/E1
Cyfeiriad y Safle / Site Address:	Ystad Ddiwydiannol Cilefwr / Cillefwr Industrial Estate	Ardal Safle / Site Area:	4.167
Defnydd Presennol / Existing Use:	Safleoedd Glas / Green fields	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

<p>Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.</p> <p>Nid oes safleoedd amgen priodol gerllaw anheddiad strategol Caerfyrddin a fyddai'n osgoi tir amaethyddol o safon uchel (gradd 3a).</p> <p>Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.</p> <p>There are no appropriate alternative sites adjacent to the strategic settlement of Carmarthen that would avoid high quality agricultural land (grade 3a).</p>

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw? / Has the applicant provided sufficient evidence to show the development is deliverable?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		
Sylwadau Ychwanegol / Additional Comments			

Mae'r safle wedi ei leoli o fewn a gerllaw safle cyflogaeth presennol yn Ystad Ddiwydiannol Cillefwr. Mae ei faint a'i raddfa yn caniatáu'r cyfle i ddatblygu ar raddfa fach i ganolig, ac nid yw'n ymddangos bod unrhyw effaith andwyol i atal datblygiad y safle at ddibenion cyflogaeth. Mae gan y safle seilwaith ffyrdd ar waith sy'n golygu bod y safle ar gael i'w ddatblygu ar unwaith. Mae'r safle'n cynnwys tair elfen ar wahân fel y nodwyd ar y map cynigion CDLI Adneuo ac mewn Polisi EME3.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu.

The site is located within and adjacent to an existing employment site at Cillefwr Industrial Estate. Its size and scale allows the opportunity for small - medium scale development, and there does not appear to be any adverse impact to stifle the development of the site for employment purposes. The site has road infrastructure in place which makes the site immediately available for development. The site comprises three separate elements as identified on the Deposit LDP proposals map and in Policy EME3.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/021/031 (CA0607)	Cyfeirnod y Safle / Site Reference:	PrC1/E1
Cyfeiriad y Safle / Site Address:	Ystad Ddiwydiannol Cilefwr / Cillefwr Industrial Estate	Arwynebedd y Safle / Site Area:	4.167
Defnydd Presennol / Existing Use:	Safleoedd Glas / Green fields	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinioedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
--	---

SeC1

Pont-iets, y Meinciau,

Pont-henri /

Pontyates, Meinciau,

Ponthenri

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h1
Cyfeiriad y Safle / Site Address:	Lime Grove	Ardal Safle / Site Area:	0.817ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/28553, W/36561, W/36600, W/39726

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywodfaen o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sandstone deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle gais Materion a Gadwyd yn ôl yn yr arfaeth, yn dilyn cymeradwyo caniatâd amlinellol, yn ychwanegol at gais am amrywio amodau mewn perthynas ag addasu'r cytundeb Adran 106. Ystyrir ei bod yn briodol bod y safle hwn yn cael ei ddyrannu gyda'r bwriad o'i ddatblygu. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais Materion a Gadwyd yn ôl, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has a pending Reserved Matters application following the approval of outline permission, in addition to a VoC on modifying the S106 agreement. It is considered appropriate that this site is allocated with the intention of it being developed. The proponent of the land has provided information as part of the RM application, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h1
Cyfeiriad y Safle / Site Address:	Lime Grove	Arwynebedd y Safle / Site Area:	0.817ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h3
Cyfeiriad y Safle / Site Address:	Tir yn Capel Tabernacl Land at Tabernacle Chapel	Ardal Safle / Site Area:	0.58ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/28103, S/30373, PL/02807

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae caniatad amlinellol am y safle wedi cytuno cyfraniadau datblygwr tuag at ddarpariaeth mannau agored a mesurau tawelu traffig.
An outline planning consent for the site secured developer contributions towards the provision of open space and traffic calming measures.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywod arwynebol a blaendal graean yn cwmpasu tua 50% o'r safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Superficial sand and gravel deposit covers roughly 50% of the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Cafodd y safle ganiatâd cynllunio amlinellol diweddar (19 Gorffennaf 2019) ar gyfer 11 o anheddau, ynghyd â chytundeb Adran 106 wedi'i lofnodi. Ystyrir ei bod yn briodol bod y safle hwn yn cael ei ddyrannu gyda'r bwriad o'i ddatblygu. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais amlinellol, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site had a recent outline planning permission (19th July 2019) for 11 dwellings, with a signed S106 agreement. It is considered appropriate that this site is allocated with the intention of it being developed. The proponent of the land has provided information as part of the outline application, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h3
Cyfeiriad y Safle / Site Address:	Tir yn Capel Tabernacl Land at Tabernacle Chapel	Arwynebedd y Safle / Site Area:	0.58ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Yn gyffredinol, mae'r safle'n perfformio'n dda yn erbyn y Fframwaith ACI. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyion cynllunio.

This site generally performs well against the ISA Framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h4
Cyfeiriad y Safle / Site Address:	Cae Canfas	Ardal Safle / Site Area:	0.58ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	N/A

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	X		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	----------	----------------	----------

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	X		
--	----------	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		
--	----------	--	--

Sylwadau Ychwanegol / Additional Comments

Roedd y safle yn ddyraniad newydd yn y CDLI mabwysiedig, a bydd yn parhau i fod yn rhan o'r cynllun diwygiedig. Mae posibilrwydd da y caiff ei ddatblygu ar raddfa fach. Mae mynediad i'r safle wedi'i gwblhau'n bennaf. Gofynnir am fwy o wybodaeth yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site was a new allocation in the adopted LDP, and it will remain in the Revised plan with a good possibility of being developed for small scale development. Access to the site is predominantly complete. More information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h4
Cyfeiriad y Safle / Site Address:	Cae Canfas	Arwynebedd y Safle / Site Area:	0.58ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h5
Cyfeiriad y Safle / Site Address:	Tir yn 8 Heol Llanelli Land at 8 Heol Llanelli	Ardal Safle / Site Area:	0.221ha
Defnydd Presennol / Existing Use:	Preswyl Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	S/30874

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnavs â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Rhoddwyd caniatâd cynllunio llawn i'r safle yn ystod haf 2016. Mae'r safle wedi dechrau cael ei ddatblygu ac mae gwaith cloddio wedi cael ei wneud. Ystyrir ei bod yn briodol bod y safle hwn yn cael ei ddyrannu yn y CDLI diwygiedig. Gofynnir am fwy o wybodaeth yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site was granted full planning permission in Summer 2016, and development of the site has been started with excavation works having taken place. It is considered appropriate that this site is allocated within the revised LDP. More information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h5
Cyfeiriad y Safle / Site Address:	Tir yn 8 Heol Llanelli Land at 8 Heol Llanelli	Arwynebedd y Safle / Site Area:	0.221ha
Defnydd Presennol / Existing Use:	Preswyl Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h6
Cyfeiriad y Safle / Site Address:	Land off Heol Llanelli	Ardal Safle / Site Area:	0.821 Ha
Defnydd Presennol / Existing Use:	Amaethyddiaeth Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00019

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi ei leoli o fewn 400m i lecynnau gwyrdd / hamdden / cyfleusterau hamdden. Mae gan y safle caniatad cynllunio amlinellol a roddwyd yn 2021.

The site is not located within 400m of green space / leisure / recreational facilities. The site has outline permission granted in 2021.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

O ran y gallu i gyflenwi'r safle mae ganddo caniatad amlinellol i adeiladu 10 o dai. Fe gofynner am wybodaeth ychwanegol yn ôl yr angen gan y perchennog wrth i'r CDLI symud tuag at archwiliad.

In terms of deliverability, the site has outline consent for 10 dwellings. Additional information will be sought as necessary from the proponent as the LDP progresses towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h6
Cyfeiriad y Safle / Site Address:	Land off Heol Llanelli	Arwynebedd y Safle / Site Area:	0.821 Ha
Defnydd Presennol / Existing Use:	Amaethyddiaeth Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h7
Cyfeiriad y Safle / Site Address:	Tir oddi ar Heol Glyndwr Land off Heol Glyndwr	Ardal Safle / Site Area:	0.459 Ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield Site	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/01154

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywodfaen o dan rhan bach iawn o'r safle ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sandstone underlies a very small part of the site however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Ar yr adeg yr ysgrifenydd hyn, cytunwyd ar ganiatâd amlinellol ar gyfer nifer dangosol o 9 annedd yn ddarostyngedig i gwblhau Cytundeb Adran 106. Bydd angen darparu gwybodaeth pellach fel bo'r angen wrth i'r CDLI symud tuag at yr archwiliad.

At the time of writing, outline consent for an indicative number of 9 dwellings has been agreed subject to the completion of a Section 106 Agreement. Further information will be provided as needed as the LDP progresses towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC1/h7
Cyfeiriad y Safle / Site Address:	Tir oddi ar Heol Glyndwr Land off Heol Glyndwr	Arwynebedd y Safle / Site Area:	0.459 Ha
Defnydd Presennol / Existing Use:	Safle Maes GlasGreenfield Site	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Yn gyffredinol, mae'r safle'n perfformio'n dda yn erbyn y Fframwaith ACI. Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain).

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site generally performs well against the ISA Framework. This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound).

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC2

Glanyfferi /

Ferryside

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC2/h1
Cyfeiriad y Safle / Site Address:	Cwrt Caradog / Caradog Court	Ardal Safle / Site Area:	0.549ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/24934, W/30648, W/32186, W/38218

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad man chwarae o fewn 750m i'r dyraniad.

The site is not located within 400m of a play space provision, however the settlement has play space provision within 750m of the allocation.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi/wrthi'n cael ei datblygu.

The site has / is currently being developed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC2/h1
Cyfeiriad y Safle / Site Address:	Cwrt Caradog / Caradog Court	Arwynebedd y Safle / Site Area:	0.549ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiâu lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0895 and SR/058/003	Cyfeirnod y Safle / Site Reference:	SeC2/h2
Cyfeiriad y Safle / Site Address:	Tir i gefn Parc y Ffynnon / Land to the rear of Parc y Ffynnon	Ardal Safle / Site Area:	0.593ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Dim / None

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Bydd angen ystyried dyluniad y cynllun o ystyried topograffi'r safle, ond ni fyddai dyraniad rhan o'r safle ymgeisydd yn cael effaith andwyol ar yr ardaloedd cyfagos. Mae'r safle hwn yn un o ychydig iawn o gyfleoedd ar gyfer datblygiad preswyl yn Glan y Fferi

Consideration will need to be given to the design of the scheme given the topography of the site, however the allocation of part of the candidate site would not adversely impact the surrounding areas. This site is one of very few opportunities for residential development in Ferryside.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Gellir cyrchu'r safle o'r ffordd ystâd bresennol

The site is to be accessed from the existing estate road.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Cyflwynwyd y safle fel safle ymgeisiol, ac mae'r asiant wedi darparu tystiolaeth yn dangod hyfywedd y safle. Gofynnir am wybodaeth ychwanegol yn ol yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0895 and SR/058/003	Cyfeirnod y Safle / Site Reference:	SeC2/h2
Cyfeiriad y Safle / Site Address:	Tir i gefn Parc y Ffynnon / Land to the rear of Parc y Ffynnon	Arwynebedd y Safle / Site Area:	0.593ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiâu lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p>
<p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p>	<p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p>
<p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>

SuV1

Cynwyl Elfed

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV1/h1
Cyfeiriad y Safle / Site Address:	Ger Fron Heulog / Adjacent Fron Heulog	Ardal Safle / Site Area:	0.59
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/17114, W/20990, W/39856

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Adeiladwyd ffordd ystad i wasanaethu'r datblygiad ar raddfa fach, mae un tŷ wedi ei gwblhau, ac mae caniatâd cynllunio yn bodoli ar gyfer rhai o'r lleiniau sy'n weddill.
An estate road has been constructed to serve the small scale development, one house has been completed, and planning permission exists for some of the remaining plots.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	X		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	----------	----------------	----------

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae'r gwaith datblygu wedi dechrau ar y safle ar gyfer lleiniau hunan-adeiladu, mae'r tir sy'n weddill yn addas ar gyfer darparu cyfleoedd datblygu ar raddfa fach o fewn y pentref./

Development has commenced on the site for self-build plots, the remaining land is suitable for the provision of small scale development opportunities within the village.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV1/h1
Cyfeiriad y Safle / Site Address:	Ger Fron Heulog / Adjacent Fron Heulog	Arwynebedd y Safle / Site Area:	0.59
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
Adeiladwyd ffordd ystad i wasanaethu'r datblygiad ar raddfa fach, mae un tŷ wedi ei gwblhau, ac mae caniatâd cynllunio yn bodoli ar gyfer rhai o'r lleiniau	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV1/h2
Cyfeiriad y Safle / Site Address:	Ger Lleine / Land adj Lleine	Ardal Safle / Site Area:	0.72
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/20633, W/35886

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Adeiladwyd ffordd ystad i wasanaethu'r datblygiad ar raddfa fach, mae caniatâd cynllunio yn bodoli ar gyfer gweddill y lleiniau, ac mae perchennog y safle wedi dechrau rhyddhau amodau. Mae'r safle ar werth ar hyn o bryd. /

An estate road has been constructed to serve the small scale development, planning permission exists for the remaining plots, and the site owner has started discharging conditions. The site is currently for sale.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	X		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	----------	----------------	----------

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Oherwydd lleoliad cynaliadwy'r safle a'r gwaith hwyluso a wnaed hyd yma, ystyrir ei bod yn briodol cadw'r dyraniad./
Due to the site's sustainable location and the facilitating works done to date, it is considered appropriate to retain the allocation.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV1/h2
Cyfeiriad y Safle / Site Address:	Ger Lleine / Land adj Lleine	Arwynebedd y Safle / Site Area:	0.72
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
Adeiladwyd ffordd ystad i wasanaethu'r datblygiad ar raddfa fach, mae caniatâd cynllunio yn bodoli ar gyfer gweddill y lleiniau, ac mae perchennog y safle	0
	+/-
	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p> <p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p> <p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
--	---

SuV3

Llansteffan

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SuV3/h1
Cyfeiriad y Safle / Site Address:	Tir tu ol i Maesgriffith / Land to the rear of Maesgriffith	Ardal Safle / Site Area:	0.788ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/31230

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Rhoddwyd caniatâd cynllunio llawn i'r safle gan gynnwys tai rhentu cymdeithasol a tai perchentyaeth cost isel. Mae'r safle yn cael ei ddatblygu gan y Cyngor a rhagwelir y bydd yn cael ei ddatblygu yn gynnar yn ystod cyfnod y cynllun.

The site has been granted full planning permission for a mix of open market and affordable homes. The site is being developed by the Council and it is anticipated that it will be developed in the early part of the plan period

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SuV3/h1
Cyfeiriad y Safle / Site Address: Tir tu ol i Maesgriffith / Land to the rear of Maesgriffith		Arwynebedd y Safle / Site Area: 0.788ha
Defnydd Presennol / Existing Use: Safle Glas / Greenfield		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p> <p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p> <p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
--	---

SuV4

Bronwydd

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/014/006 CA0896	Cyfeirnod y Safle / Site Reference:	SuV4/h1
Cyfeiriad y Safle / Site Address:	Tir wrth Fferm Troed y Rhiw Land at Troed y Rhiw Farm	Ardal Safle / Site Area:	0.631ha
Defnydd Presennol / Existing Use:	Amaethyddiaeth / Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/04246

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Fe ystyrir fe ellir cyflawni mynediad i geir o'r B4301
It is considered that vehicular access can be achieved from the B4301

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos hyfywedd ariannol y safle a phryd bydd yn debygol o gael ei ddatblygu.
Additional information will be sought as necessary as the LDP progresses towards examination to evidence its financial viability and to identify when the site is likely to be brought forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/014/006 CA0896	Cyfeirnod y Safle / Site Reference:	SuV4/h1
Cyfeiriad y Safle / Site Address:	Tir wrth Fferm Troed y Rhiw Land at Troed y Rhiw Farm	Arwynebedd y Safle / Site Area:	0.631ha
Defnydd Presennol / Existing Use:	Amaethyddiaeth /Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV5

Cwm-ffrwd /

Cwmffrwd

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim ar gael/ Not Available	Cyfeirnod y Safle / Site Reference:	SuV5/h1
Cyfeiriad y Safle / Site Address:	Maesglasnant	Ardal Safle / Site Area:	1.191ha
Defnydd Presennol / Existing Use:	Yn cael ei adeiladu am 20 o dai / Currently under construction for 20 dwellings	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/31450

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae gwaith adeiladu yn cael ei wneud ar y safle ac mae 20 annedd ar gael i'w datblygu ers dyddiad sylfaenol y CDLI.

The site is under construction with 20 dwellings available for development since the base date of the LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim ar gael/ Not Available	Cyfeirnod y Safle / Site Reference:	SuV5/h1
Cyfeiriad y Safle / Site Address:	Maesglasnant	Arwynebedd y Safle / Site Area:	1.191ha
Defnydd Presennol / Existing Use:	Yn cael ei adeiladu am 20 o dai / Currently under construction	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

SuV8

Llan-gain /

Llangain

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/091/002 + C0095	Cyfeirnod y Safle / Site Reference:	SuV8/h1
Cyfeiriad y Safle / Site Address:	Tir l'r dde o Dol y Dderwen / Land to the south of Dol y Dderwen	Ardal Safle / Site Area:	1.449ha
Defnydd Presennol / Existing Use:	Safle Werdd / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/38125, PL/04746

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae ond mae gan yr anheddiad mannau chwarae.

The site is not located within 400m of a play space provision, however the settlement has a play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae rhan o'r safle yn cynnwys tir amaethyddol o ansawdd uchel, ond, mae gan y safle ganiatad cynllunio
 A portion of the site contains high quality agricultural land, however, the site has planning permission

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi bod yn destun cais cynllunio amlinellol ar gyfer 36 o anheddau a gafodd eu gwrthod gan bwyllgor cynllunio gan gyfeirio at ddiogelwch priffyrdd, yn groes i gyngor swyddogion. Cafodd penderfyniad y pwyllgor cynllunio ei wyrddroi ar ôl apêl, ac mae'r ymgeisydd wedi dod i mewn gyda Chais Materion Neilltuedig. Mewn egwyddor nid oes gan y safle unrhyw faterion sylfaenol i'w gyflwyno. Mae'n cynnig un o ychydig o gyfleoedd i ddatblygu o fewn Llangain.

The site has been subject to an outline planning application for 36 dwellings which was refused by planning committee citing highway safety, contrary to officer advice. However in principle the site has no fundamental issues for its delivery. It provides one of few opportunities for development within Llangain.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/091/002 + C0095	Cyfeirnod y Safle / Site Reference:	SuV8/h1
Cyfeiriad y Safle / Site Address:	Tir l'r dde o Dol y Dderwen / Land to the south of Dol y Dderwen	Arwynebedd y Safle / Site Area:	1.449ha
Defnydd Presennol / Existing Use:	Safle Werdd / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiâu lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV10

Peniel

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV10/h1
Cyfeiriad y Safle / Site Address:	I'r de o Bentre / South of Pentre	Ardal Safle / Site Area:	0.625
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/39679

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae'r datblygiad wedi hen ddechrau/
Development on the site is well underway

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b			
Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-
Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments			
Hygyrchedd / Accessibility			
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+

(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓			+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	X			

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	----------	----------------	----------

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV10/h1
Cyfeiriad y Safle / Site Address:	I'r de o Bentre / South of Pentre	Arwynebedd y Safle / Site Area:	0.625
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynffurfio/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0168 / SR/127/003	Cyfeirnod y Safle / Site Reference:	SuV10/h2
Cyfeiriad y Safle / Site Address:	Aberdeuddwr / Pantyfedwen	Ardal Safle / Site Area:	0.625
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	-

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae cwrs dŵr ar ffin ddwyreiniol y safle, a dylid ei glustogi yn y cam cais cynllunio.
 There is a water course on the eastern boundary of the site, which should be buffered at the planning application stage.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+

(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓			+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6		+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7		+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓			

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	----------	----------------	----------

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod y safle yn addas at ddefnydd preswyl ac y byddai'n ychwanegiad i'r ystâd bresennol sydd i'r de o'r safle. Ystyrir bod y safle yn gyfle datblygu rhesymol ym Mheniel i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu tystiolaeth sy'n dangos ei hyfywedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

It is considered that the site is appropriate for residential use and would be a continuation of the existing estate that is situated to the south of the site. The site is considered to be a reasonable development opportunity within Peniel for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0168 / SR/127/003	Cyfeirnod y Safle / Site Reference:	SuV10/h2
Cyfeiriad y Safle / Site Address:	Aberdeuddwr / Pantyfedwen	Arwynebedd y Safle / Site Area:	0.625
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV11

Alltwalis

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0535 SR/003/002	Cyfeirnod y Safle / Site Reference:	SuV11/h1
Cyfeiriad y Safle / Site Address:	Tir yn Ysgol Alltwalis / Land at Alltwalis School	Ardal Safle / Site Area:	0.353
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility				
10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?		✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?		✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?		X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?		✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/leisure/ recreational facilities that are within a reasonable distance?		✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision		✓		+
(b) Darpariaeth fanwerthu / Retail provision		✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities		✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?		✓	ACI13 ISA13	+
Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments				
Mae nifer o wasanaethau a chyfleusterau wedi'u lleoli yn agos ym Mhencader, mae tref Caerfyrddin 11km i ffwrdd ac mae'n hawdd ei chyrraedd ar drafnidiaeth gyhoeddus o Alltwalis. / A number of services and facilities are located nearby in Pencader, Carmarthen is located 11km away and is easily accessible by public transport from Alltwalis.				

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir bod y safle yn addas at ddefnydd preswyl ac y byddai'n ychwanegiad i'r ystâd bresennol sydd i'r gogledd o'r safle. Ystyrir bod y safle yn gyfle datblygu rhesymol ym Alltwalis i adeiladwyr tai ar raddfa fach a chanolig. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu tystiolaeth sy'n dangos ei hyfywedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad. /

It is considered that the site is appropriate for residential use and would be a continuation of the existing estate that is situated to the north of the site. The site is considered to be a reasonable development opportunity within Alltwalis for small to medium scale housebuilders. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0535 SR/003/002	Cyfeirnod y Safle / Site Reference:	SuV11/h1
Cyfeiriad y Safle / Site Address:	Tir yn Ysgol Alltwalis / Land at Alltwalis School	Arwynebedd y Safle / Site Area:	0.353
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV12

Llanpumsaint

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0675 / SR/101/001	Cyfeirnod y Safle / Site Reference:	SuV12/h1
Cyfeiriad y Safle / Site Address:	Ger Gwyn Villa/ Adj. Gwyn Villa	Ardal Safle / Site Area:	1.516
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+

(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓			+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae nifer o wasanaethau a chyfleusterau wedi'u lleoli yn nhref Nghaerfyrddin, sydd oddeutu 10km i ffwrdd, ac sy'n hawdd ei chyrraedd ar drafnidiaeth gyhoeddus o Lanpumsaint./

A number of services and facilities are located in Carmarthen which is approximately 10km away, and is easily accessible by public transport from Lanpumsaint.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6		+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6		-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3		+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7		+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7		+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9		+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5		+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. /

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓			
--	---	--	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	X		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Dyrannwyd y safle yn y CDLI mabwysiedig. Ystyrir bod y safle yn briodol ar gyfer parhau i'w ddyrannu yn y CDLI oherwydd ei leoliad cynaliadwy. Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfywedd y safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad./

The site is currently allocated in the adopted LDP. The site is considered appropriate for continued allocation in the LDP due to its sustainable location. The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0675 / SR/101/001	Cyfeirnod y Safle / Site Reference:	SuV12/h1
Cyfeiriad y Safle / Site Address:	Ger Gwyn Villa/ Adj. Gwyn Villa	Arwynebedd y Safle / Site Area:	1.516
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynffurfio/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p> <p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p> <p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
---	---

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn Perthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV12/h2
Cyfeiriad y Safle / Site Address:	Llandre	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓		
Hanes Cynllunio Perthnasol / Relevant Planning History	W/35724		
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae caniatâd cynllunio llawn yn bodoli ar gyfer 4 o'r 8 annedd ac mae'r gwaith wedi dechrau./

Full planning permission exists for 4 of the 8 dwellings and work has commenced.

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+

16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+
---	---	-------	-------	---

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae nifer o wasanaethau a chyfleusterau wedi'u lleoli yn nhref Nghaerfyrddin, sydd oddeutu 10km i ffwrdd, ac sy'n hawdd ei chyrraedd ar drafnidiaeth gyhoeddus o Lanpumsaint./

A number of services and facilities are located in Carmarthen which is approximately 10km away, and is easily accessible by public transport from Lanpumsaint.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	X		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae datblygiad y safle wedi dechrau ac yn dod ymlaen fesul plot, mae disgwyl i hyn barhau yn ystod cyfnod y cynllun /
Development is underway on the site and is coming forward on a plot by plot basis, this is expected to continue during the plan period.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn Perthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV12/h2
Cyfeiriad y Safle / Site Address:	Llandre	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Tir gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynffurfio/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p> <p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p> <p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
---	---

SuV14

Rhydargaeau

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0759 / SR/145/010	Cyfeirnod y Safle / Site Reference:	SuV14/h1
Cyfeiriad y Safle / Site Address:	Fferm Cefn/ Cefn Farm	Ardal Safle / Site Area:	1.852
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History

A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/37215, W/38215

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle yn ddyraniad presennol, mae rhan yn estyniad i'r datblygiad presennol fel y'i cyflwynwyd gan safle ymgeisio.

Part of the site is an existing allocation, part is an extension to the existing development as submitted by a candidate site.

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+

(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Nid yw'r SFCA yn nodi unrhyw ystyriaethau risg llifogydd sylweddol. / The SFCA identifies no significant flood risk considerations.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn cynnwys safle presennol sy newydd ei cwblhau, a chyflwyniad gan ymgeisydd ar gyfer estyniad pellach i'r safle. Ystyrir bod y safle yn addas at ddefnydd preswyl ac y byddai'n ychwanegiad addas i'r ystâd bresennol sydd i'r de o'r safle. Cyflwynwyd y safle fel safle ymgeisio ac fel y cyfryw, mae'r asiant wedi darparu dystiolaeth sy'n dangos ei hyfywedd. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site consists of an existing site which has recently been completed, and a candidate submission for a further extension to the site. It is considered that the site is appropriate for residential use and would be a suitable continuation of the existing estate that is situated to the south of the site. The site was submitted as a candidate site and as such, the agent has provided evidence showing it's viability . Additional information will be sought as necessary as the LDP goes towards examination.

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0759 / SR/145/010	Cyfeirnod y Safle / Site Reference:	SuV14/h1
Cyfeiriad y Safle / Site Address:	Fferm Cefn/ Cefn Farm	Arwynebedd y Safle / Site Area:	1.852
Defnydd Presennol / Existing Use:	Tir Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, NA, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
Mae rhan o'r safle yn ddyraniad presennol, mae rhan yn estyniad i'r datblygiad presennol fel y'i cyflwynwyd gan safle ymgeisio.	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynffurfio/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p> <p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p> <p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
---	---

SuV15

Llanarthne

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SuV15/h1
Cyfeiriad y Safle / Site Address:	Ysgol Llanarthne / Llanarthne School	Ardal Safle / Site Area:	0.497ha
Defnydd Presennol / Existing Use:	Safle wedi'i gwblhau / Site Complete	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/22815; W/29902

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae.

The site is not located within 400m of a play space provision.

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Safle wedi'i gwblhau / Site Complete

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SuV15/h1
Cyfeiriad y Safle / Site Address:	Ysgol Llanarthne / Llanarthne School	Arwynebedd y Safle / Site Area:	0.497ha
Defnydd Presennol / Existing Use:	Safle wedi'i gwblhau / Site Complete	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	+/-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyloch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. Mae'n debygol y bydd adeiladu a chynefinodd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV16

Capel Dewi

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/017/001 (CA0234)	Cyfeirnod y Safle / Site Reference:	SuV16/h1
Cyfeiriad y Safle / Site Address:	Heol Llwynddewi / Llwynddewi Road	Ardal Safle / Site Area:	0.625ha
Defnydd Presennol / Existing Use:	Yn cael ei adeiladu / Under construction	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/38104; W/38186; W/38620; W/39068; W/39018; PL/02162

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	X		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Cafodd y safle ganiatâd cynllunio a dechreuodd y datblygiad cyn cyhoeddi canllawiau ffosffad. The site obtained planning permission and development commenced before the publication of phosphate guidance.			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
Dechreuwyd ar y broses o ddatblygu'r safle ac mae'r gwaith yn mynd rhagddo fesul llain. Development of the site has commenced and is being progressed on a plot by plot basis.			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/017/001 (CA0234)	Cyfeirnod y Safle / Site Reference:	SuV16/h1
Cyfeiriad y Safle / Site Address:	Heol Llwynddewi / Llwynddewi Road	Arwynebedd y Safle / Site Area:	0.625ha
Defnydd Presennol / Existing Use:	Yn cael ei adeiladu / Under construction	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.</p> <p>Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.</p> <p>The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
---	---

SuV17

Nantgaredig

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/117/004 (CA0553)	Cyfeirnod y Safle / Site Reference:	SuV17/h1
Cyfeiriad y Safle / Site Address:	Cefn yr Hen Waith Saer, Heol yr Orsaf / Rear of former joinery, Station Road	Ardal Safle / Site Area:	1.512ha
Defnydd Presennol / Existing Use:	Amaethyddiaeth / Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00842 yn cael ei ystyried / being considered

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Nid oes safleoedd amgen priodol gerllaw anheddiadl Nantgaredig a fyddai'n osgoi tir amaethyddol o safon uchel (gradd 3a).

There are no appropriate alternative sites adjacent to the settlement of Nantgaredig that would avoid high quality agricultural land (grade 3a)

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Cais Cynllunio PL/00842 yn cael ei ystyried. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at ei archwilio.

Planning application PL/00842 being considered. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/117/004 (CA0553)	Cyfeirnod y Safle / Site Reference:	SuV17/h1
Cyfeiriad y Safle / Site Address:	Cefn yr Hen Waith Saer, Heol yr Orsaf / Rear of former joinery, Station Road	Arwynebedd y Safle / Site Area:	1.512ha
Defnydd Presennol / Existing Use:	Amaethyddiaeth / Agriculture	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyllch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinioedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV18

Pontargothi

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SuV18/h1
Cyfeiriad y Safle / Site Address:	Tir oddi ar A40 / Cyfagos i'r Cresselly Arms / Land off A40/ adj. Cresselly Arms	Ardal Safle / Site Area:	0.567
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	E/22039; E/31008; E/38060; E/39041

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae.

The site is not located within 400m of a play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Cafodd y safle ganiatâd cynllunio cyn cyhoeddiad canllawiau ffosffad.

The site obtained planning permission before the publication of phosphate guidance.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle caniatâd materion a gadwyd yn ôl. Ystyrir ei bod yn briodol bod y safle hwn yn cael ei ddyrannu gyda'r bwriad o'i ddatblygu. Mae cynigydd y tir wedi darparu gwybodaeth yn rhan o'r cais materion a gadwyd yn ôl, fodd bynnag gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at ei archwilio.

The site has a Reserved Matters permission. It is considered appropriate that this site is allocated with the intention of it being developed. The proponent of the land has provided information as part of the RM application, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SuV18/h1
Cyfeiriad y Safle / Site Address: Cresselly Arms	Tir cyfagos i'r Cresselly Arms / Land adj. Cresselly Arms	Arwynebedd y Safle / Site Area: 0.567ha
Defnydd Presennol / Existing Use: Tir Gwag / Vacant land		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Lleolir y safle o fewn Ardal Cadwraeth Arbennig (ACA) Ddalgyllch Dŵr Croyw Sensitif Ffosfforws. Bydd angen i gynigion gael eu hadolygu gan yr ARC i benderfynu ar eu heffaith ar y safle dynodedig cysylltiedig a'i nodweddion. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is located within a Phosphorus Sensitive SAC Freshwater Catchment. Proposals will need to be reviewed by a HRA to determine their impact on the associated designated site and its features. Reference is made to CCH4: Water Quality and Protection of Water Resources. This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV19

Llanddarog

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SuV19/h1
Cyfeiriad y Safle / Site Address:	Tir gyferbyn Neuadd y pentref Land opposite Village Hall	Ardal Safle / Site Area:	0.903ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/26987, W/39220, PL/05023

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad fannau chwarae mewn man arall. Mae'r caniatad amlinellol sy'n berthnasol i'r safle'n nodi'r angen am gyfraniad datblygwr tuag at mannau agored cyhoeddus a darpariaeth hamdden.

The site is not located within 400m of a play space provision, however the settlement has other play space provision elsewhere. The outline consent relating to the site identifies the need for a developer contribution towards public open space and recreation provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae cais Materion a Gadwyd yn ôl yn yr arfaeth ar gyfer 16 o anheddau. Ystyrir y bydd y safle hwn yn cael ei ddwyn yn ei flaen yn y tymor byr.

There is a pending Reserved matters application for 16 dwellings. It is considered that this site will be brought forward in the short term.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SuV19/h1
Cyfeiriad y Safle / Site Address: Tir gyferbyn Neuadd y pentref Land opposite Village Hall		Arwynebedd y Safle / Site Area: 0.903ha
Defnydd Presennol / Existing Use: Safle Maes Glas Greenfield		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
	Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiâu lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/078/004 and CA670	Cyfeirnod y Safle / Site Reference:	SuV19/h2
Cyfeiriad y Safle / Site Address:	Tir nesaf a tu ol i Haulfan Land adjacent and rear of Haulfan	Ardal Safle / Site Area:	0.863ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Mae'r safle hwn yn un o'r ychydig gyfleoedd ar gyfer datblygu yn Llanddarog. Bydd angen ystyried dyluniad a chynllun y safle arfaethedig, ond mewn egwyddor nid yw'n cael effaith andwyol ar amwynder eiddo cyfagos.

This site is one of few opportunities for development within Llanddarog. Consideration will need to be given the design and layout of the proposed site, however in principle it does not have an adverse impact on the amenity of neighbouring properties.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+

23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
---	---	------------------------	---

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfywedd y safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/078/004 and CA670	Cyfeirnod y Safle / Site Reference:	SuV19/h2
Cyfeiriad y Safle / Site Address:	Tir nesaf a tu ol i Haulfan Land adjacent and rear of Haulfan	Arwynebedd y Safle / Site Area:	0.863ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p>
<p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.</p>	<p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p>
<p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>

SuV20

Porth-y-rhyd /

Porthrhyd

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Rhan o / Part of SR/139/002 & CA0894	Cyfeirnod y Safle / Site Reference:	SuV20/h1
Cyfeiriad y Safle / Site Address:	Tir nesaf i Fferm Llwynhenry Land adjacent to Llwynhenry Farm	Ardal Safle / Site Area:	0.514ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?		X	
Hanes Cynllunio Perthnasol / Relevant Planning History		Dim / None	
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan isaf y cae wedi'i leoli yn y parth risg llifogydd, ond mae'r tir a ddyrannwyd ar gyfer datblygiad preswyl y tu allan i'r parth llifogydd.

The lower part of the field is located within the flood risk zone, however the land allocated for residential development lies outside the flood zone.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Bydd angen ystyried dyluniad y cynllun o ystyried ei leoliad, ond ni fyddai dyrannu rhan o'r safle ymgeisio yn cael effaith andwyol ar yr ardaloedd cyfagos. Mae'r safle hwn yn un o'r ychydig gyfleoedd ar gyfer datblygiad preswyl ym Mhorth-y-rhyd.

Consideration will need to be given to the design of the scheme given its location, however the allocation of part of the candidate site would not adversely impact the surrounding areas. This site is one of very few opportunities for residential development in Porthyrhyd.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+

23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
---	---	------------------------	---

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywod arwynebol a blaendal graean o dan y safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Superficial sand and gravel deposit underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Nid yw Dŵr Cymru wedi gwneud unrhyw sylwadau anffafriol mewn perthynas â'r dyraniad tai arfaethedig. Bydd angen ystyried unrhyw gysylltiad/pibellau dŵr yn y cyffiniau, ond gellir darparu clustogfa addas, ac adlewyrchir hyn yn ymateb Dŵr Cymru.

DCWW have not provided any adverse comments relating to the proposed housing allocation. Consideration will need to be given to any water connection / pipes within the vicinity, however a suitable buffer can be provided, and this is reflected in DCWW's response.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Cyflwynwyd y safle fel safle ymgeisio ac mae'r asiant wedi darparu tystiolaeth sy'n dangos hyfywedd y safle. Byddai graddfa fach y safle o ddiddordeb i ddatblygwyr lleol, yn enwedig o ystyried lleoliad Porth-y-rhyd ar yr A48 a'i hagosrwydd at y prif ganolfannau. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Mae'r safle hwn yn un o'r ychydig gyfleoedd ym Mhorth-y-rhyd ar gyfer datblygiad newydd, yn enwedig o ystyried bod y dyraniad presennol yn y CDLI wedi cael ei ddad-ddyrannu.

The site was submitted as a candidate site and the agent has provided evidence showing the viability of the site. The site's small scale would be of interest to local developers, particularly given Porthyrhyd's location on the A48 and proximity to the Principal centres. Additional information will be sought as necessary as the LDP goes towards examination.

This site is one of few opportunities in Porthyrhyd for new development, particularly with the de-allocation of the existing LDP allocation.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Rhan o / Part of SR/139/002 & CA0894	Cyfeirnod y Safle / Site Reference:	SuV20/h1
Cyfeiriad y Safle / Site Address:	Tir nesaf i Fferm Llwynhenry Land adjacent to Llwynhenry Farm	Arwynebedd y Safle / Site Area:	0.514ha
Defnydd Presennol / Existing Use:	Safle Maes Glas Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Nid yw'r safle hwn yn defnyddio tir a ddatblygwyd o'r blaen, ond fel arall mae'n perfformio'n dda yn erbyn y fframwaith cynaliadwyedd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p>	<p>This site does not utilise previously developed land, however it otherwise performs well against the sustainability framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p>
<p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.</p>	<p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p>
<p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosibl effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>