

Diwygiedig 2018-2033
Cynllun Datblygu Lleol

Revised 2018-2033
Local Development Plan

Aseidiadau Dyrannu Safle / **Site Allocation Assessments**

Clwstwr 2 / Cluster 2



Zil Gynllun Adneuo / 2nd Deposit Plan
Chwefror / February 2023

Clwstwr 2 / Cluster 2

PrC2 Llanelli	3
SeC3 Cydweli / Kidwelly	166
SeC4 Porth Tywyn / Burry Port	187
SeC5 Pen-bre / Pembrey	209
SeC6 Yr Hendy, Fforest / Hendy, Fforest	220
SeC7 Llangennech	241
SeC8 Trimsaran, Carwe / Timsaran, Carway	267
SuV22 Mynyddygarreg	285
SuV23 Pum Heol, Horeb / Five Roads, Horeb	296

PrC2

Llanelli

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA/0260 - SR/086/021	Cyfeirnod y Safle / Site Reference:	PrC2/h1
Cyfeiriad y Safle / Site Address:	Beech Grove Y Pwll / Beech Grove, PWll	Ardal Safle / Site Area:	0.719ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Mae'r safle o fewn ardal Categori 1 – Agregau Manyleb Uchel - Tywodfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 1 High Specification Aggregate – Sandstone, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Categori Asesiad Strategol o Ganlyniadau Llifogydd Cam 1- Gwyrdd (risg isel)

Stage 1 SFCA category - Green (low risk)

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Roedd y safle yn ddyraniad newydd yn y CDLI cyfredol. Yn y cyflwyniad ar gyfer y safle ymgeisio nodir bod Swyddogion Priffyrdd yn cynghori ynghylch mynediad i'r safle, a bod cynllun arolwg topograffig a chynllun dangosol o osodiad y safle yn cael eu comisiynu. Byddai'r safle llai hwn yn cyferbynnu â'r safleoedd mwy ac ehangach sy'n cael eu dyrannu yn rhannau eraill o ardal Llanelli, ac felly'n cyfrannu at ddarparu ystod a chymysgedd o safleoedd tai ar draws y clwstwr. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site was a new allocation in the current LDP. Within the candidate site submission, it is stated that Highway Officers are advising on access to the site and a topographical survey plan and indicative layout plan are being commissioned. This smaller site would contrast with those larger and more expansive sites being allocated elsewhere in the Llanelli area therefore contributing to the provision of a range and mix of housing sites across the cluster. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA/0260 - SR/086/021	Cyfeirnod y Safle / Site Reference:	PrC2/h1
Cyfeiriad y Safle / Site Address:	Beech Grove Y Pwll / Beech Grove, PWll	Arwynebedd y Safle / Site Area:	0.719ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h2
Cyfeiriad y Safle / Site Address:	Hen Labordy Lôn Pen y Fai / <i>Former Laboratory Pen y Fai Lane</i>	Ardal Safle / Site Area:	0.835ha
Defnydd Presennol / Existing Use:	Cyn Labordy / Former Laboratory	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36817

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

<p>Mae'r safle yn cael ei adeiladu</p> <p>The site is being developed</p>

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h2
Cyfeiriad y Safle / Site Address:	Hen Labordy Lôn Pen y Fai / Former Laboratory Pen y Fai Lane	Arwynebedd y Safle / Site Area:	0.835ha
Defnydd Presennol / Existing Use:	Cyn Labordy / Former Laboratory	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI . Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o llygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar foamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h3
Cyfeiriad y Safle / Site Address:	Parc y Strade, Gorllewin Llanelli / <i>Parc y Strade, Llanelli West</i>	Ardal Safle / Site Area:	0.99ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?		✓	
Hanes Cynllunio Perthnasol / Relevant Planning History		S/18743	
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h3
Cyfeiriad y Safle / Site Address:	Parc y Strade, Gorllewin Llanelli / Parc y Strade, Llanelli West	Arwynebedd y Safle / Site Area:	0.99ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0720 - SR/086/066	Cyfeirnod y Safle / Site Reference:	PrC2/h4
Cyfeiriad y Safle / Site Address:	Doc y Gogledd (gan gynnwys Pontrilas gynt) / <i>North Dock (inc former Pontrilas)</i>	Ardal Safle / Site Area:	6.409ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/38285 -

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	✓	ACI2 ISA2	-
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae Cilfach Tywyn yn ardal o bwysigrwydd rhyngwladol er cadwraeth natur.

The Burry Inlet is an area of International importance for nature conservation.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae

The site is not located within 400m of a play space provision

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCAs - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r cynnig a gyflwynwyd ar gyfer y safle ymgeisio yn cyfeirio at Asesiad Ansawdd yr Aer (a luniwyd i gefnogi'r cais cynllunio) a gynhaliwyd ar y safle.

Categori Asesiad Strategol o Ganlyniadau Llifogydd Cam 1 - Coch (risg uchel) - ardal y safle ymgeisio. Wrth nodi canlyniadau Cam 1 ACLIS, cyfeirir at sylfaen dystiolaeth ehangach y CDLI Diwygiedig - yn enwedig yn nhermau risg llifogydd. Hefyd, mae unrhyw broblem yn gysylltiedig â pherygl llifogydd ymhlith nifer o faterion technegol sydd wedi cael sylw o fewn y cais cynllunio.

The candidate site submission refers to an Air Quality Assessment (prepared in support of the planning application) that has been carried out on the site. Stage 1 SFCa category - Red (high risk) - candidate site area. In noting the SFCa Stage 1 outcomes, reference is made to the wider evidence base of the Revised LDP - particularly in terms of flood risk. Also, any issue with flood risk is one of a number of technical issues which has been addressed within the planning application.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae Doc y Gogledd yn un o nifer o safleoedd ar hyd arfordir Llanelli sydd yn rhan o fenter adfywio economaidd ar y cyd rhwng y Cyngor Sir a Llywodraeth Cymru. Yn rhan o'r CDLI cyfredol, cafodd yr ardal ei chynnwys yng Nghanllawiau Cynllunio Atodol Briff Cynllunio a Datblygu De Llanelli. Nodwyd ardal Doc y Gogledd yn GA2/MU7 (gyda'r ardal ymgeisio wedi'i chlustnodi ar gyfer datblygu preswyl). Bu cynnydd o ran cyflawni, gan gynnwys caniatad cynllunio amlinellol a chyflawni gwaith dymchwel. Mae'n rhesymegol dyrannu'r safle hwn ar gyfer datblygiad preswyl yn y CDLI Diwygiedig.

North Dock is one of a number of sites along the Llanelli coastline which is part of a joint venture economic regeneration initiative between the County Council and Welsh Government. As part of the current LDP, the area was included within the South Llanelli Planning and Development Brief SPG. The North Dock area was identified as GA2/MU7 (with the candidate area earmarked for residential development). There has been progress in terms of delivery, including the approval of outline planning and the undertaking of demolition work. It is logical to allocate this site for residential in the Revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0720 - SR/086/066	Cyfeirnod y Safle / Site Reference:	PrC2/h4
Cyfeiriad y Safle / Site Address:	Doc y Gogledd (gan gynnwys Pontrilas gynt) / North Dock (inc former Pontrilas)	Arwynebedd y Safle / Site Area:	6.409ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	--
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle'n union wrth ymyl Safle Morol Ewropeaidd Bae Caerfyrddin a'r Aberoedd, felly bydd yn rhaid i'r safle sicrhau nad oes effaith niweidiol ar ansawdd dŵr o ganlyniad i ddŵr ffo yn ystod y gwaith adeiladu/gweithredu. Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac bydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site is immediately adjacent to CBEEMS and so the site will be required to ensure no detrimental effect on water quality as a result of run-off during construction/operation. This site is also not within a reasonable walking distance to an open space provision and any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h6
Cyfeiriad y Safle / Site Address:	107 Heol yr Orsaf / 107 Station Road	Ardal Safle / Site Area:	0.019ha
Defnydd Presennol / Existing Use:	Cyn Swyddfa / Former Office	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/32874

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h6
Cyfeiriad y Safle / Site Address:	107 Heol yr Orsaf / 107 Station Road	Arwynebedd y Safle / Site Area:	0.019ha
Defnydd Presennol / Existing Use:	Cyn Swyddfa / Former Office	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h7
Cyfeiriad y Safle / Site Address:	13 Heol yr Orsaf / 13-15 Station Road	Ardal Safle / Site Area:	0.041ha
Defnydd Presennol / Existing Use:	Cyn Masnachol / Preswyl / Former Commercial / residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	S/29644

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h7
Cyfeiriad y Safle / Site Address:	13 Heol yr Orsaf / 13-15 Station Road	Arwynebedd y Safle / Site Area:	0.041ha
Defnydd Presennol / Existing Use:	Cyn Masnachol / Preswyl / Former Commercial	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h9
Cyfeiriad y Safle / Site Address:	3-5 Heol Goring / 3-5 Goring Road	Ardal Safle / Site Area:	0.052ha
Defnydd Presennol / Existing Use:	Cyn swyddfeydd / Former offices.	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	S/37971

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h9
Cyfeiriad y Safle / Site Address:	3-5 Heol Goring / 3-5 Goring Road	Arwynebedd y Safle / Site Area:	0.052ha
Defnydd Presennol / Existing Use:	Cyn swyddfeydd / Former offices.	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0022 - SR/086/100	Cyfeirnod y Safle / Site Reference:	PrC2/h10
Cyfeiriad y Safle / Site Address:	Tir ger The Dell, Ffwrnes / <i>Land adjacent The Dell, Furnace</i>	Ardal Safle / Site Area:	3.338ha
Defnydd Presennol / Existing Use:	Cyn gwarel / Former Quarry	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ceir Heneb Restredig - Ffwrnais Raby, ond nid yw'n union wrth ymyl y safle. Cyfeirir at yr ymateb gan Ymddiriedolaeth Archaeolegol Dyfed, sy'n nodi "Nid oes angen unrhyw gamau pellach i warchod yr amgylchedd hanesyddol, ond argymhellwn y dylid ymgynghori â CADW er mwyn cael eu barn ynghylch effaith weledol bosibl y datblygiad ar yr heneb gyfagos (CM219)". Ystyrir y byddai materion o'r fath yn cael eu hystyried ar lefel y cais cynllunio, ac na fyddent atal y safle rhag cael ei gynnwys fel dyraniad. Mae'r safle'n debygol o fod o werth ecolegol (gan gynnwys coetir), felly bydd angen datrysiadau dylunio priodol yng ngham y cais cynllunio. Ceir gorchymyn cadw coed (TPOs) ar flaen y safle, ond nid ydynt yn mynd i fewn i ddyfnder y safle ei hun, a gellid cynnwys y rhain yn y dyluniad a gallent fod o gymorth i sgrinio'r safle.

There is a Scheduled Ancient Monument - Raby's Furnace, but this is not directly proximate. Reference is made to the response from Dyfed Archaeological Trust which states that "No further action required to protect historic environment, although we do recommend that CADW are consulted for their opinion on the potential visual impact of development on the nearby scheduled monument (CM219)". It is considered that such matters would be considered at planning application level and would not preclude the site's allocation. The site is likely to be of ecological value (including woodland) and such appropriate design solutions will be required at planning application stage. There are TPO's at the site frontage but not in the depth of the site and these could be incorporated into the design solution and assist in screening the site.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
--	---	--	--

11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae

The site is not located within 400m of a play space provision

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+

23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
---	---	------------------------	---

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion Agreg Manyleb Uchel (Tywodfaen) yn sail i'r safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Category 1 - High Specification Aggregate (Sandstone) deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Deallir fod asedion Dŵr Cymru yn croesi y safle. Gall hwn fod ymhlith y manylion i'w hystyried mewn unrhyw cais cynllunio yn y dyfodol, ond nid ystyrir y byddai'n rhwystr i ddatblygu ar y safle. Nodir yr angen posib am Asesiad Modelu Hydrolig.

It is understood that there are DCWW assets traversing the site. This could be amongst those details for consideration as part of any future planning application, however it is not considered that this would sterilise the site. The potential requirement for Hydraulic Modelling Assessment is noted.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

O ran y gallu i gyflenwi'r safle, mae'r tirfeddiannwr wedi cyflwyno safle ymgeisio gan ddangos ymrwymiad cryf i ddwyn y safle yn ei flaen. Mae llu o astudiaethau ategol wedi cael eu cyflwyno, gan gynnwys Adroddiad Glo, Cynllun Arafu Traffig, cynllun draenio ffyrdd, adroddiad ar lo ac arfarniad ecolegol. Ceir hefyd arfarniad hyfywedd. Ceir hefyd gynllun arfaethedig o'r safle. Mae'r cynnig yn gyfle i ddwyn datblygiad caeedig a graddfa fach ymlaen, a fydd yn cyferbynnu â'r safleoedd mwy hynny a ddyrannwyd yn rhannau eraill o Lanelli, ac a fydd felly'n cyfrannu at ystod a chymysgedd o safleoedd.

In terms of deliverability, the landowner has submitted a candidate site demonstrating a strong commitment to bringing the site forward. There is a host of supporting studies submitted, including - Coal Report, Traffic Calming Scheme, road drainage plan, coal report and ecological appraisal. There is also a viability appraisal. There is also a proposed layout plan. The proposal offers the opportunity to bring forward an enclosed and small scale development which will contrast with those larger sites allocated elsewhere in Llanelli therefore contributing to a range and mix of sites.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0022 - SR/086/100	Cyfeirnod y Safle / Site Reference:	PrC2/h10
Cyfeiriad y Safle / Site Address:	Tir ger The Dell, Ffwrnes / Land adjacent The Dell, Furnace	Arwynebedd y Safle / Site Area:	3.338ha
Defnydd Presennol / Existing Use:	Cyn gwarel / Former Quarry	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth mannau agored. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h12
Cyfeiriad y Safle / Site Address:	Llys yr Hen Felin, Canol y Dref <i>Llys yr Hen Felin Town Centre</i>	Ardal Safle / Site Area:	0.08
Defnydd Presennol / Existing Use:	Hen Fragdy, odyd / Former Brewery, kiln.	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36519

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h12
Cyfeiriad y Safle / Site Address:	Llys yr Hen Felin, Canol y Dref Llys yr Hen Felin Town Centre	Arwynebedd y Safle / Site Area:	0.08
Defnydd Presennol / Existing Use:	Hen Fragdy, odyd / Former Brewery, kiln.	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h13
Cyfeiriad y Safle / Site Address:	Tir oddi ar Rodfa Frondeg / <i>Land off Frondeg Terrace</i>	Ardal Safle / Site Area:	0.735ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36707

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h13
Cyfeiriad y Safle / Site Address:	Tir oddi ar Rodfa Frondeg / Land off Frondeg Terrace	Arwynebedd y Safle / Site Area:	0.735ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h14
Cyfeiriad y Safle / Site Address:	Cefn 22c, 22d a 22e Heol Llwynhendy / <i>Rear of 22c,22d and 22e Llwynhendy Road</i>	Ardal Safle / Site Area:	0.147ha
Defnydd Presennol / Existing Use:	Cyn-adeilad arlwygo / Former catering building	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36816

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h14
Cyfeiriad y Safle / Site Address:	Cefn 22c, 22d a 22e Heol Llwynhendy / Rear of 22c,22d and 22e Llwynhendy Road	Arwynebedd y Safle / Site Area:	0.147ha
Defnydd Presennol / Existing Use:	Cyn-adeilad arlwy / Former catering building	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h15
Cyfeiriad y Safle / Site Address:	Heol Maesarddafen/Erw Las, Llwynhendy / <i>Maesarddafen Road /Erw Las,Llwynhendy</i>	Ardal Safle / Site Area:	2.117ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/34991

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments	
Roedd dyraniad cyfredol y CDLI ar gyfer 300 o unedau, ond mae'r 94 o unedau y cynigir eu cadw yn y CDLI Diwygiedig ar ran lai o'r safle. The current LDP allocation was for 300 units, however the 94 units proposed to be retained in the Revised LDP is on a smaller site area.	

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r SFCA yn nodi bod y safle yn rhannol mewn perygl o lifogydd dŵr wyneb, fodd bynnag, mae'r cynllunio amlinellol sydd wedi'i ganiataw wedi ystyried y materion hyn gydag unrhyw fanylion pellach yn ofynnol yng nghyfnod materion a gawdwyd yn ol.

The SFCA identifies that the site is partially at risk of Surface Water flooding, however the outline planning that has been granted has considered these issues with any further detail being required at Reserved Matters stage

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi cael caniatâd cynllunio amlinellol ym mis Mawrth 2022. Ystyrir fod digon o sicrwydd ynghylch y gallu gyflawni ar y safle. Bydd dystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr arholiad CDLI.

The site has been granted outline planning permission in March 2022. It is considered that there is sufficient evidence in terms of deliverability. Further evidential work will be provided within the lead up to the LDP examination.



**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h15
Cyfeiriad y Safle / Site Address:	Heol Maesarddafen/Erw Las, Llwynhendy / Maesarddafen Road /Erw Las,Llwynhendy	Arwynebedd y Safle / Site Area:	2.117ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiâu lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0624 - SR/086/061	Cyfeirnod y Safle / Site Reference:	PrC2/h16
Cyfeiriad y Safle / Site Address:	Ynys Las, Llwynhendy	Ardal Safle / Site Area:	1.419ha
Defnydd Presennol / Existing Use:	Gwag - Hen Safle Ysgol / Vacant - former school site	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/01196

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Deallir fod asedion Dŵr Cymru yn croesi y safle ond nid ystyrir y byddai'n rhwystri i ddatblygu ar y safle.

It is understood that there are DCWW assets traversing the site however it is not considered that this would sterilise the site.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ar hyn o bryd mae cais llawn ar y safle sy'n aros am gymeradwyaeth am 33 o anheddau a chartref gofal gyda 84 gwely sy'n destun trafodaethau ac arwyddo S106. Bydd tystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr archwiliad CDLI

There is currently a full application on the site which is pending an approval for 33 dwellings and a 84-bed care home which are subject to S106 negotiations and signing. Further evidence will be provided within the lead up to the LDP examination



**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0624 - SR/086/061	Cyfeirnod y Safle / Site Reference:	PrC2/h16
Cyfeiriad y Safle / Site Address:	Ynys Las, Llwynhendy	Arwynebedd y Safle / Site Area:	1.419ha
Defnydd Presennol / Existing Use:	Gwag - Hen Safle Ysgol / Vacant - former school site	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	++
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiâu lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildddefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0621 - SR/086/060	Cyfeirnod y Safle / Site Reference:	PrC2/h18
Cyfeiriad y Safle / Site Address:	Dylan, Trallwm	Ardal Safle / Site Area:	1.008ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36465, S/39538

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0621 - SR/086/060	Cyfeirnod y Safle / Site Reference:	PrC2/h18
Cyfeiriad y Safle / Site Address:	Dylan, Trallwm	Arwynebedd y Safle / Site Area:	1.008ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	PrC2/h19
Cyfeiriad y Safle / Site Address:	Genwen, y Bryn / <i>Genwen, Bryn</i>	Ardal Safle / Site Area:	6.204ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/33342 (240 uned / units)

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	0	Cyfeirnod y Safle / Site Reference:	PrC2/h19
Cyfeiriad y Safle / Site Address:	Genwen, y Bryn / Genwen, Bryn	Arwynebedd y Safle / Site Area:	6.204ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0625 - SR/086/062	Cyfeirnod y Safle / Site Reference:	PrC2/h20
Cyfeiriad y Safle / Site Address:	Harddfan, Y Bryn / <i>Harddfan, Bryn</i>	Ardal Safle / Site Area:	0.155ha
Defnydd Presennol / Existing Use:	Man agored / Open Space	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

<p>Mae caniatâd cynllunio amlinellol y safle wedi dod i ben yn ddiweddar, ond mae hwn yn safle Cyngor sy'n rhan o'i raglen Adeiladu Newydd. Bydd dystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr arholiad CDLI.</p> <p>The site's outline planning permission has recently expired, however this is a Council site which is part of the Council New Build programme. Further evidence will be provided within the lead up to the LDP examination.</p>			
---	--	--	--

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0625 - SR/086/062	Cyfeirnod y Safle / Site Reference:	PrC2/h20
Cyfeiriad y Safle / Site Address:	Harddfan, Y Bryn / Harddfan, Bryn	Arwynebedd y Safle / Site Area:	0.155ha
Defnydd Presennol / Existing Use:	Man agored / Open Space	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	PrC2/h21
Cyfeiriad y Safle / Site Address:	Maes y Bryn, y Bryn / <i>Maes Y Bryn, Bryn</i>	Ardal Safle / Site Area:	1.224ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36679

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i cwblhau.

The site has been completed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: PrC2/h21
Cyfeiriad y Safle / Site Address: Maes y Bryn, y Bryn / Maes Y Bryn, Bryn		Arwynebedd y Safle / Site Area: 1.224ha
Defnydd Presennol / Existing Use: Preswyl / Residential		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0279 - SR/086/025	Cyfeirnod y Safle / Site Reference:	PrC2/h22
Cyfeiriad y Safle / Site Address:	Cwm y Nant, Dafen	Ardal Safle / Site Area:	11.29ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?		✓	
Hanes Cynllunio Perthnasol / Relevant Planning History		S/40692	
Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment			
Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae llwybr cyswllt cynaliadwy wedi cael ei gwblhau o Langennech i Ddafen ar hyd yr A4138 (Teithio Llesol), ac mae llwybr 36/97 yn gyfagos â'r safle. Yn rhan o'r cais cynllunio amlinellol mae gyfres o faterion manwl wedi'u hadolygu - ac mae mynediad a chapasiti'r briffordd ymhlith y materion pwysicaf. Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth manau chwarae.

A sustainable connectivity route has been completed from Llangennech to Dafen along the A4138 (Active Travel), whilst footpath 36/97 runs adjacent to the site. As part of the outline planning permission, a series of detailed issues have been reviewed - not least of which is access and highway capacity. The site is not located within 400m of a play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion Agreg Manyleb Uchel (Tywodfaen) yn sail i'r safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Mae 25% o'r safle yn cynnwys tir amaethyddol o ansawdd uchel - categori 2, a 75% yn categori 3b a U, ond mae gan y safle caniatad amlinellol

High Specification Aggregate (Sandstone) deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

25% of the site contains high quality agricultural land Category 2, with the remaining 75% Category 3b and U, however the site has outline planning permission.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Deallir fod asedion Dŵr Cymru yn croesi y safle. Gall hwn fod ymhlith y manylion i'w hystyried mewn unrhyw cais cynllunio yn y dyfodol, ond nid ystyrir y byddai'n rhwysr i ddatblygu ar y safle. Nodir yr angen posib am Asesiad Modelu Hydrolig.

It is understood that there are DCWW assets traversing the site. This could be amongst those details for consideration as part of any future planning application, however it is not considered that this would sterilise the site. The potential requirement for Hydraulic Modelling Assessment is noted.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle'n cynnwys ardal o dir sy'n llai na'r hyn a ddyrannwyd yn y CDLI mabwysiedig, ac mae'n cynnwys y parseli o dir o fewn perchnogaeth y Cyngor. Mae'r dyraniad wedi integreiddio'r dyraniad CDLI mabwysiedig GA2/h33 a bydd yn bennaf yn cynnwys tai fforddiadwy. Yn y gorffennol mae'r safle wedi bod yn destun Uwchgynllun a gafodd ei ddefnyddio i gefnogi cyflwyno cais cynllunio amlinellol, a gafodd ei gymeradwyo wedyn ym mis Awst 2021. Nid oedd yn ddarostyngedig i S106 gan ei fod yn gais gan y Cyngor, fodd bynnag, mae lefel y cyfraniadau cynllunio yn cyfateb i'r rhai sy'n ofynnol o fewn y Canllawiau Cynllunio Atodol. Mae'r safle yn rhan o Rhaglen Derbyn Cyfalaf y Cyngor. Bydd dystiolaeth bellach yn cael ei rhoi yn y cyfnod cyn yr arholiad CDLI.

The site incorporates an area of land smaller than that allocated in the adopted LDP, and includes the parcels of land within the Council's ownership. The allocation has integrated the adopted LDP allocation GA2/h33 and will mainly consist of affordable housing. The site has previously been subject to a Masterplan which was used to support the submission of an outline planning application, which was subsequently approved in August 2021. It was not subject to a S106 as it was a Council application, however the level of planning contributions matches those required within the planning obligations SPG. The site is part of the Council's Capital Receipt Programme. Further evidence will be provided in the lead up to the LDP examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0279 - SR/086/025	Cyfeirnod y Safle / Site Reference:	PrC2/h22
Cyfeiriad y Safle / Site Address:	Cwm y Nant, Dafen	Arwynebedd y Safle / Site Area:	11.29ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwyliar i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is a green field site which contains high quality agricultural land. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h23
Cyfeiriad y Safle / Site Address:	Porth Dwyrain Dafen / <i>Dafen East Gateway</i>	Ardal Safle / Site Area:	5.471ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/04082

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Mae'r safle'n cynnig potensial i gyflawni swyddogaeth fel porth ar y ffordd ddwyreiniol i mewn i Lanelli. Yn ogystal â hyn, bydd angen cydnabod y peilonau sy'n croesi'r safle.

The site offers potential to fulfil a gateway function on the eastern approach into Llanelli. Also, there will be a need to acknowledge the pylons crossing the site.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae llwybr cyswllt cynaliadwy wedi cael ei gwblhau o Langennech i Ddafen ar hyd yr A4138 (Teithio Llesol), ac mae llwybr 36/97 yn gyfagos â'r safle. . Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae.

A sustainable connectivity route has been completed from Llangennech to Dafen along the A4138 (Active Travel), whilst footpath 36/97 runs adjacent to the site. The site is not located within 400m of a play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+

23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+
---	---	------------------------	---

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Tywodfaen gyda photensial neu agregau manyleb uchel 50% . Dyddodion tywod a graean arwynebol 30%, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif. Ychydig iawn o'r safle o fewn tir amaethyddol o ansawdd gradd 3a. Y rhan fwyaf o'r safle o fewn Gradd 3b

Sandstone with potential or high specification aggregate 50%. Superficial sand and gravel deposits 30%, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development. Very minimal ALC Grade 3a. Most of the site within Grade 3b

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn ddyraniad preswyl presennol ac mae Persimmon wedi cyflwyno cais cynllunio llawn ar y safle ar gyfer 150 o anheddau .Ystyrir ei bod hi'n rhesymegol cadw'r safle fel dyraniad oherwydd yr ymrwymiadau a wnaed ynghylch ei gyflenwi.
Bydd dystiolaeth bellach yn cael ei ddarparu yn y cyfnod cyn yr arholiad.

The site is an existing residential allocation and Persimmon have submitted a full planning application on site for 150 dwellings. It is considered logical to retain the site as an allocation given the commitment to its delivery. Further evidence will be provided in the lead up to the examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h23
Cyfeiriad y Safle / Site Address:	Porth Dwyrain Dafen / Dafen East Gateway	Arwynebedd y Safle / Site Area:	5.471ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel (er mai canran fach o arwynebedd y tir cyfan). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

This site is a green field site which contains high quality agricultural land (albeit a small percentage of overall land area). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h24
Cyfeiriad y Safle / Site Address:	Clos Ffordd Fach	Ardal Safle / Site Area:	0.254ha
Defnydd Presennol / Existing Use:	Hen Garej / Former garage	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00179

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
<p>Mae'r safle yn cael ei adeiladu</p> <p>The site is being constructed.</p>			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h24
Cyfeiriad y Safle / Site Address:	Clos Ffordd Fach	Arwynebedd y Safle / Site Area:	0.254ha
Defnydd Presennol / Existing Use:	Hen Garej / Former garage	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h25
Cyfeiriad y Safle / Site Address:	Tir Ger Clos y Berllan / Land off Clos y Berllan	Ardal Safle / Site Area:	0.254ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00851

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae

The site is not located within 400m of a play space provision

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
<p>Rhagwelir y bydd y safle yn cael ei ddatblygu yn y tymor byr gyda nifer o amodau yn cael eu rhyddhau. Bydd dystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr arholiad CDLI</p> <p>It is anticipated that the site will be developed in the short term with a number of conditions being discharged. Further evidence will be provided in the lead up to the LDP examination.</p>			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h25
Cyfeiriad y Safle / Site Address:	Tir Ger Clos y Berllan / Land off Clos y Berllan	Arwynebedd y Safle / Site Area:	0.254ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h26
Cyfeiriad y Safle / Site Address:	Cyfagos i rhif 19 Heol Llwynhendy / Adjacent to No 19 Llwynhendy Road	Ardal Safle / Site Area:	0.277ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/02486

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
Sylwadau Ychwanegol / Additional Comments			
<p>Roedd y safle wedi cael caniatad yn mis Medi 2022. Rhagwelir y bydd y safle yn cael ei ddatblygu yn y tymor byr. Bydd tystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr arholiad CDLI</p> <p>The site was recently granted planning permission in September 2022. It is anticipated that the site will be developed in the short term. Further evidence will be provided in the lead up to the LDP examination.</p>			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h26
Cyfeiriad y Safle / Site Address:	Cyfagos i rhif 19 Heol Llwynhendy / Adjacent to No 19 Llwynhendy Road	Arwynebedd y Safle / Site Area:	0.277ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h27
Cyfeiriad y Safle / Site Address:	42 Heol Stepney / 42 Stepney Street	Ardal Safle / Site Area:	0.02h
Defnydd Presennol / Existing Use:	Siop / Shop	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/02186

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Roedd y cais cynllunio yn destun I asesiad Canlyniadau Llifogydd, a gafodd ei gymeradwyo gan CNC

The planning application was subject to a Flood Consequence assessment, which was approved by NRW

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5	-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Pryderon sylweddol yn y ASGLI - Cam 1, fodd bynnag, cafodd yr Aseiad Llif ei gymeradwyo yn y cam ymgeisio

Significant concerns in the SFCA - Stage 1, however the FCA was approved at application stage

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

<p>Roedd y safle wedi cael caniatad yn mis Mawrth 2022. Rhagwelir y bydd y safle yn cael ei ddatblygu yn y tymor byr. Bydd dystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr arholiad CDLI</p> <p>The site was recently granted planning permission in March 2022. It is anticipated that the site will be developed in the short term. Further evidence will be provided in the lead up to the LDP examination.</p>
--

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h27
Cyfeiriad y Safle / Site Address:	42 Heol Stepney / 42 Stepney Street	Arwynebedd y Safle / Site Area:	0.02h
Defnydd Presennol / Existing Use:	Siop / Shop	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	--
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h28
Cyfeiriad y Safle / Site Address:	Heol y Graig, Llwynhendy	Ardal Safle / Site Area:	0.46ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00151, S/37461

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments			

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-

15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae

The site is not located within 400m of a play space provision

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

<p>Mae rhan o'r safle'n cael ei ddatblygu gyda'r gweddill gyda caniatâd amlinellol fis Ebrill 2022. Bydd dystiolaeth bellach yn cael ei darparu yn y cyfnod cyn yr arholiad CDLII</p> <p>Part of the site is being developed with the remainder having an outline permission in April 2022. Further evidence will be provided in the lead up to the LDP examination</p>

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/h28
Cyfeiriad y Safle / Site Address:	Heol y Graig, Llwynhendy	Arwynebedd y Safle / Site Area:	0.46ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/MU3
Cyfeiriad y Safle / Site Address:	Hen adeilad YMCA Heol Stepney / Former YMCA, Stepney Street	Ardal Safle / Site Area:	0.06ha
Defnydd Presennol / Existing Use:	Adeilad Gwag / Vacant Building	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/000673

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Roedd y cais cynllunio yn destun I asesiad Canlyniadau Llifogydd, a gafodd ei gymeradwyo gan CNC

The planning application was subject to a Flood Consequence assessment, which was approved by NRW

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5	-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Pryderon sylweddol yn y ASGLI - Cam 1, fodd bynnag, cafodd yr Aseiad Llif ei gymeradwyo yn y cam ymgeisio

Significant concerns in the SFCA - Stage 1, however the FCA was approved at application stage

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

<p>Mae'r safle yn cael ei adeiladu</p> <p>The site is being developed.</p>
--

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/MU3
Cyfeiriad y Safle / Site Address:	Hen adeilad YMCA Heol Stepney / Former YMCA, Stepney Street	Arwynebedd y Safle / Site Area:	0.06ha
Defnydd Presennol / Existing Use:	Adeilad Gwag / Vacant Building	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	--
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0539 - SR/086/048	Cyfeirnod y Safle / Site Reference:	PrC2/SS1
Cyfeiriad y Safle / Site Address:	Pentre Awel	Ardal Safle / Site Area:	22.31ha
Defnydd Presennol / Existing Use:	Ardal Ddatblygu Wag wedi'i Gwasanaethu / Vacant, Serviced Development Area	Defnydd Arfaethedig / Proposed Use:	Safle Strategol / Strategic Site
		Os arall, nodwch / If other, specify:	
Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History			
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?		✓	
Hanes Cynllunio Perthnasol / Relevant Planning History		PL/03872, S/36948	
Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+
Sylwadau Ychwanegol / Additional Comments			
Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment			
Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	✓	ACI2 ISA2	-

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Ceir Ardal Cadwraeth Ryngwladol a Natur i'r de (Cilfach Tywyn). Mae'r safle ym mharth llifogydd 3 am lifogydd o'r môr, ond mae mewn parth amddiffyn TAN15. Mae rhannau o'r safle ym mharth llifogydd 3 ar gyfer afonydd yn cynnwys llynnoedd a chwrs dŵr afon Dafen Newydd. Mae ardaloedd ynysig o barth llifogydd 3 ar gyfer dŵr wyneb yn bresennol, ond mae'r rhain yn debygol o fod yn gysylltiedig â phwyntiau isel lleol ac nid llwybrau llif. Datblygwyd y safle yn y gorffennol ond mae bellach wedi bod yn wag ers peth amser. Fel y datblygwyd tir yn y Parth Amddiffynedig yn flaenorol, mae'n debygol y bydd y prawf cyfiawnhad yn cael ei fodloni'n ddarostyngedig i feini prawf derbynid TAN15. Mae mapio Perygl Llifogydd Cenedlaethol yn dangos bod dyfnder llifogydd yn y digwyddiad eithafol yn debygol o fod o fewn yr ystod dderbyniol. Dylid cyfeirio at dystiolaeth / asesiadau penodol i'r safle (gan gynnwys FCA) fel rhan o'r caniatâd cynllunio amlinellol, tra bod cais S73 wedi'i gyflwyno i gynyddu'r amser i gyflwyno materion a cadwyd yn ôl.

An Area of International and Nature Conservation lies to the south (Burry Inlet). The site is in flood zone 3 for flooding from the sea, but is in a TAN15 defended zone. Areas of the site in flood zone 3 for rivers include the lakes and watercourse of the New Dafen river. Isolated areas of flood zone 3 for surface water are present, however these are likely to be related to localised low points and not flow routes. The site was previously developed but has now been vacant for some time. As previously developed land in the Defended Zone, the justification test is likely met subject to the TAN15 acceptability criteria. National Flood Hazard mapping indicates that the depth of flooding in the extreme event is likely to be within the acceptable range. Reference should be made to site specific evidence / assessments (including FCA) as part of the outline planning permission, whilst a S73 application has been submitted to increase the time to submit reserved matters.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Dyma gyfle pwysig i wneud defnydd buddiol o'r newydd o dir a ddatblygwyd o'r blaen. Mae gwaith ehangach i adfywio ardal De Llanelli wedi bod yn destun Menter ar y Cyd - sef partneriaeth rhwng Llywodraeth Cymru a'r Cyngor Sir.

There is a significant opportunity to bring previously developed land into beneficial use. The wider South Llanelli area regeneration has been subject to Joint Venture activity - which is a partnership between Welsh Government and the County Council.

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓			
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓			
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+	
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+	
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓		+	
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywod arwynebol a blaendal graean a dyddodion Agreg Manyleb Uchel (Tywodfaen) o dan y safle / yn cwmpasu'r safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Superficial sand and gravel deposit and Categori 1 high Specification Aggregate - Sandstone covers the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Gweler y gwybodaeth uchod ynglyn a llifogydd / See the information above relating to flooding

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Deallir fod asedion Dŵr Cymru yn croesi y safle. Gall hwn fod ymhlith y manylion i'w hystyried mewn unrhyw cais cynllunio yn y dyfodol, ond nid ystyrir y byddai'n rhwystr i ddatblygu ar y safle. Nodir yr angen posib am Asesiad Modelu Hydrolig.

It is understood that there are DCWW assets traversing the site. This could be amongst those details for consideration as part of any future planning application, however it is not considered that this would sterilise the site. The potential requirement for Hydraulic Modelling Assessment is noted.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Yn rhan o'r CDLI cyfredol, cafodd yr ardal ei chynnwys yn CCA Briff Cynllunio a Datblygu De Llanelli, ac mae'r safle wedi'i nodi'n safle strategol yn Strategaeth a Ffafrir cyn adneuo yn y CDLI Diwygiedig. Ceir caniatâd cynllunio amlinellol ar gyfer y safle. Mae'r safle g yda caniatâd cynllunio amlinellol gyda chais S73 i ymestyn yr amser i gyflwyno cais materion wedi'i gadw yn ol. Bydd sefyllfa'r unedau preswyl yn cael ei monitro ymhellach wrth i fanylion pellach ddod i'r amlwg, ond ystyrir ei bod hi'n briodol dyrannu'r safle fel safle strategol, gyda darpariaeth breswyl ar gyfer 240 unedau yn y CDLI Adneuo. Amlygir cyfeiriad pellach at y safle drwy gydol y datganiad ysgrifenedig CDLI.

As part of the current LDP, the area was included within the South Llanelli Planning and Development Brief SPG and the site is identified as a strategic site in the pre deposit Preferred Strategy of the Revised LDP. The site has outline planning permission with a pending S73 application to extend the time to submit reserved matters. The position with residential units will be monitored as further detail emerges, however it is considered appropriate to allocate the site as a strategic site, with a residential allowance of 240 units in the 2nd deposit LDP. Further reference to the site is highlighted throughout the LDP written statement.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0539 - SR/086/048	Cyfeirnod y Safle / Site Reference:	PrC2/SS1
Cyfeiriad y Safle / Site Address:	Pentre Awel	Arwynebedd y Safle / Site Area:	22.31ha
Defnydd Presennol / Existing Use:	Ardal Ddatblygu Wag wedi'i Gwasanaethu / V	Defnydd Arfaethedig / Proposed Use:	Safle Strategol / Strategic Site
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	--
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	PrC2/E2
Cyfeiriad y Safle / Site Address:	Dafen	Ardal Safle / Site Area:	17.489
Defnydd Presennol / Existing Use:	Safleoedd Glas / Green fields	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

<p>Mae dyddodion tywod a graean ac mae dyddodion Agreg Manyleb Uchel (Tywodfaen) o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterilieiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.</p> <p>Nid oes safleoedd amgen priodol gerllaw anheddiad strategol Llanelli a fyddai'n osgoi tir amaethyddol o safon uchel (gradd 3a).</p> <p>Sand and gravel deposits and high specification aggregate (sandstone) underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.</p> <p>There are no appropriate alternative sites adjacent to the strategic settlement of Llanelli that would avoid high quality agricultural land (grade 3a).</p>			
---	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw? / Has the applicant provided sufficient evidence to show the development is deliverable?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		
Sylwadau Ychwanegol / Additional Comments			

Mae'r safle wedi ei leoli o fewn a gerllaw safle cyflogaeth presennol yn Dafen. Mae ei faint a'i raddfa yn caniatáu'r cyfle i ddatblygu ar raddfa fach i ganolog, ac nid yw'n ymddangos bod unrhyw effaith andwyol i atal datblygiad y safle at ddibenion cyflogaeth. Mae gan y safle seilwaith ffyrdd ar waith sy'n golygu bod y safle ar gael i'w ddatblygu ar unwaith. Mae'r safle'n cynnwys naw elfen ar wahân fel y nodwyd ar y map cynigion CDLI Adneuo ac mewn Polisi EME3.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu. Mae'r safle wedi'i leihau o ran maint o'r hyn a ddyrannwyd yn y CDLI presennol er mwyn annog y gallu i gyflawni.

The site is located within and adjacent to an existing employment site at Dafen. Its size and scale allows the opportunity for small - medium scale development, and there does not appear to be any adverse impact to stifle the development of the site for employment purposes. The site has road infrastructure in place which makes the site immediately available for development. The site comprises nine separate elements as identified on the Deposit LDP proposals map and in Policy EME3.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward. The site has been reduced in size from that allocated in the current LDP in the interests of encouraging deliverability.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	PrC2/E2
Cyfeiriad y Safle / Site Address:	Dafen	Arwynebedd y Safle / Site Area:	17.489
Defnydd Presennol / Existing Use:	Safleoedd Glas / Green fields	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinioedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
--	---

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/GT1
Cyfeiriad y Safle / Site Address:	Tir yn Penyfan / Land at Penyfan	Ardal Safle / Site Area:	3.3ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Safle Sipsiwn a Theithwyr / Gypsy and Traveller Site
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	N/A		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	N/A		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle a oedd o fewn C1 a C2 TAN 15 DAMs wedi'i dynnu o'r dyraniad

Part of the site that was within C1 and C2 TAN 15 DAMs has been removed from the allocation

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae bron cyfan o'r safle hwn ym mharth llifogydd 3 a 2 o lifio o'r môr. Er bod yr ardaloedd hyn yn cael eu dosbarthu fel Parthau Amddiffynedig hefyd. Mae tua 250 metr sgwâr ym mharth llifogydd 1 yng ngogledd y safle

Almost all of this site is in flood zone 3 and 2 for flooding from the sea. Although these areas are also classified as Defended Zones. Approximately 250 square meters is in flood zone 1 at the north of the site.

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		
Sylwadau Ychwanegol / Additional Comments			
Mae'r safle Sipsiwn a Theithwyr ar y tir hwn wedi bod drwy proses aseiad ei hun . Bydd angen i waith amlwg pellach fod yn ymgymryd yn y cyfnod cyn yr arholiad.			
The Gypsy and Traveller site on this land has been through an extensive site sieving exercise highlighted within its own site assessment methodology. Further evidential work will need to be undertaken in the lead up to examination.			

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/GT1
Cyfeiriad y Safle / Site Address:	Tir yn Penyfan / Land at Penyfan	Arwynebedd y Safle / Site Area:	3.3ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Safle Sipsiwn a Theithwyr / Gypsy and Traveller Site
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/GT2
Cyfeiriad y Safle / Site Address:	Penybryn (estyniad) / Penybryn (extension)	Ardal Safle / Site Area:	0.54ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Safle Sipsiwn a Theithwyr / Gypsy and Traveller Site
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments			

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	N/A		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	N/A		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle Sipsiwn a Theithwyr ar y tir hwn wedi bod drwy proses aseiad ei hun . Bydd angen i waith amlwg pellach fod yn ymgymryd yn y cyfnod cyn yr arholiad.

The Gypsy and Traveller site on this land has been through an extensive site sieving exercise highlighted within its own site assessment methodology. Further evidential work will need to be undertaken in the lead up to examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	PrC2/GT2
Cyfeiriad y Safle / Site Address:	Penybryn (estyniad) / Penybryn (extension)	Arwynebedd y Safle / Site Area:	0.54ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Safle Sipsiwn a Theithwyr / Gypsy and Traveller Site
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC3

Cydweli /

Kidwelly

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0314 and SR/074/002	Cyfeirnod y Safle / Site Reference:	SeC3/h2
Cyfeiriad y Safle / Site Address:	Tir ger Stryd Priory / Land off Priory Street	Ardal Safle / Site Area:	0.93ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Na / No

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae'r safle wedi'i leoli mewn lleoliad cynaliadwy yn yr anheddiad, ac mae ganddo fynediad addas i Stryd y Prior. Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae / agored

The site is located within a sustainable location within the settlement, and has a suitable access onto Priory Road. The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play / open space provision.

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean yn sail i'r safle (25%), ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site (25%) , however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i amgáu ar bob ochr gan ffin ddiffiniedig, a byddai ei faint a'i raddfa yn gyfle datblygu rhesymol yng Nghydwelli i adeiladwyr tai ar raddfa fach a chanolog. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth am ddatblygu'r safle, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site is enclosed on all sides by a defined boundary, and its size and scale would be a reasonable development opportunity within Kidwelly for small to medium scale housebuilders. The proponent of the land has provided some information on the development of the site, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0314 and SR/074/002	Cyfeirnod y Safle / Site Reference:	SeC3/h2
Cyfeiriad y Safle / Site Address:	Tir ger Stryd Priory / Land off Priory Street	Arwynebedd y Safle / Site Area:	0.93ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC3/h3
Cyfeiriad y Safle / Site Address:	Llys Felin	Ardal Safle / Site Area:	1.06ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/34146, PL/00383, PL04958

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Mae'r safle wedi'i leoli mewn lleoliad cynaliadwy yn yr anheddiad, ac mae ganddo fynediad addas i Stryd y Prior. Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae / agored

The site is located within a sustainable location within the settlement, and has a suitable access onto Priory Road. The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play / open space provision.

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Rhybudd ASGLI - Mae tir yn ne'r safle ym mharth llifogydd 3 a 2 am lifogydd o'r môr, ond mae'r safle hefyd o fewn parth amddiffynnol TAN15 am lifogydd o'r môr

SFCA Caution - Land in the south of the site is in flood zone 3 and 2 for flooding from the sea, however the site is also within a TAN15 defended zone for flooding from the sea

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae chwech o'r anheddau yng nghanam 1 wedi eu hadeiladu gyda'r tri olaf yn cael eu cwblhau eleni. Mae yna gais materion wedi'i cadw yn ol llawn ar yr ail gam ar gyfer gweddill y tir i'r gogledd. Bydd rhagor o wybodaeth yn cael ei rhoi yn y cyfnod cyn yr arholiad CDLI.

Six of the dwellings in phase 1 have been built with the final 3 being completed this year. There is a Reserved Matters application on the second phase for the remaining land to the north. Further information will be provided in the lead up into the LDP examination

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC3/h3
Cyfeiriad y Safle / Site Address:	Llys Felin	Arwynebedd y Safle / Site Area:	1.06ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosibl effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC3/h4
Cyfeiriad y Safle / Site Address:	Tir ar hen iard Dinas / Land at Former Dinas Yard	Ardal Safle / Site Area:	2.62ha
Defnydd Presennol / Existing Use:	Hen Depo / Former Depot	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/33973, PL/03069, PL/01026

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae tywod arwynebol a blaendal graean yn cwmpasu tua 40% o'r safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Superficial sand and gravel deposit covers roughly 40% of the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Cafodd y safle caniatad ym mis Mehefin 2022 gyda chytundeb S106. Mae cynigydd y tir wedi rhoi gwybodaeth am ddatblygu'r safle trwy'r cais, ond bydd gwybodaeth ychwanegol yn cael ei ofyn wrth i'r CDLI fynd tuag at arholiad.

The site was granted reserved matters in June 2022 with a S106 agreement. The proponent of the land has provided information on the development of the site through the application, however additional information will be sought as the LDP goes towards examination.



**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SeC3/h4
Cyfeiriad y Safle / Site Address:	Tir ar hen iard Dinas / Land at Former Dinas Yard	Arwynebedd y Safle / Site Area:	2.62ha
Defnydd Presennol / Existing Use:	Hen Depo / Former Depot	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC4

Porth Tywyn /

Burry Port

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC4/h1
Cyfeiriad y Safle / Site Address:	Fferm Gwdig / Gwdig Farm	Ardal Safle / Site Area:	1.06ha
Defnydd Presennol / Existing Use:	Preswyl Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36993, S/38373

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle bron yn gyflawn

The site is almost complete

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC4/h1
Cyfeiriad y Safle / Site Address:	Fferm Gwdig / Gwdig Farm	Arwynebedd y Safle / Site Area:	1.06ha
Defnydd Presennol / Existing Use:	Preswyl Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0549 - SR/016/012	Cyfeirnod y Safle / Site Reference:	SeC4/h2
Cyfeiriad y Safle / Site Address:	Harbwr Porth Tywyn / <i>Burry Port Harbourside</i>	Ardal Safle / Site Area:	6.15ha
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/30678 - Yr Hen Grillo / <i>Former Grillo (230)</i> , S/30598 - 'Safleoedd 5 a 6' / <i>'Sites 5 and 6' (134)</i> . S/38251 & S/38106 - Adran 73 / <i>Section 73 - Committee September 2019,</i> PL/04823 & PL/04823

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	✓	ACI2 ISA2	-
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	✓	ACI8 ISA8	-

Sylwadau Ychwanegol / Additional Comments

Ceir Heneb Restredig yn yr Harbwr. Mae Cilfach Tywyn yn ardal o bwysigrwydd rhyngwladol er cadwraeth natur.

The Harbour has a Scheduled Ancient Monument. The Burry Inlet is an area of International importance for nature conservation.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildddefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5	-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Tywodfaen gyda photensial ar gyfer agregau manyleb uchel 40%. Dyddodion tywod a graean arwynebol (40%)

Sandstone with potential for high specification aggregate 40%. Superficial sand and gravel deposits (40%)

Categori Asesiad Strategol o Ganlyniadau Llifogydd Cam 1 - Oren (risg Canolog). Wrth nodi canlyniadau Cam 1 ACLIS, cyfeirir at sylfaen dystiolaeth ehangach y CDLI Diwygiedig - yn enwedig yn nhermau risg llifogydd. Hefyd, mae unrhyw broblem yn gysylltiedig â pherygl llifogydd ymhlith nifer o faterion technegol y byddai angen mynd i'r afael â hwy o fewn y cais/ceisiadau cynllunio.

Stage 1 SFCA category - Amber (medium risk). In noting the SFCA Stage 1 outcomes, reference is made to the wider evidence base of the Revised LDP - particularly in terms of flood risk. Also, any issue of flood risk is one of a number of technical issues that would have to be addressed within the planning application(s).

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
Y Gymraeg / Welsh Language			
27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	X		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		
--	----------	--	--

Sylwadau Ychwanegol / Additional Comments

Bu ardal yr harbwr yn ffocws ar gyfer adfywio ar lefel gorfforaethol ers blynyddoedd. Mae'r datblygiadau diweddar nodedig hynny yn cynnwys codi adeilad newydd ar gyfer Sefydliad Cenedlaethol Brenhinol y Badau Achub ac ysgol gynradd cyfrwng Cymraeg newydd yn Nheras Burrows. Mae'r safle ymgeisio yn cael ei gyflwyno fel safle sy'n barod i'w ailddatblygu mewn lleoliad cynaliadwy a hygyrch, ychydig i'r de o'r orsaf drenau a chanol y dref. Mae gan y safle cais i amrywio yr amser i gyflwyno materion wedi'i cadw yn ol, gyda gwaith sylweddol yn cael ei wneud yn y cefndir. Ar ben hynny, cyfeirir at y safle hefyd yn amserlen Adeiladu Newydd y Cyngor - Datblygiadau. Mae'n rhesymegol dyrannu'r safle hwn ar gyfer preswyl yn y CDLI Diwygiedig. Bydd dystiolaeth bellach yn cael ei rhoi yn y cyfnod cyn yr arholiad CDLI.

The harbour area has been a focus for regeneration on a corporate level for many years. Those notable recent developments include the construction of a new building for the Royal National Lifeboat Institution and a new Welsh medium primary school at Burrows Terrace. The candidate site presents as ripe for redevelopment at a sustainable and accessible location just south of the train station and town centre. The site has a pending variation of condition to extend the time to submit reserved matters, with significant work being done in the background. Furthermore, the site is also referenced in the Council New Build - Developments schedule. It is logical to allocate this site for residential development in the Revised LDP. Further evidence will be provided in the lead up to the LDP examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0549 - SR/016/012	Cyfeirnod y Safle / Site Reference:	SeC4/h2
Cyfeiriad y Safle / Site Address:	Harbwr Porth Tywyn / Burry Port Harbourside	Arwynebedd y Safle / Site Area:	6.15ha
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	--
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	-
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	+/-
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas. Gan fod y safle yn agos at nodwedd o ddiddordeb hanesyddol/diwylliannol, cyfeirir at SP15: Diogelu a Gwellu'r Amgylchedd Adeiledig a Hanesyddol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites. As the site is within the proximity to a feature of historical/cultural interest, reference is made to SP15: Protection and Enhancement of the Built and Historic Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0300 - SR/016/007	Cyfeirnod y Safle / Site Reference:	SeC4/h3
Cyfeiriad y Safle / Site Address:	Teras Glanmor / <i>Glanmor Terrace</i>	Ardal Safle / Site Area:	1.405ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	S/38235

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei gwblhau

The site has been completed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0300 - SR/016/007	Cyfeirnod y Safle / Site Reference:	SeC4/h3
Cyfeiriad y Safle / Site Address:	Teras Glanmor / Glanmor Terrace	Arwynebedd y Safle / Site Area:	1.405ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
+++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/016/10 (CA0538)	Cyfeirnod y Safle / Site Reference:	SeC4/E1
Cyfeiriad y Safle / Site Address:	Dyfaty / Dyfatty	Ardal Safle / Site Area:	3.036
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	LL/02604

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion Agreg Manyleb Uchel (Tywodfaen) o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

High Specification Aggregate (Sandstone) deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

--

Mae'r safle wedi ei leoli gerllaw safle cyflogaeth presennol yn Dyfatty, Porth Tywyn. Mae ei faint yn caniatáu'r cyfle i ddatblygu ar raddfa fach i ganolog, ac nid yw'n ymddangos bod unrhyw effaith andwyol i atal datblygiad y safle at ddibenion cyflogaeth. Mae gan y safle seilwaith ffyrdd ar waith sy'n golygu bod y safle ar gael i'w ddatblygu ar unwaith.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu.

The site is located adjacent to an existing employment site at Dyfatty, Burry Port. Its size allows the opportunity for small to medium scale development, and there does not appear to be any adverse impact to stifle the development of the site for employment purposes. The site has road infrastructure in place which makes the site immediately available for development.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/016/10 (CA0538)	Cyfeirnod y Safle / Site Reference:	SeC4/E1
Cyfeiriad y Safle / Site Address:	Dyfaty / Dyfatty	Arwynebedd y Safle / Site Area:	3.036
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant land	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
---	--

SeC5

Pen-bre /

Pembrey

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0622 - SR/016/015	Cyfeirnod y Safle / Site Reference:	SeC5/h1
Cyfeiriad y Safle / Site Address:	Garreglwyd	Ardal Safle / Site Area:	0.481ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/36380

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei gwblhau

The site has been completed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0622 - SR/016/015	Cyfeirnod y Safle / Site Reference:	SeC5/h1
Cyfeiriad y Safle / Site Address:	Garreglwyd	Arwynebedd y Safle / Site Area:	0.481ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0751 - SR/016/016	Cyfeirnod y Safle / Site Reference:	Sec5/h2
Cyfeiriad y Safle / Site Address:	Fferm Cwrt / <i>Cwrt Farm</i>	Ardal Safle / Site Area:	4.518ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/21597

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Tywodfaen gyda photensial ar gyfer agregau manyleb uchel Dyddodion tywod a graean arwynebol (30%)

Sandstone with potential for high specification aggregate. Superficial sand and gravel deposits (30%)

Mae 40% o'r safle yn cynnwys tir amaethydd o ansawdd uchel - gradd 2. Er hynny, mae'r safle gyda caniatad cynllunio ac wedi'i dyranu o'r CDLI sydd wedi cael ei fabwysiadu

40% of the site is within Grade 2 of the Agricultural Land classification. However the site has full planning permission and was allocated in the adopted LDP.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Yn dilyn hanes cynllunio helaeth a rhoi caniatâd cynllunio ar apêl, mae Persimmon yn marchnata'r safle i'w ddatblygu.

Following an extensive planning history and the granting of planning permission on appeal, Persimmon are marketing the site for development.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0751 - SR/016/016	Cyfeirnod y Safle / Site Reference:	Sec5/h2
Cyfeiriad y Safle / Site Address:	Fferm Cwrt / Cwrt Farm	Arwynebedd y Safle / Site Area:	4.518ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn safle maes glas sy'n cynnwys tir amaethyddol o safon uchel, ond yn gyffredinol, mae'r safle hwn yn perfformio'n dda yn erbyn y Fframwaith ACI. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is a greenfield site that contains high quality agricultural land, however generally this site otherwise performs well against the ISA Framework. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC6

Yr Hendy, Fforest/

Hendy, Fforest

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC6/h1
Cyfeiriad y Safle / Site Address:	Ger Clos Tŷ Gwyn / Adjacent Clos Ty Gwyn	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Safle wedi'i gwblhau / Site complete	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/31228

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Safle wedi'i gwblhau. 20 o unedau o'r caniatâd cynllunio heb eu hadeiladu ar y dyddiad sylfaen. Dyrannu ar gyfer 20 o unedau yn y CDLI Diwygiedig.

Site completed. 20 units from the planning permission not built as at base date. Allocate for 20 units in Revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	0	Cyfeirnod y Safle / Site Reference:	SeC6/h1
Cyfeiriad y Safle / Site Address:	Ger Clos Tŷ Gwyn / Adjacent Clos Ty Gwyn	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Safle wedi'i gwblhau / Site complete	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC6/h2
Cyfeiriad y Safle / Site Address:	Tir rhwng Heol Clayton a Dwyrain Heol Bronallt / Land between Clayton Road and East of Bronallt Road	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Rhan yn cael ei adeiladu / Partly Under construction	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/34537

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Mae dyddodion Agreg Manyleb Uchel (Tywodfaen) o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterilieiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

High specification Aggregate (Sandstone) deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan ran o'r safle ganiatâd cynllunio ac mae'n cael ei adeiladu. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth

i'r CDLI fynd tuag at ei archwilio.

Part of site has planning permission and is under construction. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SeC6/h2
Cyfeiriad y Safle / Site Address: Tir rhwng Heol Clayton a Dwyrain Heol Bronallt / Land between Clayton Road and East of		Arwynebedd y Safle / Site Area: 0
Defnydd Presennol / Existing Use: Rhan yn cael ei adeiladu / Partly Under constr		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
	Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC6/h3
Cyfeiriad y Safle / Site Address:	Coed y Bronallt	Ardal Safle / Site Area:	0.615
Defnydd Presennol / Existing Use:	Plotiau gwag, preswyl / Empty plots, residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/34339, S/36098, S/37921, S/40512, PL/04954

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan yr ardaloedd sy'n weddill ganiatâd cynllunio amrywiol. Mae'n rhesymegol ailddyrrannu'r safle fel bod y lleiniau gwag sy'n weddill yn gallu cyfrannu at y twf gofynnol a nodwyd.

The remaining areas have various planning permissions. It is logical that the site be re allocated so that the remaining vacant plots can make a contribution to the identified growth requirement.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC6/h3
Cyfeiriad y Safle / Site Address:	Coed y Bronallt	Arwynebedd y Safle / Site Area:	0.615
Defnydd Presennol / Existing Use:	Plotiau gwag, preswyl / Empty plots, residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0410, 0571 - SR/069/005	Cyfeirnod y Safle / Site Reference:	SeC6/h4
Cyfeiriad y Safle / Site Address:	Ger Clos Benallt Fawr, Fforest / Adjacent to Clos Benallt Fawr, Fforest	Ardal Safle / Site Area:	1.786
Defnydd Presennol / Existing Use:	Safle wedi'i gwblhau / Site Complete	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/38255

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i gwblhau

The site has been completed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0410, 0571 - SR/069/005	Cyfeirnod y Safle / Site Reference:	SeC6/h4
Cyfeiriad y Safle / Site Address:	Ger Clos Benallt Fawr, Fforest / Adjacent to Clos Benallt Fawr, Fforest	Arwynebedd y Safle / Site Area:	1.786
Defnydd Presennol / Existing Use:	Safle wedi'i gwblhau / Site Complete	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

SeC7

Llangennech

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC7/h1
Cyfeiriad y Safle / Site Address:	Fferm Box Farm	Ardal Safle / Site Area:	0.412
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/33213; PL/00012

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	✓	ACI2 ISA2	-
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle'n agos i'r Aber Llchwyr.

The site is proximate to the Loughor Estuary.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion Agreg Manyleb Uchel (Tywodfaen) o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterilieiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

High Specification Aggregate (Sandstone) deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	X		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Paratowyd cynllun dangosol o'r safle i gefnogi'r cais cynllunio amlinellol, sy'n dangos y gellir darparu cyfanswm o 7 annedd sengl deulawr ar ffurf linol o'r gogledd i'r de ar draws y safle. Bu cynnydd o ran y gallu i gyflenwi, cais cynllunio PL/00012 - Amrywiad o Amod 3 ar ganiatâd cynllunio S/33213 - i ymestyn y cyfnod o gyflwyno cymeradwyaeth Materion wedi ei gadw yn ol am 3 blynedd arall, a roddwyd ar 1/7/22.

An indicative site layout plan was prepared in support of the outline planning application, which illustrates that a total of 7 detached, two-storey dwelling houses can be provided over a linear formation from north to south across the site. In terms of deliverability, planning application PL/00012 - a Variation of Condition 3 on planning permission S/33213 - to extend the period of submission of approval of Reserved Matters for a further 3 years, was granted on 1/7/22.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC7/h1
Cyfeiriad y Safle / Site Address:	Fferm Box Farm	Arwynebedd y Safle / Site Area:	0.412
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	--
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0296 - SR/086/027	Cyfeirnod y Safle / Site Reference:	SeC7/h3
Cyfeiriad y Safle / Site Address:	Golwg Yr Afon	Ardal Safle / Site Area:	2.285
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	✓	ACI2 ISA2	-
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle wedi'i nodi ar Fapiau Cyngor Datblygu TAN 15 fel tir lle ceir perygl llifogydd, ond mae'n gyfagos â thir felly. Mae'r safle'n agos at Aber Lluchwr (ACA). Mae rhai o'r coed yn cyfuno â choetir aeddfed i'r dwyrain, ac mae Gorchmynion Diogelu Coed yn ffinio â'r safle. Ceir ardal o goetir hefyd y byddai angen ei hystyried yng ngham y dyluniad manwl.

The site is not identified in the TAN 15 Development Advice Maps as being at risk from flooding, however it is adjacent. The site is proximate to the Loughor Estuary (SAC). There are some trees which merge with mature woodland to east, with Tree Preservation Orders bounding the site. There is also an area of woodland which would also require consideration at detailed design stage.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

<p>Deallir fod asedion Dŵr Cymru yn croesi y safle. Gall hwn fod ymhlith y manylion i'w hystyried mewn unrhyw cais cynllunio yn y dyfodol, ond nid ystyrir y byddai'n rhwystri i ddatblygu ar y safle.</p> <p>It is understood that there are DCWW assets traversing the site. This could be amongst those details for consideration as part of any future planning application, however it is not considered that this would sterilise the site.</p>			
---	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Fe fydd angen cynnal adolygiad i ganfod pam nad yw'r safle wedi cael ei ddwyn ymlaen hyd yma, er ei fod yn ddyraniad newydd yn y CDLI cyfredol. Wrth gynnig y safle ymgeisio, mae'r Cyngor (y cynigydd) yn nodi ei fod yn bwriadu dwyn y safle ymlaen yn y tymor byr. Nodir bod Arolygon Ecolegol, Pathewod a Thopograffig wedi cael eu cynnal, gydag olwg ar farchnata'r safle, a bod y safle wedi'i ddyrannu i'w waredu yn Rhaglen Derbyniadau Cyfalaf 5 Mlynedd y Cyngor. Nodir bod y gwaith marchnata wedi cael ei oedi nes bod materion capasiti yng Ngwaith Trin Dŵr Gwastraff Llangennech wedi'u datrys, a briff cynllunio wedi'i baratoi. Mewn adborth pellach gan y tiffeddiannwr nodir ei fod yn gofyn am gyngor gan ymgynghorydd priffyrdd ynghylch opsiynau mynediad ac yn ystyried opsiynau caffael. Gofynnir am wybodaeth ychwanegol yn ôl yr angen gan y cynigydd wrth i'r CDLI fynd tuag at archwiliad.

A review is required as to why the site has not come forward to date, albeit it was a new allocation in the current LDP. Within the candidate site submission, the Council (landowner) states that it is the intention to bring the site forward in the short term. It is stated that Ecological, Dormice and Topographical Surveys have been undertaken with a view to marketing the site and that the site is allocated for disposal within the Council's 5 Year Capital Receipt Programme. It is stated that marketing has been put on hold pending capacity issues at Llangennech WWTW and the preparation of a planning brief. Further feedback from the landowner states that they are seeking advice from a Highways consultant on access and considering acquisition options. Additional information will be sought as necessary from the proponent as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0296 - SR/086/027	Cyfeirnod y Safle / Site Reference:	SeC7/h3
Cyfeiriad y Safle / Site Address:	Golwg Yr Afon	Arwynebedd y Safle / Site Area:	2.285
Defnydd Presennol / Existing Use:	Tir Gwag / Vacant Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	--
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwbaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC7/h4
Cyfeiriad y Safle / Site Address:	Gyferbyn â Pharc Morlais / Opposite Parc Morlais	Ardal Safle / Site Area:	1.355
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00470 (presennol / current)

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	✓	ACI2 ISA2	-
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle wedi'i nodi ar Fapiau Cyngor Datblygu TAN 15 fel tir lle ceir perygl llifogydd, ond mae'n gyfagos â thir felly. Mae'r safle'n agos at Aber Lluchwr (ACA).

The site is not identified in the TAN 15 Development Advice Maps as being at risk from flooding, however it is adjacent. The site is proximate to the Loughor Estuary (SAC).

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Mae dyddodion Agreg Manylion Uchel (Tywodfaen) o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterilieiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

High Specification Aggregate (Sandstone) deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

O ran y gallu i gyflenwi'r safle, nodir bod cais ar gyfer 30 o anheddau ar y safle yn cael ei benderfynu ac mae cytundeb S.106 gyda thîm Cyfreithiol y Cyngor . Gofynnir am wybodaeth ychwanegol yn ôl yr angen gan y cynigydd wrth i'r CDLI fynd tuag at archwiliad.

In terms of deliverability, it is noted that a current application for 30 dwellings on the site is being determined and a S.106 agreement is with the Council's Legal Team. Additional information will be sought as necessary from the proponent as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC7/h4
Cyfeiriad y Safle / Site Address:	Gyferbyn â Pharc Morlais / Opposite Parc Morlais	Arwynebedd y Safle / Site Area:	1.355
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	--
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC7/h5
Cyfeiriad y Safle / Site Address:	Maesydderwen	Ardal Safle / Site Area:	0.259
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/34584

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+
5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+

6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+
--	---	--------------	---

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	✓		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+

14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(b) Darpariaeth fanwerthu / Retail provision	✓		+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Roedd y cais cynllunio amlinellol yn cadw'r holl faterion yn ôl i'w hystyried yn y dyfodol, ond darparwyd cynllun dangosol a threfniadau mynediad fel enghraifft yn unig. Dangosai'r rhain fod potensial i'r safle gynnwys 5 uned. Mae Asesiad Ecolegol Rhagarweiniol, arolwg coed ac arolwg topograffeg wedi cael eu cynnal ar y safle. O ran y gallu i gyflenwi'r safle, cyfeirir at yr hanes cynllunio ac mae'r safle hwn wedi'i gynnwys yn Rhaglen Adeiladu Tai Newydd - Datblygiadau y Cyngor.

The outline planning application reserved all matters for future consideration, however an indicative layout and access arrangement was provided for illustration purposes only. This showed that the site had the potential to accommodate 5 units. The site has been subject to a Preliminary Ecological Assessment, a tree survey and a topographical survey. In terms of deliverability, reference is made to the planning history and this site featured within the Council's New Build - Developments Programme.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SeC7/h5
Cyfeiriad y Safle / Site Address:	Maesydderwen	Arwynebedd y Safle / Site Area:	0.259
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

<p>O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.</p> <p>Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisiau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a Lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn.</p> <p>Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.</p>	<p>Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.</p> <p>By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects.</p> <p>The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.</p>
---	--

SeC8

Trimsaran, Carwe/

Trimsaran, Carway

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC8/h1
Cyfeiriad y Safle / Site Address:	Ffos Las	Ardal Safle / Site Area:	3.3ha
Defnydd Presennol / Existing Use:	Ailddefnyddio y tir a ddatblygwyd yn flaenorol / Previously Developed Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/20882, W/21596, W/37832

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei gwblhau

The site has been completed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SeC8/h1
Cyfeiriad y Safle / Site Address: Ffos Las		Arwynebedd y Safle / Site Area: 3.3ha
Defnydd Presennol / Existing Use: Ailddefnyddio y tir a ddatblygwyd yn flaenorol / Previously Developed Land		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC8/h2
Cyfeiriad y Safle / Site Address:	Cae Linda	Ardal Safle / Site Area:	2.6ha
Defnydd Presennol / Existing Use:	Safle Werdd / Green field	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/03504

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities			
---	--	--	--

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments			
---	--	--	--

--	--	--	--

Y Gymraeg / Welsh Language			
-----------------------------------	--	--	--

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments			
---	--	--	--

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued			
---	--	--	--

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments			
--	--	--	--

Cafodd rhan o gefn y safle ganiatâd ym mis Mai 2022, ac yno mae nifer o leiniau sengl i'r dwyrain o'r safle ar gael. Bydd angen rhagor o waith tystiolaeth ar y safle a bydd hyn yn cael ei gyflwyno yn y cyfnod cyn yr arholiad CDLI.

Part of the site to the rear was granted permission in May 2022, and there a number of single plots to the east of the site becoming available. Further evidential work will be required on the site and this will be provided in the lead up to the LDP examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SeC8/h2
Cyfeiriad y Safle / Site Address: Cae Linda		Arwynebedd y Safle / Site Area: 2.6ha
Defnydd Presennol / Existing Use: Safle Werdd / Green field		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC8/h3
Cyfeiriad y Safle / Site Address:	Golwg Gwendraeth	Ardal Safle / Site Area:	6.1ha
Defnydd Presennol / Existing Use:	Gwag / Vacant	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/03790

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Cafodd y safle caniatad ym mis Medi 2022 ar gweddill y tir yn Ffos Las. Prynwyd y safle gan ddatblygwr tai (Dandara) sy'n mynd ati i farchnata'r safle gyda dechreuad yn gynnar yn 2023.

The site was granted Reserved Matters in September 2022 for the remaining parcel of land in Ffos Las. This has been bought by a housing developer (Dandara) who are actively marketing the site with a start to be made in early 2023.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0	Cyfeirnod y Safle / Site Reference: SeC8/h3
Cyfeiriad y Safle / Site Address: Golwg Gwendraeth	Arwynebedd y Safle / Site Area: 6.1ha
Defnydd Presennol / Existing Use: Gwag / Vacant	Defnydd Arfaethedig / Proposed Use: Preswyl Residential
	Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'r safle'n defnyddio tir a ddatblygwyd yn flaenorol ac, felly, mae ei aildefnydd yn debygol o hyrwyddo egwyddorion cynaliadwyedd ac yn lleddfu'r pwysau ar gyfer datblygu ar safleoedd tir glas. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. The site utilises previously developed land and, therefore, its re-use likely promote sustainability principles and relieves pressure for development on greenfield sites. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV22

Mynyddygarreg

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SuV22/h1
Cyfeiriad y Safle / Site Address:	Gerddi Gwenllian / Gwenllian Gardens	Ardal Safle / Site Area:	1.011ha
Defnydd Presennol / Existing Use:	Defnyddio tir a ddatblygwyd o'r blaen / Previously Developed Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/01568

Cam 1 - Aseiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Aseiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn cael ei adeiladu

The site is being developed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	SuV22/h1
Cyfeiriad y Safle / Site Address:	Gerddi Gwenllian / Gwenllian Gardens	Arwynebedd y Safle / Site Area:	1.011ha
Defnydd Presennol / Existing Use:	Defnyddio tir a ddatblygwyd o'r blaen / Previous Use	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0389 and SR/116/003	Cyfeirnod y Safle / Site Reference:	SuV22/h2
Cyfeiriad y Safle / Site Address:	Tir ger Ty Newydd, Heol Meinciau / Land adjacent to Ty Newydd, Meinciau Road	Ardal Safle / Site Area:	0.505ha
Defnydd Presennol / Existing Use:	Safle Werdd / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCAs - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Categori B - Tywodfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i ddiheintio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Category 2 - Sandstone, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i amgáu ar bob ochr gan ffin ddiffiniedig, a byddai ei faint a'i raddfa yn gyfle datblygu rhesymol ym Mynyddygarreg i adeiladwyr tai ar raddfa fach a chanolig. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth am ddatblygu'r safle, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site is enclosed on all sides by a defined boundary, and its size and scale would be a reasonable development opportunity within Mynyddygarreg for small to medium scale housebuilders. The proponent of the land has provided some information on the development of the site, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0389 and SR/116/003	Cyfeirnod y Safle / Site Reference:	SuV22/h2
Cyfeiriad y Safle / Site Address:	Tir ger Ty Newydd, Heol Meinciau / Land adjacent to Ty Newydd, Meinciau Road	Arwynebedd y Safle / Site Area:	0.505ha
Defnydd Presennol / Existing Use:	Safle Werdd / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV23

Pum Hewl, Horeb /

Five Roads, Horeb

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV23/h1
Cyfeiriad y Safle / Site Address:	Clos y Parc	Ardal Safle / Site Area:	0.96ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	S/33277, S/40024, S/40642, PL/02763, PL/01963, PL/02010, PL01804, PL/01734, PL/01727

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn cael ei ddatblygu.
The site is being developed.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / N/A	Cyfeirnod y Safle / Site Reference:	SuV23/h1
Cyfeiriad y Safle / Site Address:	Clos y Parc	Arwynebedd y Safle / Site Area:	0.96ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol gan fod y safle yn cael ei adeiladu / Not applicable as the site is under construction

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0002 SR/061/001	Cyfeirnod y Safle / Site Reference:	SuV23/h2
Cyfeiriad y Safle / Site Address:	Ger Little Croft / Adjacent Little Croft	Ardal Safle / Site Area:	1.213ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Mae tywod arwynebol a blaendal graean yn cwmpasu tua 40% o'r safle, fodd bynnag, ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Superficial sand and gravel deposit covers roughly 40% of the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Deallir fod asedion Dŵr Cymru yn croesi y safle. Gall hwn fod ymhlith y manylion i'w hystyried mewn unrhyw cais cynllunio yn y dyfodol, ond nid ystyrir y byddai'n rhwystr i ddatblygu ar y safle.

It is understood that there are DCWW assets traversing the site. This could be amongst those details for consideration as part of any future planning application, however it is not considered that this would sterilise the site.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Ystyrir ei bod hi'n briodolcadw'r safle fel dyraniad preswyl. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

It is considered appropriate to retain the site as a residential allocation. Additional information will be sought as necessary as the LDP progresses towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0002 SR/061/001	Cyfeirnod y Safle / Site Reference:	SuV23/h2
Cyfeiriad y Safle / Site Address:	Ger Little Croft / Adjacent Little Croft	Arwynebedd y Safle / Site Area:	1.213ha
Defnydd Presennol / Existing Use:	Amaethyddol / Agricultural	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol.

Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment.

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation.

Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.