

Diwygiedig 2018-2033
Cynllun Datblygu Lleol

Revised 2018-2033
Local Development Plan

Aseidiadau Dyrannu Safle / *Site Allocation Assessments*

Clwstwr 6 / Cluster 6



Zil Gynllun Adneuo / 2nd Deposit Plan
Chwefror / February 2023

Clwstwr 6 / Cluster 6

SeC18	Sanclêr, Pwll-trap / St Clears, Pwll Trap	3
SeC19	Hendy- gwyn ar Daf / Whitland	73
SeC20	Talacharn / Laugharne	109
SuV55	Glandy Cross	130
SuV56	Efail-wen / Efailwen	144
SuV58	Meidrim	151
SuV59	Bancyfelin	165
SuV60	Llangynog	176
SuV61 / SuV63	Pentywyn a Llanmilo / Pendine & Llanmiloe	183

SeC18

Sanclêr, Pwll-trap /

St Clears, Pwll Trap

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0901 + SR/150/035	Cyfeirnod y Safle / Site Reference:	SeC18/h1
Cyfeiriad y Safle / Site Address:	Cyfagos i Brittainia Terrace / Adjacent to Brittainia Terrace	Ardal Safle / Site Area:	2.653ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/31167

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+	
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-	
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Er bod y safle wedi cael ei ddyrannu ar gyfer nifer o gynlluniau datblygu, mae ei ddatblygiad wedi cael ei atal o ystyried y datblygiad defnydd cymysg (datblygiad McDonalds) ar y cae cyfagos. Mae cynigydd y tir wedi darparu gwybodaeth am ddatblygu'r safle drwy broses y safle ymgeisio, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad. Mae'r safle yn cael ei ystyried fel lleoliad posib ar gyfer ysbyty newydd Hywel Dda.

Whilst the site has been allocated for a number of development plans, its development has been in abeyance given the mixed use development (McDonalds development) on the adjacent field. The proponent of the land has provided information on the development of the site through the candidate site process, however additional information will be sought as necessary as the LDP goes towards examination. The site is being considered as a potential location for the new Hywel Dda hospital

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0901 + SR/150/035	Cyfeirnod y Safle / Site Reference:	SeC18/h1
Cyfeiriad y Safle / Site Address:	Cyfasgos i Brittonia Terrace / Adjacent to Brittonia Terrace	Arwynebedd y Safle / Site Area:	2.653ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0082 + SR/150/003	Cyfeirnod y Safle / Site Reference:	SeC18/h2
Cyfeiriad y Safle / Site Address:	Hen Ffatri Menyn / Former Butter Factory	Ardal Safle / Site Area:	1.787ha
Defnydd Presennol / Existing Use:	Ailddefnyddio y tir a ddatblygwyd yn flaenorol / Previously Developed Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/17558, W/20987, W34218, W34300

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle wedi ei leoli tu fewn Parth B fel y'i nodwyd gan Fapiau Cyngor Datblygu TAN 15. Mae gan y safle ganiatâd cynllunio llawn, ac fe fydd unrhyw risg llifogydd wedi ei ystyried o fewn y cais.

A part of the site is located within Zone B as identified by the TAN15 Development Advice Maps. The site has full planning permission, and any flood risk will have been considered within the application.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle gais amlinellol ar gyfer hyd at 45 o anheddau, mae'r gwaith adeiladu weedi dechrau. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth yn ymwneud â chyflawni'r safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad. Mae datblygwr wrthi'n trafod datblygu'r safle hwn.

The site has an outline application for up to 45 dwellings, construction is underway. The proponent of the land has provided some information relating to its delivery. Additional information will be sought as necessary as the LDP goes towards examination. A developer is in discussion to bring this site forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0082 + SR/150/003	Cyfeirnod y Safle / Site Reference:	SeC18/h2
Cyfeiriad y Safle / Site Address:	Hen Ffatri Menyn / Former Butter Factory	Arwynebedd y Safle / Site Area:	1.787ha
Defnydd Presennol / Existing Use:	Aildefnyddio y tir a ddatblygwyd yn flaenorol	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	-
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae rhan o'r safle wedi ei leoli tu fewn Parth B fel y'i nodwyd gan Fapiau Cyngor Datblygu TAN 15. Mae'n debygol y bydd adeiladu a chynffurfio/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fiamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

A part of the site is located within Zone B as identified by the TAN15 Development Advice Maps. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0218 + SR/150/012	Cyfeirnod y Safle / Site Reference:	SeC18/h3
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Gefn Maes / Land adjacent to Cefn Maes	Ardal Safle / Site Area:	4.227ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy ger datblygiad a gyflawnwyd yn y 10 mlynedd ddiwethaf. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth yn ymwneud â chyflawni'r safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site does not have any adverse impact to its delivery, and is located in a sustainable location adjacent to a development completed in the last 10 years. The proponent of the land has provided some information relating to its delivery. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0218 + SR/150/012	Cyfeirnod y Safle / Site Reference:	SeC18/h3
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Gefn Maes / Land adjacent to Cefn Maes	Arwynebedd y Safle / Site Area:	4.227ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygu'n flaenorol, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0238 + SR/150/017	Cyfeirnod y Safle / Site Reference:	SeC18/h4
Cyfeiriad y Safle / Site Address:	Tir yn Heol Llaindelyn / Land at Heol Llaindelyn	Ardal Safle / Site Area:	0.438ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Dim / None

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy. Mae maint y safle yn addas i'w ddatblygu gan ddatblygwr ar raddfa fach neu ganolig. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth yn ymwneud â chyflawni'r safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site does not have any adverse impact to its delivery, and is located in a sustainable location. The size of the site lends itself to development by a small or medium scale developer. The proponent of the land has provided some information relating to its delivery. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0238 + SR/150/017	Cyfeirnod y Safle / Site Reference:	SeC18/h4
Cyfeiriad y Safle / Site Address:	Tir yn Heol Llindelyn / Land at Heol Llindelyn	Arwynebedd y Safle / Site Area:	0.438ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygu'n flaenorol, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0374 + SR/150/023	Cyfeirnod y Safle / Site Reference:	SeC18/h5
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Gwynfa, Heol yr Orsaf / Land adjacent Gwynfa, Station Road	Ardal Safle / Site Area:	0.281ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Dim / None

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+	
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+	
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy gan ganiatáu datblygiad ar y tu blaen ar hyd Heol yr Orsaf. Mae maint y safle yn addas i'w ddatblygu gan ddatblygwr ar raddfa fach neu ganolig. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth yn ymwneud â chyflawni'r safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site does not have any adverse impact to its delivery, and is located in a sustainable location and allowing frontage development onto Station Road. The size of the site lends itself to development by a small or medium scale developer. The proponent of the land has provided some information relating to its delivery. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0374 + SR/150/023	Cyfeirnod y Safle / Site Reference:	SeC18/h5
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Gwynfa, Heol yr Orsaf / Land adjacent Gwynfa, Station Road	Arwynebedd y Safle / Site Area:	0.281ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0242 + SR/150/021	Cyfeirnod y Safle / Site Reference:	SeC18/h6
Cyfeiriad y Safle / Site Address:	Tir i gefn Heol yr Orsaf / Land to the rear of Station Road	Ardal Safle / Site Area:	1.039ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle wedi ei leoli tu fewn Parth B fel y'i nodwyd gan Fapiau Cyngor Datblygu TAN 15.

A part of the site is located within Zone B as identified by the TAN15 Development Advice Maps.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Dosberthir cyfran o'r safle yn dir amaethyddol o ansawdd uchel, fodd bynnag, mae'r safle yn gorwedd yn uniongyrchol gerllaw terfynau datblygu ac mae wedi'i amgáu ar bob un o'r 3 ochr. Mae hyn yn sicrhau bod effaith y safle ar dir amaethyddol yn parhau'n fach iawn.

A portion of the site is classified as high quality agricultural land, however, the site lies directly adjacent to development limits and is enclosed on all 3 sides. This ensures the site's impact on agricultural land remains minimal.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i ffinio ar bob ochr gan ffin ddiffiniedig. Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy. Gallai datblygu'r safle hwn gefnogi a chysylltu â datblygiad arfaethedig yr orsaf reilffordd o bosibl er budd yr ardal hon. Mae maint y safle yn addas i'w ddatblygu gan ddatblygwr ar raddfa fach neu ganolig. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth yn ymwneud â chyflawni'r safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site is bordered on each side by a defined boundary. The site does not have any adverse impact to its delivery, and is located in a sustainable location. The development of this site could potentially support and link into the proposed development of the railway station to the benefit of this area. The size of the site lends itself to development by a small or medium scale developer. The proponent of the land has provided some information relating to its delivery. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0242 + SR/150/021	Cyfeirnod y Safle / Site Reference:	SeC18/h6
Cyfeiriad y Safle / Site Address:	Tir i gefn Heol yr Orsaf / Land to the rear of Station Road	Arwynebedd y Safle / Site Area:	1.039ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	-
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae rhan o'r safle wedi ei leoli tu fewn Parth B fel y'i nodwyd gan Fapiau Cynngor Datblygu TAN 15. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. A part of the site is located within Zone B as identified by the TAN15 Development Advice Maps. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0376 + SR/150/024	Cyfeirnod y Safle / Site Reference:	SeC18/h7
Cyfeiriad y Safle / Site Address:	Tir gyfagos i Gardde Fields / Land adjacent to Gardde Fields	Ardal Safle / Site Area:	0.849ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/00736

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	X		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Aseiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i ffinio ar bob ochr gan ffin ddiffiniedig. Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy. Er bod y safle wedi'i gynnwys mewn cynlluniau datblygu blaenorol, mae ei leoliad, ei faint a'i raddfa yn ei wneud yn safle deniadol i ddatblygwyr ar raddfa fach neu ganolog. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth yn ymwneud â chyflawni'r safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site is bordered on each side by a defined boundary. The site does not have any adverse impact to its delivery, and is located in a sustainable location. Whilst the site has been included in previous development plans, its location, size and scale makes it an attractive site for small or medium scale developers. The proponent of the land has provided some information relating to its delivery. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0376 + SR/150/024	Cyfeirnod y Safle / Site Reference:	SeC18/h7
Cyfeiriad y Safle / Site Address:	Tir gyfagos i Gardde Fields / Land adjacent to Gardde Fields	Arwynebedd y Safle / Site Area:	0.849ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Rhan o/Part of CA0386 + SR/150/026	Cyfeirnod y Safle / Site Reference:	SeC18/h8
Cyfeiriad y Safle / Site Address:	Tir yn Cae Glas / Land at Cae Glas	Ardal Safle / Site Area:	0.55ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/36577, W/38642, W/30595

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

<p>Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Aseiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.</p> <p>St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.</p>			
---	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
--	---	--	--

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle bach hwn yn rhan o ddyraniad presennol llawer mwy yn y CDLI sydd wedi cael caniatâd amlinellol ar gyfer 5 annedd. Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy. Er bod y safle wedi'i gynnwys mewn cynlluniau datblygu blaenorol, mae ei leoliad, ei faint a'i raddfa yn ei wneud yn safle deniadol i ddatblygwyr ar raddfa fach neu ddatblygwyr hunanadeiladu. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

This small site forms part of a much larger existing LDP allocation which has an outline permission for 5 dwellings. The site does not have any adverse impact to its delivery, and is located in a sustainable location. Whilst the site has been included in previous development plans, its location, size and scale makes it an attractive site for small scale or self build developers. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Rhan o/Part of CA0386 + SR/150/026	Cyfeirnod y Safle / Site Reference:	SeC18/h8
Cyfeiriad y Safle / Site Address:	Tir yn Cae Glas / Land at Cae Glas	Arwynebedd y Safle / Site Area:	0.55ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored.

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC18/h9
Cyfeiriad y Safle / Site Address:	Land to the west of High Street	Ardal Safle / Site Area:	1.5ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield Site	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	PL/03374

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae angen gwaith atgyfnerthu ar Sanclêr ar gyfer y gwaith trin dŵr gwastraff. Bydd angen ystyried unrhyw ddatblygiad o dan raglen y Cynllun Rheoli Asedau, ond fel arall gall datblygwyr ariannu unrhyw waith atgyfnerthu angenrheidiol drwy gynnal Asesiad o Effaith Datblygwr yn gyntaf ac yna ariannu unrhyw waith drwy rwymedigaeth gynllunio.

St Clears requires reinforcement works for the WwTW. Any development will need to be considered under the AMP programme, however alternatively developers can fund any necessary reinforcement works by firstly undertaking a Developer Impact Assessment (DIA) and subsequently funding any works via planning obligation.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

The site has planning permission for 64 dwellings. The site does not have any adverse impact to its delivery and is located in a sustainable location. Additional information will be sought as necessary as the LDP goes towards examination.

Mae gan y safle ganiatâd cynllunio ar gyfer 64 o anheddau. Nid yw'r safle yn cael unrhyw effaith andwyol i'w gyflwyno ac mae wedi'i leoli mewn lleoliad cynaliadwy. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at arholiad

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SeC18/h9
Cyfeiriad y Safle / Site Address: Land to the west of High Street		Arwynebedd y Safle / Site Area: 1.5ha
Defnydd Presennol / Existing Use: Safle Glas / Greenfield Site		Defnydd Arfaethedig / Proposed Use: Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC18/E1
Cyfeiriad y Safle / Site Address:	Parc Busnes San Cler / St Clears Business Park	Ardal Safle / Site Area:	0.421
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
--	---	--	--

25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

--

Mae'r safle wedi ei leoli o fewn ffiniau safle cyflogaeth presennol ym Mharc Busnes Sanclêr. Mae ei faint a'i raddfa yn caniatáu'r cyfle i ddatblygu ar raddfa fach, ac nid yw'n ymddangos bod unrhyw effaith andwyol i atal datblygiad y safle at ddibenion cyflogaeth. Mae gan y safle seilwaith ffyrdd ar waith sy'n golygu bod y safle ar gael i'w ddatblygu ar unwaith.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu.

The site is located within the confines of an existing employment site at St Clears Business Park. Its size and scale allows the opportunity for small scale development, and there does not appear to be any adverse impact to stifle the development of the site for employment purposes. The site has road infrastructure in place which makes the site immediately available for development.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC18/E1
Cyfeiriad y Safle / Site Address:	Parc Busnes San Cler / St Clears Business Park	Arwynebedd y Safle / Site Area:	0.421
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyion cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC19

**Hendy- gwyn ar Daf /
*Whitland***

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0828 + SR163/010	Cyfeirnod y Safle / Site Reference:	SeC19/h1
Cyfeiriad y Safle / Site Address:	Tir yn Park View / Land at Park View, Trevaughan	Ardal Safle / Site Area:	0.434ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle wedi ei leoli tu fewn Parth B fel y'i nodwyd gan Fapiau Cyngor Datblygu TAN 15. Mae'r safle hwn yn debygol o fod yn addas ar gyfer datblygu ar yr amod bod dull dilyniantol yn cael ei fabwysiadu ar gyfer cynllun a dyluniad y safle. Argymhell bod y cais yn cael ei gefnogi gan y safle penodol am risg llifogydd gan yr ymgeisydd (gan gynnwys yr Asesiad Canlyniadau Llifogydd) ar sut y bydd pryderon risg llifogydd yn cael eu rheoli'n briodol.

A part of the site is located within Zone B as identified by the TAN15 Development Advice Maps. This site is likely suitable for development provided that a sequential approach is adopted for the site layout and design. Recommend that the application is supported by site specific flood risk information from the applicant (including Flood Consequence Assessment) on how flood risk concerns will be appropriately managed.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
--	---	--	--

11. A oes gan y safle bwynt mynediad sydd â gweledd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	✓	ACI4 ACI5 ISA4 ISA5	-

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Mae'r safle hwn yn debygol o fod yn addas ar gyfer datblygu ar yr amod bod dull dilyniannol yn cael ei fabwysiadu ar gyfer cynllun a dyluniad y safle. Argymhell bod y cais yn cael ei gefnogi gan y safle penodol am risg llifogydd gan yr ymgeisydd (gan gynnwys yr Asesiad Canlyniadau Llifogydd) ar sut y bydd pryderon risg llifogydd yn cael eu rheoli'n briodol.

This site is likely suitable for development provided that a sequential approach is adopted for the site layout and design. Recommend that the application is supported by site specific flood risk information from the applicant (including Flood Consequence Assessment) on how flood risk concerns will be appropriately managed.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	X		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Nid yw'r safle yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy. Mae ei faint a'i raddfa yn ei wneud yn safle deniadol i ddatblygwyr ar raddfa fach neu ganolog. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site does not have any adverse impact to its delivery, and is located in a sustainable location. Its size and scale makes it an attractive site for small scale or medium scale developers. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0828 + SR163/010	Cyfeirnod y Safle / Site Reference:	SeC19/h1
Cyfeiriad y Safle / Site Address:	Tir yn Park View / Land at Park View, Trevaughan	Arwynebedd y Safle / Site Area:	0.434ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	--
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae rhan o'r safle wedi ei leoli tu fewn Parth B fel y'i nodwyd gan Fapiau Cynor Datblygu TAN 15. Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Framwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwellu'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.

A part of the site is located within Zone B as identified by the TAN15. Development Advice Maps. This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/163/008	Cyfeirnod y Safle / Site Reference:	SeC19/h2
Cyfeiriad y Safle / Site Address:	Hufenfa Hendy Gwyn / Whitland Creamery	Ardal Safle / Site Area:	
Defnydd Presennol / Existing Use:	Aildefnyddio y tir a ddatblygwyd yn flaenorol / Previously Developed Land	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/33572

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	✓	ACI4 ACI5 ISA4 ISA5	-

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae rhan o'r safle ger y parth llifogydd, ac mae rhan o'r dyraniad ei hun o fewn parth B .

Part of the site is adjacent to the C2 zone, and part of the allocation itself is within Zone B.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	✓	ACI7 ACI9 ISA7 ISA9	+

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae rhan o'r safle yn cynnwys tir amaethyddol o safon uchel, fodd bynnag, datblygwyd y safle yn flaenorol.

A part of the site contains high quality agricultural land, however, the site is previously developed land.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae Dŵr Cymru wedi nodi bod capasiti cyfyngedig yn y gwaith trin dŵr gwastraff, ond mae hwn yn un o ddau safle yn unig yn Hendy-gwyn ar Daf i gael eu dyrannu. Bydd angen gwaith atgyfnerthu ar unrhyw ddatblygiad, naill ai drwy gyfraniadau'r datblygwr neu Gynllun Rheoli Asedau ar gyfer y dyfodol.

DCWW have indicated limited capacity in the Waste Water Treatment works, however this is one of only two sites in Whitland to be allocated. Any development will require reinforcement works, either through developer contributions or a future AMP.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan ran o'r safle ganiatâd cynllunio amlinellol ar gyfer 28 o anheddau. Nid yw'r safle cyfan yn cael unrhyw effaith andwyol yn sgil ei gyflawni, ac mae wedi'i leoli mewn lleoliad cynaliadwy. Mae ei faint a'i raddfa yn ei wneud yn safle deniadol i ddatblygwyr ar raddfa ganolig, ac mae'n defnyddio safle a ddatblygwyd yn flaenorol ac a ffeirir yn gyntaf yn y fethodoleg asesu safle. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Part of the site has outline planning permission for 28 dwellings. The overall site does not have any adverse impact to its delivery, and it is located in a sustainable location. Its size and scale makes it an attractive site for a medium scale developers, and utilises a previously developed site which is favoured firstly within the site assessment methodology. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/163/008	Cyfeirnod y Safle / Site Reference:	SeC19/h2
Cyfeiriad y Safle / Site Address:	Hufenfa Hendy Gwyn / Whitland Creamery	Arwynebedd y Safle / Site Area:	0
Defnydd Presennol / Existing Use:	Aildefnyddio y tir a ddatblygwyd yn flaenorol	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	-
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	++
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiâu lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC19/h3
Cyfeiriad y Safle / Site Address:	Gerddi Lingfield	Ardal Safle / Site Area:	1.4ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/17567, W/35037

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Mae gan y safle ganiatâd cynllunio ar gyfer 57 o anheddau, ac mae'n cael ei adeiladu ar hyn o bryd.

The site has planning permission for 57 dwellings, and is currently under construction.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SeC19/h3	
Cyfeiriad y Safle / Site Address: Gerddi Lingfield		Arwynebedd y Safle / Site Area: 1.4ha	
Defnydd Presennol / Existing Use: Safle Glas / Greenfield		Defnydd Arfaethedig / Proposed Use: Preswyl Residential	
		Os arall, Na, Nodwch / If other, specify: 0	

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu. Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC19/h4
Cyfeiriad y Safle / Site Address:	Parc y Dressig	Ardal Safle / Site Area:	1.3ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	W/17567, W/35037, PL/00668

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Safle wedi cwblhau
Site completed

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0		Cyfeirnod y Safle / Site Reference: SeC19/h4
Cyfeiriad y Safle / Site Address: Parc y Dressig		Arwynebedd y Safle / Site Area: 1.3ha
Defnydd Presennol / Existing Use: Safle Glas / Greenfield		Defnydd Arfaethedig / Proposed Use: Preswyl Residential
		Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
Not applicable as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC19/E1
Cyfeiriad y Safle / Site Address:	Parc Diwydiannol Hendy Gwyn ar Daf / Whitland Industrial Park	Ardal Safle / Site Area:	0.489ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

--	--	--	--

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+

26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		
--	---	--	--

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

--	--	--	--

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw? / Has the applicant provided sufficient evidence to show the development is deliverable?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli o fewn ffiniau safle cyflogaeth presennol ym Mharc Diwydiannol Hendy-gwyn ar Daf. Mae ei faint a'i raddfa yn caniatáu'r cyfle i ddatblygu ar raddfa fach, ac nid yw'n ymddangos bod unrhyw effaith andwyol i atal datblygiad y safle at ddibenion cyflogaeth. Mae gan y safle seilwaith ffyrdd ar waith sy'n golygu bod y safle ar gael i'w ddatblygu ar unwaith.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu.

The site is located within the confines of an existing employment site at Whitland Industrial Park. Its size and scale allows the opportunity for small scale development, and there does not appear to be any adverse impact to stifle the development of the site for employment purposes. The site has road infrastructure in place which makes the site immediately available for development.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim yn berthnasol / Not applicable	Cyfeirnod y Safle / Site Reference:	SeC19/E1
Cyfeiriad y Safle / Site Address:	Parc Diwydiannol Hendy Gwyn ar Daf / Whitland Industrial Park	Arwynebedd y Safle / Site Area:	0.489ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsodol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyion cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	SR/163/009 (CA0904)	Cyfeirnod y Safle / Site Reference:	SeC19/E2
Cyfeiriad y Safle / Site Address:	Tir i'r dde o hen Hufenfa Hendy Gwyn ar Daf / Land south of Whitland Creamery	Ardal Safle / Site Area:	1.321ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	Dim yn berthnasol / Not applicable		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A yw'r safle o fewn pellter rhesymol i ardaloedd o boblogaeth a Thai? / Q14 Is the site within a reasonable distance to areas of population and housing?	✓	ACI12 ACI15 ISA12 ISA15	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	✓	ACI7 ISA7	-
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Mae tua 25% o'r safle wedi'i nodi fel tir amaethyddol o safon uchel (gradd 3a). Nid oes safleoedd amgen priodol gerllaw anheddiad strategol Hendy-gwyn ar Daf a fyddai'n osgoi tir o'r fath.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Around 25% of the site has been identified as high quality agricultural land (grade 3a). There are no appropriate alternative sites adjacent to the strategic settlement of Whitland that would avoid such land.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosfad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw ? / Has the applicant provided sufficient evidence to show the development is deliverable ?	X		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	X		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli ar ymyl safle cyflogaeth presennol (hen Hufenfa'r Hendy-gwyn ar Daf) - sydd ei hun bellach yn cael ei ddefnyddio ar gyfer unedau llai. Mae ffin ddiffiniedig ar 4 ochr y dyraniad. Mae ei faint a'i raddfa yn caniatáu'r cyfle am gymysgedd ac amrywiaeth o ddefnyddiau cyflogaeth o fewn Hendy-gwyn ar Daf. Nid yw'n ymddangos bod unrhyw effaith andwyol i atal datblygiad y safle at ddibenion cyflogaeth. Mae gan y safle seilwaith ffyrdd yn agos iawn sy'n golygu bod y safle ar gael i'w ddatblygu ar unwaith.

O ran y gallu i gyflenwi'r safle, fe ofynner am ragor o wybodaeth fel bo'r angen wrth i'r CDLI ddatblygu trwy'r broses tuag at archwiliad i ddangos pryd fydd y safle yn debygol o gael ei ddatblygu.

The site is located on the edge of an existing employment site (former Whitland Creamery) - which itself is now being used for smaller units. The allocation itself is bordered on 4 sides by a defined boundary. Its size and scale allows the opportunity for a mix and range of employment uses within Whitland. There does not appear to be any adverse impact to stifle the development of the site for employment purposes. The site has road infrastructure in close proximity which makes the site immediately available for development.

In terms of deliverability, additional information will be sought as necessary as the LDP progresses towards examination to identify when the site is likely to be brought forward.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	SR/163/009 (CA0904)	Cyfeirnod y Safle / Site Reference:	SeC19/E2
Cyfeiriad y Safle / Site Address:	Tir i'r dde o hen Hufenfa Henty Gwyn ar Daf / Land south of Whitland Creamery	Arwynebedd y Safle / Site Area:	1.321ha
Defnydd Presennol / Existing Use:	Safle Glas / Green field	Defnydd Arfaethedig / Proposed Use:	Cyflogaeth / Employment
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	--
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	+
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	+

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Disgwylir i bolisïau lliniarol a nodir yn y CDLID e.e., SP12: Creu lleoedd a lleoedd Cynaliadwy fynd i'r afael â'r effeithiau hyn. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). Mitigative policies set out within the rLDP (e.g., SP12: Placemaking and Sustainable Places) are expected to address these effects. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SeC20

Talacharn /

Laugharne

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SeC20/h1
Cyfeiriad y Safle / Site Address:	Pludds Meadow	Ardal Safle / Site Area:	2.069ha
Defnydd Presennol / Existing Use:	Safle Glas / Green Field	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/27727, W/36780, W/39292, W/40058

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+	
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+	
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae rhan o'r safle yn cynnwys tir amaethyddol o ansawdd uchel, ond, mae'r safle wedi cael i adeiladu allan

A portion of the site contains high quality agricultural land, however, the site has been built out.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae caniatâd amlinellol wedi cael ei roi i'r safle ac mae ceisiadau am amrywio amodau wedi cael eu cyflwyno yn dilyn hynny i ymestyn y cyfnod i gyflwyno materion a gadwyd yn ôl. Mae'r cynllun ffordd a lleiniau wedi'i gwblhau ar y safle, y byddai'r datblygiad yn cynnwys tai hunanadeiladu. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has been granted outline permission with subsequent variation of condition applications to extend the period to submit reserved matters. The road and plot layout has been completed on site, with the development including self build constructions. Additional information will be sought as necessary as the LDP goes towards examination

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0	Cyfeirnod y Safle / Site Reference: SeC20/h1
Cyfeiriad y Safle / Site Address: Pludds Meadow	Arwynebedd y Safle / Site Area: 2.069ha
Defnydd Presennol / Existing Use: Safle Glas / Green Field	Defnydd Arfaethedig / Proposed Use: Preswyl Residential
	Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0913 + SR/075/008	Cyfeirnod y Safle / Site Reference:	SeC20/h2
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Ysgol Lacharn / Land adj. Laugharne School	Ardal Safle / Site Area:	2.336ha
Defnydd Presennol / Existing Use:	Safle Glas / Green Field	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/35450, PL/04604

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+	
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+	
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	X	ACI6 ISA6	+
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae cyfran o'r safle yn cynnwys tir amaethyddol o safon uchel, ond mae gan y safle ganiatâd cynllunio llawn.

A portion of the site contains high quality agricultural land, however, the site has full planning permission.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle ganiatâd cynllunio amlinellol a roddwyd yn sgil apêl yn Rhagfyr 2018. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has an outline planning permission which granted on appeal in December 2018. The proponent of the land has provided information as part of the application, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0913 + SR/075/008	Cyfeirnod y Safle / Site Reference:	SeC20/h2
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Ysgol Lacharn / Land adj. Laugharne School	Arwynebedd y Safle / Site Area:	2.336ha
Defnydd Presennol / Existing Use:	Safle Glas / Green Field	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0598 + SR/075/005	Cyfeirnod y Safle / Site Reference:	SeC20/h3
Cyfeiriad y Safle / Site Address:	Tir ger Stryd Clifton / Land off Clifton Street	Ardal Safle / Site Area:	0.76ha
Defnydd Presennol / Existing Use:	Gardd / Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae, ond mae gan yr anheddiad cyfan nifer o fannau chwarae.

The site is not located within 400m of a play space provision, however the settlement as a whole has a number of play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Ystyrir bod Talacharn yn rhan o'r cynllun AMP6 Dwr Cymru
Laugharne is considered to be part of the DCWW's AMP6 scheme.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Byddai cynllun a gynllunnir mewn modd sensitif yn y lleoliad hwn yn darparu datblygiad a fyddai'n ddeniadol i ddatblygwyr ar raddfa fach. Nid oes unrhyw sylwadau anffafriol wedi cael eu gwneud gan y Grŵp Swyddogion Technegol. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais safle ymgeisio, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

A sensitively designed scheme at this location would provide a development which would be attractive to small scale developers. No adverse comments have been received from the Technical Officer Group. The proponent of the land has provided information as part of the candidate site, however additional information will be sought as necessary as the LDP goes towards examination

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0598 + SR/075/005	Cyfeirnod y Safle / Site Reference:	SeC20/h3
Cyfeiriad y Safle / Site Address:	Tir ger Stryd Clifton / Land off Clifton Street	Arwynebedd y Safle / Site Area:	0.76ha
Defnydd Presennol / Existing Use:	Gardd / Garden	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch lliniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Nid yw'r safle hwn o fewn pellter cerdded rhesymol i ddarpariaeth man agored ac nid yw'n defnyddio tir a ddatblygwyd o'r blaen. Mae fel arall yn perfformio'n gadarnhaol yn erbyn y Fframwaith ACI. Fydd rhaid i unrhyw gais cynllunio ar y safle nodi a oes digon o ddarpariaeth man agored yn yr ardal a sicrhau ei bod yn unol â'r polisi Mannau Agored. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site is not within a reasonable walking distance to an open space provision and does not utilise previously developed land. It otherwise performs positively against the ISA Framework. Any proposed application on the site would need to identify if there is sufficient open space provision in the area and ensure accordance with the Open Space policy. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV55

Glandy Cross

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim ar gael / Not Available	Cyfeirnod y Safle / Site Reference:	SuV55/h1
Cyfeiriad y Safle / Site Address:	Tir i gefn Maesglas / Land to the rear of Maes Glas	Ardal Safle / Site Area:	0.75ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/38320

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r safle o fewn ardal Categori 2 – Agregau Manyleb Uchel - Llechfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 2 High Specification Aggregate – Slate, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae'r safle tua 50m y tu allan i ardal cadwraeth afonol arbenning yr Afon Cleddau

The site lies approximately 50m outside the Afon Cleddau Riverine Special Area of Conservation Catchment

Rhagwelir y byddai angen defnyddio cyfleuster parod i drin carthion ar gyfer y datblygiad. Yn ail, ni wnaed unrhyw sylw anffafriol gan Dŵr Cymru ynghylch y cyflenwad dŵr fel rhan o'r cais.

It is anticipated that the use of a single package treatment plan would be required for the development. Secondly no adverse comment was made by DCWW regarding the water supply as part of the application

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle gais cynllunio amlinellol yn yr arfaeth (gyda rhai materion a gadwyd yn ôl) ar gyfer 9 annedd. Mae hyn yn amodol ar lofnodi cytundeb Adran 106. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais amlinellol, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has a pending outline planning (with some matters reserved) for 9 dwellings. This is subject to the signing of a S106 agreement. The proponent of the land has provided information as part of the outline application, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim ar gael / Not Available	Cyfeirnod y Safle / Site Reference:	SuV55/h1
Cyfeiriad y Safle / Site Address:	Tir i gefn Maesglas / Land to the rear of Maes Glas	Arwynebedd y Safle / Site Area:	0.75ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Er nad yw'r safle wedi'i leoli o fewn ACA Dalgylch Dŵr Croyw Sensitif Ffosforws, gall ei agosrwydd at un warantu ymchwilliad pellach i sicrhau nad oes unrhyw effeithiau'n digwydd o newid defnydd tir, rhyddhau dŵr gwastraff, a/neu ffo. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may likely cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Although the site is not located within a Phosphorus Sensitive SAC Freshwater Catchment, its proximity to one may warrant further investigation to ensure no impacts occur from land-use change, wastewater discharge, and/or run-off. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Dim ar gael / Not Available	Cyfeirnod y Safle / Site Reference:	SuV55/h2
Cyfeiriad y Safle / Site Address:	Tir i'r gogledd o Tafarn Cross Inn / Land to the north of Cross Inn P.H	Ardal Safle / Site Area:	0.445ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafndiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r safle o fewn ardal Categori 2 – Agregau Manyleb Uchel - Llechfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 2 High Specification Aggregate – Slate, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae'r safle tua 100m y tu allan i ardal cadwraeth aronol arbenning yr Afon Cleddau.

The site lies approximately 100m outside the Afon Cleddau Riverine Special Area of Conservation Catchment.

Rhaowelir y byddai angen defnyddio cyfleuster parod i drin carthion ar ofer y datblygiad. Byddai angen cynnal Aseiad o

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae gan y safle ffin ddiffiniedig ar bob ochr a byddai datblygiad â nifer dangosol o 6 annedd yn ddeniadol i ddatblygwyr ar raddfa fach. Nid oes unrhyw sylwadau anffafriol wedi cael eu gwneud gan y Grŵp Swyddogion Technegol. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais safle ymgeisio, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has a defined boundary on each side and a development with an indicative of 6 dwellings would be attractive to small scale developers. No adverse comments have been received from the Technical Officer Group. The proponent of the land has provided information as part of the candidate site submission, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Dim ar gael / Not Available	Cyfeirnod y Safle / Site Reference:	SuV55/h2
Cyfeiriad y Safle / Site Address:	Tir i'r gogledd o Tafarn Cross Inn / Land to the north of Cross Inn P.H	Arwynebedd y Safle / Site Area:	0.445ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs very well against the ISA Framework. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV56

Efail-wen /

Efailwen

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0456 and SR/053/003	Cyfeirnod y Safle / Site Reference:	SuV56/h1
Cyfeiriad y Safle / Site Address:	Tir i gefn o Talar Wen / Land to the rear of Talar Wen	Ardal Safle / Site Area:	0.598ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r safle o fewn ardal Categori 1 – Agregau Manyleb Uchel - Calchfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 1 High Specification Aggregate – Limestone, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	✓	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	-
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae'r safle tua 50m y tu allan i ardal cadwraeth afonol arbenning yr Afon Cleddau

The site lies approximately 50m outside the Afon Cleddau Riverine Special Area of Conservation Catchment

Rhagwelir y byddai angen defnyddio cyfleuster parod i drin carthion ar gyfer y datblygiad. Yn ail, ni wnaed unrhyw sylw anffafriol gan Dŵr Cymru ynghylch y cyflenwad dŵr fel rhan o'r cais.

It is anticipated that the use of a single package treatment plan would be required for the development. Secondly no adverse comment was made by DCWW regarding the water supply as part of the application.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
----------------------------	-----------------	--	----------------------

Hyfywedd ac Ymarferoldeb / Viability and Deliverability

28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Dim ond rhan o'r safle ymgeisio sy'n cael ei dwyn ymlaen fel dyraniad. Mae'n ffurf dderbyniol o ddatblygiad hirgul i fod yn debyg i'r datblygiad ar ochr arall y ffordd. Byddai datblygiad â nifer dangosol o 6 annedd yn ddeniadol i ddatblygwyr ar raddfa fach. Nid oes unrhyw sylwadau anffafriol wedi cael eu gwneud gan y Grŵp Swyddogion Technegol. Mae cynigydd y tir wedi darparu gwybodaeth fel rhan o'r cais safle ymgeisio, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Only part of the candidate site is taken forward as an allocation. It is an acceptable form of ribbon development to be similar to the development on the opposite side of the road. A development with an indicative of 6 dwellings would be attractive to small scale developers. No adverse comments have been received from the Technical Officer Group. The proponent of the land has provided information as part of the candidate submission, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0456 and SR/053/003	Cyfeirnod y Safle / Site Reference:	SuV56/h1
Cyfeiriad y Safle / Site Address:	Tir i gefn o Talar Wen / Land to the rear of Talar Wen	Arwynebedd y Safle / Site Area:	0.598ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	--
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	--
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. Er nad yw'r safle wedi'i leoli o fewn ACA Dalgylch Dŵr Croyw Sensitif Ffosforws, gall ei agosrwydd at un warantu ymchwilliad pellach i sicrhau nad oes unrhyw effeithiau'n digwydd o newid defnydd tir, rhyddhau dŵr gwastraff, a/neu ffo. Cyfeirir at CCH4: Ansawdd Dŵr a Diogelu Adnoddau Dŵr. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofnyon cynllunio.

By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may likely cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Although the site is not located within a Phosphorus Sensitive SAC Freshwater Catchment, its proximity to one may warrant further investigation to ensure no impacts occur from land-use change, wastewater discharge, and/or run-off. Reference is made to CCH4: Water Quality and Protection of Water Resources. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV58

Meidrim

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Part of CA0510 + SR/112/003	Cyfeirnod y Safle / Site Reference:	SuV58/h1
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Lon Dewi / Land adj to Lon Dewi	Ardal Safle / Site Area:	0.351ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Dim ond rhan o'r safle ymgeisio sy'n cael ei dwyn ymlaen fel dyraniad. Bydd y safle yn cael ei ddatblygu gan y Cyngor fel rhan o'i raglen adeiladu tai fforddiadwy, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

Only part of the candidate site is taken forward as an allocation. The site is to be developed by the Council as part of their affordable housing building programme, however additional information will be sought as necessary as the LDP goes towards

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Part of CA0510 + SR/112/003	Cyfeirnod y Safle / Site Reference:	SuV58/h1
Cyfeiriad y Safle / Site Address:	Tir cyfagos i Lon Dewi / Land adj to Lon Dewi	Arwynebedd y Safle / Site Area:	0.351ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs well against the ISA Framework. Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0385 + SR/112/002	Cyfeirnod y Safle / Site Reference:	SuV58/h2
Cyfeiriad y Safle / Site Address:	Tir ger Heol Drefach / Land off Drefach Road	Ardal Safle / Site Area:	1.425ha
Defnydd Presennol / Existing Use:	Safle Glas a datblygiad adeiladu / Greenfield and part housing development	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/13032, W/16074

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle ymgeisio yn cael ei ddwyn ymlaen fel dyraniad yn ychwanegol at y dyraniad presennol yn y CDLI yn Heol Meidrim. Ystyrir y bydd datblygu'r safle newydd yn cefnogi'r dyraniad presennol, yn enwedig o ran cwblhau'r seilwaith ffyrdd ym mhen deheuol y safle. Bydd maint a graddfa'r safle o ddiddordeb i ddatblygwyr ar raddfa fach. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The candidate site is being taken forward as an allocation in addition to the existing LDP allocation at Meidrim Road. It is considered that the development of the new site will support the existing allocation, particularly for the completion of the road infrastructure at the southern end of the site. The size and scale of the site will be of interest to small scale developers. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0385 + SR/112/002	Cyfeirnod y Safle / Site Reference:	SuV58/h2
Cyfeiriad y Safle / Site Address:	Tir ger Heol Drefach / Land off Drefach Road	Arwynebedd y Safle / Site Area:	1.425ha
Defnydd Presennol / Existing Use:	Safle Glas a datblygiad adeiladu / Greenfield a	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV59

Bancyfelin

Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	Suv59/h1
Cyfeiriad y Safle / Site Address:	Maes y Llewod	Ardal Safle / Site Area:	0.8ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/31130, W/31890

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydawns â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn ddyraniad cyfredol yn y CDLI ac adeiladwyd pob un o'r 17 annedd yn y flwyddyn 2018/2019. Mae pob un o'r 17 o anheddau yn cael eu dwyn ymlaen yn y CDLI diwygiedig gan eu bod wedi cael eu hadeiladu ers y dyddiad sylfaen. Mae'r safle hwn â chyfeirnod SuV59/h1 yn y CDLI diwygiedig

The site is a current allocation in the LDP and all 17 dwellings were built in the year 2018/2019. All 17 dwellings are carried forward in the revised LDP since they have been built since the base date. This site is referenced as SuV59/h1 in the revised LDP.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	N/A	Cyfeirnod y Safle / Site Reference:	Suv59/h1
Cyfeiriad y Safle / Site Address:	Maes y Llewod	Arwynebedd y Safle / Site Area:	0.8ha
Defnydd Presennol / Existing Use:	Preswyl / Residential	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	
2. Bioamrywiaeth / Biodiversity	
3. Ansawdd Aer / Air Quality	
4. Ffactorau hinsoddol / Climatic Factors	
5. Dŵr / Water	
6. Asedau Materol / Material Assets	
7. Pridd / Soil	
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	
9. Tirwedd / Landscape	
10. Poblogaeth / Population	
11. Y Gymraeg / The Welsh Language	
12. Iechyd a Llesiant / Health and Well-being	
13. Addysg a Sgiliau / Education and Skills	
14. Yr Economi / Economy	
15. Gwead Cymdeithas / Social Fabric	

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Ddim yn berthnasol - Mae'r safle wedi cael ei adeiladu
N/A as the site has been completed

Gadewir y dudalen hon yn wag yn fwriadol

This page is left intentionally blank

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0594 + SR/007/004	Cyfeirnod y Safle / Site Reference:	SuV59/h2
Cyfeiriad y Safle / Site Address:	Gogledd i Faes y Llewod / North of Maes y Llewod	Ardal Safle / Site Area:	1.107ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	X
Hanes Cynllunio Perthnasol / Relevant Planning History	Na / No

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffeirir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffeirir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Aseiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Aseiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		
12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		

13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--	--	--	--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+
22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Aseiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae dyddodion tywod a graean o dan y safle, ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif.

Sand and gravel deposits underlie the site, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		

29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		
--	---	--	--

Sylwadau Ychwanegol / Additional Comments

Mae'r safle yn estyniad derbyniol i'r anheddiad sydd wedi'i amgáu ar ddwy ochr gan ddatblygiad preswyl presennol. Byddai ei faint a'i raddfa yn gyfle datblygu rhesymol ym Mancyfelin i adeiladwyr tai ar raddfa fach a chanolig. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth am ddatblygu'r safle, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site is an acceptable extension to the settlement, it is enclosed on two sides by existing residential development. Its size and scale would be a reasonable development opportunity within Bancyfelin for small to medium scale housebuilders. The proponent of the land has provided some information on the development of the site, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0594 + SR/007/004	Cyfeirnod y Safle / Site Reference:	SuV59/h2
Cyfeiriad y Safle / Site Address:	Gogledd i Faes y Llewod / North of Maes y Llewod	Arwynebedd y Safle / Site Area:	1.107ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+/-
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs very well against the ISA Framework. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may likely cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV60

Llangynog

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	CA0795 + SR/097/007	Cyfeirnod y Safle / Site Reference:	SuV60/h1
Cyfeiriad y Safle / Site Address:	College Bach, Llangynog	Ardal Safle / Site Area:	0.388ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2a of the Site Assessment

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r safle o fewn ardal Categori 1 – Agregau Manyleb Uchel - Tywodfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 1 High Specification Aggregate – Sandstone, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

Cam 2b – Asesiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle hwn yn darparu un o'r ychydig gyfleoedd priodol ar gyfer datblygiad ar raddfa fach yn Llangynog. Bydd maint a graddfa'r safle o ddiddordeb i ddatblygwyr ar raddfa fach. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

This site provides one of few appropriate opportunities for small scale development in Llangynog. The size and scale of the site will be of interest to small scale developers. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	CA0795 + SR/097/007	Cyfeirnod y Safle / Site Reference:	SuV60/h1
Cyfeiriad y Safle / Site Address:	College Bach, Llangynog	Arwynebedd y Safle / Site Area:	0.388ha
Defnydd Presennol / Existing Use:	Safle Glas / Greenfield	Defnydd Arfaethedig / Proposed Use:	Defnydd Cymysg / Mixed Use
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	++
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'r safle hwn yn perfformio'n dda iawn yn erbyn y Fframwaith ACI. Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisiau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

This site performs very well against the ISA Framework. By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV61

Pentywyn /

Pendine

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:	Part of CA0044 and SR/126/002	Cyfeirnod y Safle / Site Reference:	SuV61/h1
Cyfeiriad y Safle / Site Address:	Tir yn Fferm Nieuport / Land at Nieuport Farm	Ardal Safle / Site Area:	0.448ha
Defnydd Presennol / Existing Use:	Iard Fferm / Part of Farm yard	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

--

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
----------------------------	-----------------	--	--------------------------

Cyffredinol / General

7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X		
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	✓	ACI12 ACI15 ISA12 ISA15	+
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:			
(a) Darpariaeth cyflogaeth / Employment provision	✓		+
(b) Darpariaeth fanwerthu / Retail provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13 ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r safle o fewn ardal Categori 1 – Agregau Manyleb Uchel - Calchfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterileiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 1 High Specification Aggregate – Limestone, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Mae rhan fach iawn o'r safle yn cael ei gategoreiddio yn dir amaethyddol o safon uchel.

A very small part of the site is categorised as high quality agricultural land.

Seilwaith a Chyfleustodau / Infrastructure and Utilities

24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Mae Dŵr Cymru wedi nodi bod capasiti cyfyngedig yn y gwaith trin dŵr gwastraff, ond hwn yw'r unig safle ym Mhentywyn i gael ei ddyrannu, ac felly mae'n gyfystyr â lefel fach o dwf yn y pentref. Bydd angen gwaith atgyfnerthu ar unrhyw ddatblygiad, naill ai drwy gyfraniad y datblygwr neu Gynllun Rheoli Asedau ar gyfer y dyfodol.

DCWW have indicated limited capacity in the Waste Water Treatment works, however this is the only site in Pendine to be allocated, and therefore represents a small level of growth within the village. Any development will require reinforcement works, either through developer contribution or a future AMP.

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments

--

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi'i ehangu o'r hyn a ddyrannwyd yn flaenorol yn y CDLI presennol i ganiatáu datblygiad manwl o bosibl. Mae cynigydd y tir wedi darparu rhywfaint o wybodaeth drwy'r cais safle ymgeisio, ond gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has been extended from that previously allocated in the existing LDP to potentially allow an in-depth development. The proponent of the land has provided some information with the candidate site submission, however additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number:	Part of CA0044 and SR/126/002	Cyfeirnod y Safle / Site Reference:	SuV61/h1
Cyfeiriad y Safle / Site Address:	Tir yn Fferm Nieuport / Land at Nieuport Farm	Arwynebedd y Safle / Site Area:	0.448ha
Defnydd Presennol / Existing Use:	Iard Fferm / Part of Farm yard	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, Na, Nodwch / If other, specify:	0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.

SuV63

Llanmiloe

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018-2033 / Carmarthenshire Revised Local Development Plan
2018 - 2033**

Manylion y Safle / Site Details			
Rhif y Safle Ymgeisio / Candidate Site Number:		Cyfeirnod y Safle / Site Reference:	SuV63/h1
Cyfeiriad y Safle / Site Address:	Tir yn Woodend / Land at Woodend	Ardal Safle / Site Area:	2.03ha
Defnydd Presennol / Existing Use:	Datblygiad adeiladu / Housing development	Defnydd Arfaethedig / Proposed Use:	Preswyl Residential
		Os arall, nodwch / If other, specify:	

Defnydd Tir neu Hanes Cynllunio / Land Use or Planning History	
A yw'r safle yn Ddyraniad CDLI presennol? / Is the site an existing LDP Allocation?	✓
Hanes Cynllunio Perthnasol / Relevant Planning History	W/32544

Cam 1 - Asesiad Cychwynnol / Stage 1 – Initial Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
1. A yw'r safle'n gydnaws â lleoliad twf yn y dyfodol a gyflwynir yn y Strategaeth a Ffefrir? / Is the site compatible against the location of future growth presented in the Preferred Strategy?	✓	ACI1 ISA1	+

Sylwadau Ychwanegol / Additional Comments

**Os yw'r safle yn cyd-fynd â'r dadansoddiad uchod, yna mae'n symud ymlaen i Gam 2a yr Asesiad Safle / If the site
accords with the analysis above, then it moves on to Stage 2a of the Site Assessment**

Cam 2a - Asesiad Manwl Cychwynnol o'r Safle / Stage 2a – Initial Detailed Site Assessment			
Ystyriaeth / Consideration	le, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
2. A oes lle ar y safle am 5 neu ragor o anheddau? / Can the site accommodate 5 or more dwellings?	✓		
3. A yw'r safle o fewn anheddiad Haen 1-3 neu'n uniongyrchol gysylltiedig ag ef yn y Strategaeth a Ffefrir? / Is the site within or directly related to a Tier 1 - 3 settlement in the Preferred Strategy?	✓		
4. A yw'r safle wedi'i leoli mewn parth lle ceir perygl o lifogydd fel y'i nodir ar Fapiau Cyngor Datblygu TAN 15? / Is the site located within a flood risk zone as identified in the TAN 15 Development Advice Maps?	X	ACI4 ACI5 ISA4 ISA5	+

5. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw safleoedd sydd wedi'u dynodi am bwysigrwydd i gadwraeth natur? / Is the site located within or immediately adjacent to any sites designated for importance to nature conservation?	X	ACI2 ISA2	+
6. A yw'r safle wedi'i leoli o fewn neu'n union wrth ymyl unrhyw Henebion Cofrestredig? / Is the site located within or immediately adjacent to any Scheduled Monuments?	X	ACI8 ISA8	+

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi ei leoli'n rhannol o fewn parth perygl llifogydd. Ond mae gan y safle ganiatâd cynllunio llawn.
The site is located partially within a flood risk zone. However, the site has full planning permission.

Os yw'r safle yn cydymffurfio â'r dadansoddiad uchod, wedyn bydd yn symud ymlaen i Gam 2b yr Asesiad Safle / If the site accords with the analysis above, then it moves on to Stage 2b

Cam 2b – Asesiad Manwl Pellach o'r Safle / Stage 2b - Further Detailed Site Assessment

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score +/-
Cyffredinol / General			
7. A fyddai datblygu'r safle'n mynd yn groes i egwyddorion cynllunio cyffredinol? / Would development of the site be contrary to general planning principles?	X		
8. A fyddai datblygu'r safle'n cael effaith niweidiol ar gymeriad ac amgylchiadau'r anheddiad neu ei nodweddion? / Would the development of the site have a detrimental impact on the character and setting of the settlement or its features?	X	ACI8 ACI9 ISA8 ISA9	+
9. A fydd y cynnig yn cynnwys aildefnyddio tir a/neu adeiladau addas a ddatblygwyd yn flaenorol? / Will the proposal involve the re-use of suitable previously developed land and/or buildings?	X	ACI7 ACI9 ISA7 ISA9	-

Cyffredinol - Sylwadau Ychwanegol / General – Additional Comments

--	--	--	--

Hygyrchedd / Accessibility

10. A yw'r safle'n hygyrch o'r briffordd gyhoeddus bresennol? / Is the site accessible from the existing public highway?	✓		
11. A oes gan y safle bwynt mynediad sydd â gwelededd digonol? / Does the site have an available access point with adequate visibility?	✓		

12. A oes unrhyw faterion sylweddol ar y briffordd wedi'u nodi ar sail tystiolaeth mewn perthynas â'r safle? / Have any significant and evidenced highway issues been identified relating to the site?	X			
13. A oes gan y safle fynediad addas i drafnidiaeth gyhoeddus a/neu lwybr teithio llesol? / Does the site have suitable access to public transport and/or active travel route?	✓	ACI3 ACI4 ACI6 ACI12 ACI13 ACI15 / ISA3 ISA4 ISA6 ISA12 ISA13 ISA15	+	
14. A oes gan y safle fynediad i lecynnau gwyrdd/hamdden/cyfleusterau hamdden sydd o fewn pellter rhesymol? / Does the site have access to green space/ leisure/ recreational facilities that are within a reasonable distance?	X	ACI12 ACI15 ISA12 ISA15	-	
15. A yw'r safle o fewn pellter rhesymol i'r canlynol: / Is the site within reasonable distance of:				
(a) Darpariaeth cyflogaeth / Employment provision	✓	ACI6 ACI10 ACI14 ACI15 ISA6 ISA10 ISA14 ISA15	+	
(b) Darpariaeth fanwerthu / Retail provision	✓		+	
(c) Gwasanaethau a chyfleusterau eraill / Other services and facilities	✓		+	
16. A yw'r safle o fewn pellter rhesymol i gyfleusterau addysg? / Is the site within a reasonable distance to education facilities?	✓	ACI13	ISA13	+

Hygyrchedd – Sylwadau Ychwanegol / Accessibility - Additional Comments

Nid yw'r safle wedi'i leoli o fewn 400m i ddarpariaeth mannau chwarae

The site is not located within 400m of a play space provision.

Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaethau Amgylcheddol / Environmental Considerations

17. A yw'r safle wedi'i leoli o fewn neu wrth ymyl parth clustogi mwynau? / Is the site located within or adjacent to a mineral buffer zone?	X	ACI6 ISA6	+
18. A yw'r safle o fewn Ardal Diogelu Mwynau? / Is the site located within a Mineral Safeguarding Area?	✓	ACI6 ISA6	-
19. A yw'r safle o fewn neu'n union wrth ymyl ardal rheoli ansawdd aer? / Is the site within or immediately adjacent to an AQMA?	X	ACI3 ISA3	+
20. A yw'r safle yn cynnwys pridd carbon uchel e.e. mawndiroedd? / Does the site contain high carbon soil e.g., peatlands?	X	ACI7 ISA7	+
21. A yw'r safle'n cynnwys tir amaethyddol o ansawdd uchel (gradd 1, 2, 3a)? / Does the site contain high quality agricultural land (grade 1, 2, 3a)?	X	ACI7 ISA7	+

22. A yw'r safle wedi'i leoli o fewn neu'n union gerllaw unrhyw Safleoedd Daearegol a Geomorffolegol Pwysig Rhanbarthol? / Is the site located within or immediately adjacent to any RIGs?	X	ACI9 ISA9	+
23. A oes unrhyw bryderon sylweddol wedi'u nodi yn yr Asesiad Strategol o Ganlyniadau Llifogydd - Cam 1 a allai effeithio ar gyflawni'r safle? / Are there any significant concerns set out in the SFCA - Stage 1 which could impact on the delivery of the site?	X	ACI4 ACI5 ISA4 ISA5	+

Ystyriaethau Amgylcheddol - Sylwadau Ychwanegol / Environmental Considerations - Additional Comments

Mae'r safle o fewn ardal Categori 1 – Agregau Manyleb Uchel - Calchfaen ond ystyrir bod yr adnodd yn y lleoliad hwn eisoes wedi'i sterilieiddio i raddau helaeth gan ei fod o fewn 200m o ddatblygiad sensitif

The site is within an area of Category 1 High Specification Aggregate – Limestone, however the resource at this location is considered to be already largely sterilised as it is within 200m of sensitive development.

Mae rhan fach iawn o'r safle yn cael ei gategoreiddio yn dir amaethyddol o safon uchel.

A very small part of the site is categorised as high quality agricultural land.

Seilwaith a Chyfleustodau / Infrastructure and Utilities


24. A oes cysylltiad dŵr ar gael ar y safle? / Does the site have an available water connection?	✓		
25. A yw'r safle o fewn neu'n gyfagos i ddalgylch SAC sensitif ffosffad? / Is the site within or adjacent to a phosphate sensitive SAC catchment?	X	ACI2 ACI5 ACI7 ISA2 ISA5 ISA7	+
26. A oes gan y safle gysylltiadau â gofynion seilwaith eraill? / Does the site have connections to other infrastructure requirements?	✓		

Seilwaith a Chyfleustodau - Sylwadau Ychwanegol / Infrastructure and Utilities - Additional Comments

Y Gymraeg / Welsh Language

27. A oes gan leoliad a / neu raddfa'r safle'r potensial i gael effaith niweidiol ar yr Iaith Gymraeg? / Does the location and/or scale of the site have the potential to have a detrimental impact on Welsh Language?	X	ACI11 ISA11	+
--	---	----------------	---

Y Gymraeg - Sylwadau Ychwanegol / Welsh Language - Additional Comments



Cam 2b – Aseiad Manwl Pellach o'r Safle – Parhad / Stage 2b – Further Detailed Site Assessment – Continued

Ystyriaeth / Consideration	Ie, Yes, Na, No	Amcanion cysylltiedig / Related objectives	Sgôr ACI / ISA score
Hyfywedd ac Ymarferoldeb / Viability and Deliverability			
28. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i ddangos bod modd cyflawni'r datblygiad a'i fod yn hyfyw yn ariannol? / Has the applicant provided sufficient evidence to show the development is deliverable and financially viable?	✓		
29. A yw'r ymgeisydd wedi darparu digon o dystiolaeth i nodi pryd y caiff y safle ei gyflwyno i'w ddatblygu? / Has the applicant provided sufficient evidence to identify when the site will be brought forward for development?	✓		

Sylwadau Ychwanegol / Additional Comments

Mae'r safle wedi cael caniatâd amlinellol ac materion a gadwyd yn ôl. Mae'r cynllun ffordd a lleiniau wedi'i gwblhau ar y safle, gyda'r datblygiad yn cael ei gyflwyno trwy adeiladwaith hunan-adeiladu. Gofynnir am wybodaeth ychwanegol yn ôl yr angen wrth i'r CDLI fynd tuag at archwiliad.

The site has been granted outline permission as well as Reserved Matters. The road and plot layout has been completed on site, with the development being introduced through self build constructions. Additional information will be sought as necessary as the LDP goes towards examination.

**Cynllun Datblygu Lleol Diwygiedig Sir Gar 2018 - 2033 / Carmarthenshire Revised Local Development Plan 2018 - 2033
Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal**

Manylion y Safle / Site Details

Rhif y Safle Ymgeisio / Candidate Site Number: 0	Cyfeirnod y Safle / Site Reference: SuV63/h1
Cyfeiriad y Safle / Site Address: Tir yn Woodend / Land at Woodend	Arwynebedd y Safle / Site Area: 2.03ha
Defnydd Presennol / Existing Use: Datblygiad adeiladu / Housing development	Defnydd Arfaethedig / Proposed Use: Preswyl Residential
	Os arall, Na, Nodwch / If other, specify: 0

Amcanion ACI / ISA Objectives	Sgôr ACI / ISA score
1. Datblygu Cynaliadwy / Sustainable Development	+
2. Bioamrywiaeth / Biodiversity	-
3. Ansawdd Aer / Air Quality	+/-
4. Ffactorau hinsoddol / Climatic Factors	+
5. Dŵr / Water	+/-
6. Asedau Materol / Material Assets	+/-
7. Pridd / Soil	-
8. Treftadaeth Ddiwylliannol ac Amgylchedd Hanesyddol / Cultural Heritage and Historic Environment	0
9. Tirwedd / Landscape	+
10. Poblogaeth / Population	++
11. Y Gymraeg / The Welsh Language	+
12. Iechyd a Llesiant / Health and Well-being	+/-
13. Addysg a Sgiliau / Education and Skills	+
14. Yr Economi / Economy	+
15. Gwead Cymdeithas / Social Fabric	++

Meini Prawf Cynladwyedd / Sustainability Criteria	
++	Mae'r safle arfaethedig yn cydymffurfio ag Amcanion lluosog / Proposed site complies with multiple Objectives.
+	Mae'r safle arfaethedig yn cydymffurfio â'r Amcan / Proposed site complies with Objective
+/-	Mae'r safle arfaethedig yn cydymffurfio â rhai elfennau o'r Amcan tra'n rhwystro eraill. Ystyriwch liniaru'r effeithiau negyddol. / Proposed site complies with some elements of the Objective whilst hindering others. Consider mitigating the negative effects.
-	Mae'r safle arfaethedig yn gwrthdaro ag Amcan. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with an Objective. Site may be inappropriate for development. Consider significant mitigation.
--	Mae'r safle arfaethedig yn gwrthdaro â nifer o Amcanion. Gall y safle fod yn amhriodol i'w ddatblygu. Ystyried lliniaru sylweddol. / Proposed site is in conflict with multiple Objectives. Site may be inappropriate for development. Consider significant mitigation.
0	Effaith niwtral o gymharu â'r sefyllfa bresennol / Neutral effect compared to the current situation.

Sylwebaeth Arfarniad Cynladwyedd Integredig / Intergrated Sustainability Appraisal Commentary

Mae'n debygol y bydd adeiladu a chynefinoedd/defnydd o'r safle arfaethedig yn cynyddu'r defnydd o adnoddau naturiol, aflonyddwch cynefin/rhywogaethau, ac o bosibl yn cyfrannu'n negyddol at y lefelau presennol o lygredd (e.e., aer, dŵr, golau, a sain). Drwy beidio â defnyddio tir sydd wedi ei ddatblygu'n flaenorol, bydd y datblygiad ar y safle hwn yn lleihau asedau feidraidd (e.e., adnoddau tir a phridd) a gall fod yn debygol o achosi colled/dadleoli bioamrywiaeth – yn gyffredinol, ac o bosib effeithio ar reoli cynaliadwy adnoddau naturiol a rhwystro cadwraeth natur/hinsawdd. O ystyried yr effaith negyddol a roddir ar fioamrywiaeth o ganlyniad i newid datblygiad/defnydd tir, cyfeirir at Bolisi Strategol – SP 14: Cynnal a Gwella'r Amgylchedd Naturiol. Mae'r safle arfaethedig yn gwrthdaro â sawl Amcan ACI. Disgwylir i bolisïau lliniarol a nodir o fewn y CDLID ddatrys y materion hyn, fodd bynnag, bydd angen sicrhau bod y rhain yn cael eu gweithredu'n gywir ac yn cael eu monitro'n briodol, yn amodol ar ofynion cynllunio.

Both construction and habitation/usage of the proposed site is likely to increase the consumption of natural resources, disturbance of habitat/species, and potentially contribute negatively to existing levels of pollution (e.g., air, water, light, and sound). By not utilising previously developed land, development on this site will reduce finite assets (e.g., land and soil resources) and may cause a loss/displacement of biodiversity – overall, potentially impacting the sustainable management of natural resources and hindering nature/climate conservation. Given the negative impact placed upon biodiversity as a result of development/land use change, reference is made to Strategic Policy – SP 14: Maintaining and Enhancing the Natural Environment. The proposed site conflicts with several ISA Objectives. Mitigative policies set out within the rLDP are expected to resolve these issues, however, it will be necessary to ensure these are correctly implemented and appropriately monitored, subject to planning requirements.